

Missouri Vital Statistics 1995

RECEIVED SEP 24 1996

Missouri
Department of Health

**Center for Health
Information Management &
Epidemiology**

MISSOURI VITAL STATISTICS 1995

MISSOURI DEPARTMENT OF HEALTH

CENTER FOR HEALTH INFORMATION MANAGEMENT AND EPIDEMIOLOGY (CHIME)

**P.O. BOX 570
JEFFERSON CITY
65102-0570**

CHIME PUBLICATION NO. 4.42

****AN EQUAL OPPORTUNITY/AFFIRMATIVE ACTION EMPLOYER****
services provided on a nondiscriminatory basis

Alternate forms of this publication for persons with disabilities may be obtained by contacting the Missouri Department of Health,
Bureau of Health Data Analysis, P.O. Box 570, Jefferson City, MO 65102, 573/751-6278.
Hearing impaired citizens telephone 1-800-735-2966.

MISSOURI DEPARTMENT OF HEALTH
Coleen Kivlahan, M. D., M. S. P. H., Director

CENTER FOR HEALTH INFORMATION MANAGEMENT AND EPIDEMIOLOGY
Garland Land, Director

BUREAU OF HEALTH DATA ANALYSIS
Wayne F. Schramm, Chief

August 1996

PREFACE

This report presents the final tabulation of statistical data relating to vital events in Missouri during 1995. Data for the year of the report was accepted through April 19, 1996, allowing information reflecting events in 1995 to be as complete as possible.

Missouri Vital Statistics 1995 is published for use in public health and related fields as an aid for studying births, deaths, fetal deaths, marriages, dissolutions, and abortions. Provisional vital statistics data are available through the publication, *Missouri Monthly Vital Statistics*. Unpublished detailed annual vital statistics data are available upon request.

TABLE OF CONTENTS

Table/Graph		Page
	BIRTH AND DEATH TRENDS	
A	Live Birth and Death Rates per 1,000 Population: Missouri 1911-1995	1
1	Population, Recorded Births and Deaths with Rates per 1,000 Population and Natural Increase: Missouri 1911-1944	2
2	Population, Recorded and Resident Births and Deaths with Rates per 1,000 Population and Natural Increase: Missouri 1945-1995	2
B	Total Fertility Rates: Missouri 1911-1995.....	4
3	Fertility Rates per 1,000 Females by Age of Mother: Missouri 1911-1995.....	5
C	Crude and Age-Adjusted Death Rates per 1,000 Population: Missouri 1911-1995.....	6
4	Age-Specific Death Rates per 1,000 Population: Missouri 1911-1995.....	7
	BIRTHS	
5A	Resident Live Births by Selected Characteristics by Race of Mother: Missouri 1995	8
5B	Resident Live Births by Selected Obstetric and Pediatric Conditions and Procedures: Missouri 1995	9
6	Resident Live Births by Age of Mother by Live Birth Order by Mother's Marital Status by Race of Mother: Missouri 1995.....	10
7	Teen-age Resident Live Births by Age of Mother by Live Birth Order by Mother's Marital Status by Race of Mother with Percentages: Missouri 1995	11
8	Percent Low Birth Weight and Resident Live Births by Birth Weight by Age of Mother by Race of Mother: Missouri 1995.....	12
9	Resident Live Births by Mother's Marital Status by Race with Percentages by County and Cities with 25,000 or More Population: Missouri 1995	13
10A	Resident Live Births by Selected Characteristics by Race of Mother, Regional Planning Commission: Missouri 1995.....	17
10B	Resident Live Births by Selected Characteristics by County: Missouri 1995	21
10C	Resident Live Births by Selected Characteristics by Cities with 25,000 or More Population: Missouri 1995.....	41
11	Resident Teen-age Pregnancies and Abortions by Selected Ages by County of Residence: Missouri 1995.....	45
	ABORTIONS	
D	Resident Abortion Ratios per 1,000 Live Births: Missouri 1971-1995	47
12	Resident Abortions by Race, Age of Woman and Type of Procedure by Weeks of Gestation: Missouri 1995	48
13	Resident Abortions by Age, Marital Status, and Education, by Race: Missouri 1995	49

Table of Contents (continued)

Table/Graph		Page
14A	Resident Abortions and Ratios per 1,000 Live Births by County of Residence: Missouri 1995	50
14B	Resident Abortions and Ratios per 1,000 Live Births by Regional Planning Commission of Residence: Missouri 1995	51
15	Resident Abortions by Age and Marital Status of Woman: Missouri 1995.....	51
16	Resident Abortions by Number of Living Children and Number of Previous Abortions: Missouri 1995	51
NATURAL INCREASE		
17	Resident and Recorded Live Births, Deaths, and Natural Increase with Rates by Counties and Cities with 25,000 or More Population: Missouri 1995	52
18	Resident and Recorded Live Births and Deaths by Cities with 2,500-24,999 Population: Missouri 1995	56
DEATHS		
19	Twelve Leading Causes of Death by Race with Percentages and with Rates per 100,000 for all Races, Resident Data: Missouri 1995.....	59
20	Five Leading Causes of Death for Selected Age Groups with Percentages, Resident Data: Missouri 1995.....	60
21	Resident Deaths, Age Groups by Race by Sex with Age-Specific Rates per 1,000 by Sex: Missouri 1995.....	61
22A	Resident Deaths, Age Groups by Selected Causes of Death: Missouri 1995	62
22B	Male Resident Deaths, Age Groups by Selected Causes of Death: Missouri 1995	64
22C	Female Resident Deaths, Age Groups by Selected Causes of Death: Missouri 1995.....	66
E	Infant Death Rates per 1,000 Live Births: Missouri 1911-1944 (Recorded), 1945-1995 (Resident)	68
23A	Resident Perinatal, Infant, Fetal, Neonatal, Postneonatal and Maternal Deaths by County and Cities with 25,000 or More Population: Missouri 1995	69
23B	White Resident Perinatal, Infant, Fetal, Neonatal, Postneonatal and Maternal Deaths by County and Cities with 25,000 or More Population: Missouri 1995	71
23C	Black Resident Perinatal, Infant, Fetal, Neonatal, Postneonatal and Maternal Deaths by County and Cities with 25,000 or More Population: Missouri 1995	73
23D	Resident Perinatal, Infant, Fetal, Neonatal, Postneonatal and Maternal Deaths by Regional Planning Commission with Rates per 1,000 Live Births: Missouri 1995.....	75
23E	White Resident Perinatal, Infant, Fetal, Neonatal, Postneonatal and Maternal Deaths by Regional Planning Commission: Missouri 1995.....	76

Table of Contents (continued)

Table/Graph		Page
23F	Black Resident Perinatal, Infant, Fetal, Neonatal, Postneonatal and Maternal Deaths by Regional Planning Commission: Missouri 1995.....	77
24	Resident Infant Deaths by Age, Cause, and Race with Rates per 1,000 Live Births by Cause and Race: Missouri 1995.....	78
25	Resident Infant Deaths and Rates per 1,000 Live Births by Age of Mother by Birth Order: Missouri 1995.....	79
26	Resident Infant Deaths and Rates per 1,000 Live Births by Birth Weight by Race of Mother: Missouri 1995.....	79
27A	Resident Deaths by Selected Causes of Death; For State Total by Race with Rates per 100,000 for all Races; and for Regional Planning Commissions: Missouri 1995.....	80
27B	Resident Deaths by Selected Causes of Death by County: Missouri 1995.....	83
27C	Resident Deaths by Selected Causes of Death by Cities with 25,000 or More Population: Missouri 1995.....	98
28	Recorded Deaths by Type of Accident, Age, and Sex: Missouri 1995.....	101
29	Abridged Life Table for the Total Population and by Sex: Missouri 1995.....	102

MARRIAGES

F	Marriage Rates per 1,000 Population: Missouri 1949-1995.....	105
30	Reported Marriages by Age of Groom; by Age of Bride: Missouri 1995.....	106
31	Reported Marriages by Age and Previous Marital Status of Bride and Groom: Missouri 1995.....	108
32	Reported Marriages by Previous Marital Status of Bride and Groom: Missouri 1995.....	109
33	Reported Marriages by Race of Bride by Race of Groom: Missouri 1995.....	109
34	Reported Marriages by Month: Missouri 1995.....	109
35A	Reported Marriages by County of Recording with Rates per 1,000 Population: Missouri 1995.....	110
35B	Reported Marriages with Rates by Regional Planning Commission of Recording: Missouri 1995.....	111

DISSOLUTIONS


G	Dissolution Rates per 1,000 Population: Missouri 1949-1995.....	112
36	Reported Dissolutions of Marriage by Month by Type of Decree: Missouri 1995.....	113
37	Reported Dissolutions and Annulments by Number of Previous Marriages, Husband by Wife: Missouri 1995.....	113
38	Reported Dissolutions and Annulments by Duration of Marriage: Missouri 1995.....	113

Table of Contents (continued)

Table/Graph		Page
39	Reported Dissolutions and Annulments by Number of Children Affected: Missouri 1995	114
40	Reported Dissolutions and Annulments by Petitioner by Disposition of Children and by Whether Child Support Awarded: Missouri 1995	114
41	Reported Dissolutions and Annulments by Age of Wife by Age of Husband: Missouri 1995	115
42	Reported Dissolutions and Annulments by Race, Wife by Husband: Missouri 1995	115
43A	Reported Dissolutions and Annulments by County of Recording with Rates per 1,000 Population: Missouri 1995	116
43B	Reported Dissolutions and Annulments with Rates by Regional Planning Commission of Recording: Missouri 1995	117
	APPENDIX	119

REGIONAL PLANNING COMMISSION AREAS

- 1-Boonslick
- 2-Bootheel
- 3-East-West Gateway
- 4-Green Hills
- 5-Harry S. Truman
- 6-Kaysinger Basin
- 7-Lake of the Ozarks
- 8-Mark Twain
- 9-Meramec
- 10-Mid-America
- 11-Mid-Missouri
- 12-Mo-Kan
- 13-Northeast Missouri
- 14-Northwest Missouri
- 15-Ozark Foothills
- 16-Show Me
- 17-South Central Ozark
- 18-Southeast Missouri
- 19-Southwest Missouri



Major Metropolitan Regional Planning Commission Areas



Minor Metropolitan Regional Planning Commission Areas



Non-Metropolitan Regional Planning Commission Areas

Graph A
Live Birth and Death Rates per 1,000 Population
Missouri 1911 - 1995




TABLE 1

**POPULATION, RECORDED BIRTHS AND DEATHS WITH RATES PER 1,000 POPULATION
AND NATURAL INCREASE: MISSOURI 1911-1944**

Year	Estimated Mid-Year Population (Thousands)	Births		Deaths		Natural Increase	Year	Estimated Mid-Year Population (Thousands)	Births		Deaths		Natural Increase
		Number	Rate	Number	Rate				Number	Rate	Number	Rate	
1911	3,317	74,130	22.3	43,479	13.1	30,651	1928	3,601	63,401	17.6	45,219	12.6	18,182
1912	3,344	75,452	22.6	42,139	12.6	33,313	1929	3,622	60,980	16.8	44,262	12.2	16,718
1913	3,409	75,231	22.1	42,130	12.4	33,101	1930	3,646	62,011	17.0	42,924	11.8	19,087
1914	3,467	73,925	21.3	41,743	12.0	32,182	1931	3,711	60,201	16.2	43,999	11.9	16,202
1915	3,492	71,543	20.5	40,863	11.7	30,680	1932	3,746	59,755	16.0	43,695	11.7	16,060
1916	3,527	73,486	20.8	44,705	12.7	28,781	1933	3,773	57,717	15.3	43,368	11.5	14,349
1917	3,470	67,041	19.3	45,564	13.1	21,477	1934	3,784	60,317	15.9	46,685	12.3	13,632
1918	3,325	64,001	19.2	51,925	15.6	12,076	1935	3,798	57,299	15.1	43,201	11.4	14,098
1919	3,371	61,193	18.2	39,282	11.7	21,911	1936	3,801	55,916	14.7	48,767	12.8	7,149
1920	3,404	65,416	19.2	42,572	12.5	22,844	1937	3,794	57,270	15.1	45,160	11.9	12,110
1921	3,429	66,970	19.5	36,210	10.6	30,760	1938	3,781	59,365	15.7	42,578	11.3	16,787
1922	3,427	64,388	18.7	38,417	11.2	25,971	1939	3,783	59,688	15.8	42,693	11.3	16,995
1923	3,454	66,691	19.3	41,853	12.1	24,838	1940	3,786	62,545	16.5	43,950	11.6	18,595
1924	3,508	68,961	19.7	40,463	11.5	28,498	1941	3,811	66,268	17.4	43,295	11.4	22,973
1925	3,526	68,293	19.4	41,332	11.7	26,961	1942	3,829	72,575	19.0	42,117	11.0	30,458
1926	3,556	66,611	18.7	42,684	12.0	23,927	1943	3,705	74,820	20.2	44,437	12.0	30,383
1927	3,576	66,401	18.6	40,853	11.4	25,548	1944	3,560	69,982	19.7	42,347	11.9	27,635

Sources: 1911-1934 and 1937-1944 Vital Statistics Reports of the Missouri State Board of Health. 1935-1936, Special Reports of the United States Bureau of the Census. Population estimates 1911 to 1944 taken from United States Bureau of the Census Release, Series P-25, No. 139, June 27, 1956.

TABLE 2


**POPULATION, RECORDED AND RESIDENT BIRTHS AND DEATHS WITH RATES PER 1,000
AND NATURAL INCREASE: MISSOURI 1945-1995**

Year	Estimated Mid-Year Population (Thousands)	Recorded				Resident				Natural Increase
		Births		Deaths		Births		Deaths		
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	
1945	3,516	67,693	19.3	42,757	12.2	65,691	18.7	42,496	12.1	23,195
1946	3,746	82,901	22.1	42,640	11.4	80,698	21.5	42,377	11.3	38,321
1947	3,845	92,369	24.0	44,762	11.6	89,902	23.4	44,474	11.6	45,428
1948	3,844	87,005	22.6	42,921	11.2	85,096	22.1	42,753	11.1	42,342
1949	3,955	87,372	22.1	43,995	11.1	85,206	21.5	43,708	11.1	41,498
1950	3,964	87,948	22.2	43,962	11.1	85,704	21.6	43,714	11.0	41,990
1951	4,015	92,664	23.1	44,318	11.0	89,977	22.4	44,051	10.9	45,926
1952	3,972	92,931	23.4	45,245	11.4	90,118	22.7	45,051	11.3	45,067
1953	4,020	94,419	23.5	45,686	11.4	91,447	22.7	45,148	11.2	46,299
1954	4,066	97,278	23.9	44,404	10.9	93,453	23.0	43,835	10.8	49,618

Table 2 (continued)

Year	Estimated Mid-Year Population (Thousands)	Recorded				Resident				Natural Increase
		Births		Deaths		Births		Deaths		
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	
1955	4,134	97,591	23.6	43,531	10.5	93,797	22.7	43,000	10.4	50,797
1956	4,163	100,163	24.1	45,003	10.8	96,099	23.1	44,458	10.7	51,641
1957	4,189	101,287	24.2	47,784	11.4	97,161	23.2	47,333	11.3	49,828
1958	4,186	100,729	24.1	47,338	11.3	96,721	23.1	46,729	11.2	49,992
1959	4,258	102,461	24.1	47,099	11.1	98,537	23.1	46,465	10.9	52,072
1960	4,326	101,778	23.5	48,955	11.3	97,723	22.6	48,287	11.2	49,436
1961	4,349	101,462	23.3	47,933	11.0	97,321	22.4	47,303	10.9	50,018
1962	4,357	97,658	22.4	49,685	11.4	93,879	21.5	49,016	11.2	44,863
1963	4,392	93,545	21.3	51,159	11.6	90,363	20.6	50,538	11.5	39,825
1964	4,442	90,918	20.5	50,271	11.3	88,335	19.9	49,617	11.2	38,718
1965	4,467	84,162	18.8	51,101	11.4	81,216	18.2	50,249	11.2	30,967
1966	4,523	80,750	17.9	52,476	11.6	77,946	17.2	51,581	11.4	26,365
1967	4,539	77,940	17.2	51,245	11.3	74,823	16.5	50,544	11.1	24,279
1968	4,568	77,028	16.9	52,834	11.6	74,304	16.3	52,019	11.4	22,285
1969	4,640	81,313	17.5	53,172	11.5	78,396	16.9	52,314	11.3	26,082
1970	4,680	83,787	17.9	52,592	11.2	80,707	17.2	51,743	11.1	28,964
1971	4,723	81,409	17.2	51,810	11.0	78,375	16.6	50,811	10.8	27,564
1972	4,753	75,127	15.8	53,249	11.2	72,597	15.3	52,287	11.0	20,310
1973	4,775	70,808	14.8	53,003	11.1	68,605	14.4	51,812	10.9	16,793
1974	4,785	71,875	15.0	51,656	10.8	69,412	14.5	50,504	10.6	18,908
1975	4,795	70,786	14.8	49,986	10.4	68,442	14.3	48,984	10.2	19,458
1976	4,824	71,319	14.8	50,074	10.4	68,781	14.3	49,008	10.2	19,773
1977	4,845	75,689	15.6	49,839	10.3	72,957	15.1	48,761	10.1	24,196
1978	4,871	75,283	15.5	50,439	10.4	72,654	14.9	49,207	10.1	23,447
1979	4,889	78,562	16.1	48,946	10.0	76,056	15.6	47,656	9.7	28,400
1980	4,917	80,770	16.4	50,504	10.3	78,588	16.0	49,334	10.0	29,254
1981	4,932	78,538	15.9	49,780	10.1	76,758	15.6	48,645	9.9	28,113
1982	4,930	78,334	15.9	49,145	10.0	76,648	15.5	48,126	9.8	28,522
1983	4,944	77,061	15.6	50,540	10.2	75,505	15.3	49,381	10.0	26,124
1984	4,976	76,293	15.3	50,232	10.1	74,422	15.0	48,890	9.8	25,532
1985	5,002	78,760	15.7	51,635	10.3	76,697	15.3	50,098	10.0	26,599
1986	5,024	77,105	15.3	51,350	10.2	75,116	15.0	49,971	9.9	25,145
1987	5,057	76,909	15.2	52,016	10.3	74,830	14.8	50,362	10.0	24,468
1988	5,083	78,331	15.4	52,265	10.3	76,101	15.0	50,619	10.0	25,482
1989	5,096	79,866	15.7	51,679	10.1	77,755	15.3	50,169	9.8	27,586
1990	5,117	81,416	15.9	51,786	10.1	79,135	15.5	50,212	9.8	28,923
1991	5,158	81,076	15.7	52,362	10.2	78,468	15.2	50,711	9.8	27,757
1992	5,193	78,720	15.2	52,513	10.1	76,005	14.6	50,893	9.8	25,112
1993	5,234	77,986	14.9	55,322	10.6	75,146	14.4	53,655	10.3	21,491
1994	5,278	76,381	14.5	55,398	10.5	73,279	13.9	53,611	10.2	19,668
1995	5,324	75,980	14.3	56,062	10.5	72,804	13.7	54,222	10.2	18,582

Graph B
Total Fertility Rates
Missouri 1991 - 1995




	<i>Total Fertility Rate</i>		<i>Total Fertility Rate</i>		<i>Total Fertility Rate</i>		<i>Total Fertility Rate</i>
1911	2.71	1950	2.92	1982	1.84	1989	1.95
1915	2.55	1955	3.39	1983	1.82	1990	2.00
1920	2.33	1960	3.63	1984	1.79	1991	2.01
1925	2.37	1965	2.79	1985	1.85	1992	1.96
1930	2.09	1970	2.40	1986	1.81	1993	1.96
1935	1.99	1975	1.76	1987	1.82	1994	1.93
1940	2.02	1980	1.90	1988	1.88	1995	1.91
1945	2.16	1981	1.84				

TABLE 3

**FERTILITY RATES PER 1,000 FEMALES BY AGE OF MOTHER:
MISSOURI 1911-1995**

	General Fertility Rate	Age of Mother									
		Under 15	15-19			20-24	25-29	30-34	35-39	40-44	45-49
			Total	15-17	18-19						
1911	93.3	0.4	48.8	NA	NA	134.2	133.5	109.6	77.7	33.5	3.8
1915	88.8	0.3	50.4			136.4	126.2	97.5	67.7	27.7	3.2
1920	80.6	0.4	49.6			129.3	113.3	85.0	59.6	25.0	3.0
1925	81.1	0.4	56.7			129.5	120.2	83.8	57.7	22.5	2.4
1930	71.1	0.5	54.1	NA	NA	115.5	103.6	79.8	46.7	18.3	2.0
1935	68.0	0.5	52.5			116.0	96.9	69.3	43.6	16.8	1.6
1940	69.1	0.4	54.5			123.6	104.8	69.8	37.1	13.2	1.4
1945	73.2	0.5	50.2			121.7	114.2	81.4	47.5	14.9	1.2
1950	98.6	0.9	82.6	NA	NA	189.5	153.4	95.2	48.1	14.0	1.0
1955	112.3	0.8	95.3			229.0	174.2	106.9	55.7	15.2	1.0
1960	118.1	0.9	99.0			254.4	187.5	110.5	56.5	16.5	1.0
1965	93.0	0.9	75.1			188.7	146.5	87.1	45.0	13.5	0.8
1970	85.6	1.1	71.8	NA	NA	163.3	137.2	67.7	30.1	8.8	0.5
1975	65.9	1.3	60.0	41.1	89.0	110.1	106.6	51.1	18.8	4.6	0.2
1980	70.6	1.2	57.5	35.6	88.0	121.9	116.9	60.5	18.3	3.7	0.2
1981	68.3	1.0	54.7	33.8	82.2	117.6	115.4	57.9	17.1	3.7	0.1
1982	67.9	0.8	53.7	33.1	81.0	117.2	114.3	60.1	18.9	3.4	0.3
1983	66.5	0.9	53.2	32.5	80.2	115.0	111.1	60.8	19.1	3.6	0.2
1984	65.0	0.9	52.3	31.8	80.3	110.9	109.7	61.9	19.1	3.3	0.1
1985	66.4	1.2	52.4	30.5	83.8	115.9	113.0	63.4	19.7	3.2	0.2
1986	64.6	1.0	51.4	30.2	84.2	113.4	110.0	63.9	19.8	3.2	0.1
1987	63.9	1.1	51.3	32.0	80.2	112.9	110.3	64.1	21.4	3.3	0.2
1988	65.1	1.0	54.4	33.3	84.6	113.0	113.9	66.6	22.2	3.7	0.2
1989	66.7	1.1	58.9	36.8	87.7	117.8	115.8	67.6	24.0	3.7	0.1
1990	67.9	1.2	62.7	39.2	92.9	118.9	117.3	70.5	25.3	4.1	0.1
1991	67.1	1.1	64.4	38.7	100.3	119.4	116.3	70.7	25.9	4.3	0.1
1992	65.2	1.1	63.1	38.2	100.8	114.7	115.0	70.4	25.3	4.1	0.1
1993	64.3	1.2	59.5	36.4	94.7	114.7	114.0	72.1	26.4	4.4	0.2
1994	62.4	1.2	58.7	35.1	95.8	112.3	111.3	71.2	26.1	4.7	0.2
1995	61.3	1.1	55.5	32.5	91.9	109.9	110.6	73.1	27.5	4.5	0.2

Graph C
Crude and Age-Adjusted Death Rates* per 1,000 Population
Missouri 1911 - 1995



	Crude Rate	Age-Adjusted Rate		Crude Rate	Age-Adjusted Rate		Crude Rate	Age-Adjusted Rate
1911	13.1	14.8	1980	10.0	5.8	1988	10.0	5.3
1920	12.5	13.3	1981	9.9	5.6	1989	9.8	5.2
1930	11.8	11.9	1982	9.8	5.5	1990	9.8	5.2
1940	11.6	10.1	1983	10.0	5.5	1991	9.8	5.2
1950	11.0	8.2	1984	9.8	5.4	1992	9.8	5.1
1960	11.2	7.4	1985	10.0	5.4	1993	10.3	5.2
1970	11.1	7.1	1986	9.9	5.3	1994	10.2	5.2
1975	10.3	6.3	1987	10.0	5.3	1995	10.2	5.2

* United States 1940 population distribution used as the standard. See Appendix, page 122.

TABLE 4

AGE-SPECIFIC DEATH RATES PER 1,000 POPULATION:
MISSOURI 1911-1995

		Age										
	Total*	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
1911	14.8	99.6	12.3	2.7	4.8	6.9	8.8	13.5	24.4	52.4	118.8	247.6
1920	13.3	87.1	10.4	2.8	5.0	7.0	7.9	11.2	21.1	47.0	104.2	249.0
1930	11.9	63.9	5.1	1.8	3.3	4.4	6.4	11.9	22.2	49.5	110.0	190.0
1940	10.1	51.6	3.3	1.0	1.9	2.8	4.9	9.8	20.4	44.8	110.0	207.2
1950	8.2	33.4	1.5	0.6	1.2	1.7	3.4	8.1	18.1	38.9	94.3	210.4
1960	7.4	25.5	1.0	0.4	1.1	1.5	2.9	7.2	16.6	37.1	86.5	201.1
1970	7.1	20.8	0.8	0.4	1.4	1.6	3.2	7.2	16.6	35.8	81.8	181.9
1975	6.3	16.4	0.6	0.3	1.2	1.4	2.6	6.5	14.6	32.4	71.9	170.6
1980	5.8	12.3	0.7	0.3	1.3	1.3	2.2	5.8	13.4	30.5	67.1	162.4
1981	5.6	12.7	0.5	0.3	1.0	1.3	2.2	5.7	13.4	29.2	65.4	159.2
1982	5.5	11.7	0.6	0.3	1.1	1.2	2.0	5.2	13.1	29.3	65.2	153.3
1983	5.5	10.7	0.6	0.3	0.9	1.2	1.9	5.4	13.4	29.0	66.8	159.6
1984	5.4	10.3	0.5	0.3	1.0	1.1	1.9	5.4	12.8	28.8	64.6	156.0
1985	5.4	10.2	0.5	0.2	1.0	1.2	1.8	5.1	13.3	28.5	65.8	161.4
1986	5.3	10.6	0.5	0.3	1.1	1.3	1.9	4.9	12.5	28.7	63.8	158.6
1987	5.3	10.2	0.5	0.3	1.0	1.2	1.9	4.8	12.6	28.4	63.4	158.4
1988	5.3	10.1	0.5	0.2	1.0	1.2	1.9	4.8	12.6	27.5	64.0	158.3
1989	5.2	9.9	0.5	0.3	1.1	1.3	2.0	4.5	12.4	27.0	61.9	156.5
1990	5.2	9.4	0.5	0.3	1.1	1.3	2.0	4.5	12.5	26.8	60.9	154.5
1991	5.2	10.2	0.5	0.3	1.1	1.4	2.1	4.8	12.2	26.8	59.9	152.0
1992	5.1	8.5	0.5	0.3	1.1	1.4	2.2	4.5	12.0	26.7	59.3	150.3
1993	5.2	8.4	0.5	0.3	1.1	1.4	2.1	4.6	12.3	27.6	62.1	159.8
1994	5.2	8.1	0.4	0.2	1.2	1.5	2.2	4.9	12.1	26.8	60.9	159.6
1995	5.2	7.4	0.4	0.3	1.1	1.4	2.3	4.9	11.8	27.7	61.2	161.8

*Age-Adjusted Death Rate using United States, 1940 population distribution as the standard.

TABLE 5A RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY RACE OF MOTHER: MISSOURI 1995

	ALL RACES	WHITE	BLACK	OTHER		ALL RACES	WHITE	BLACK	OTHER
TOTAL	72,804	60,334	10,985	1,327	ALCOHOLIC DRINKS PER WEEK				
SEX					NONE	71,104	59,174	10,506	1,309
MALE	37,236	30,951	5,498	707	LESS THAN 7	867	678	180	6
FEMALE	35,568	29,383	5,487	620	7 OR MORE	63	40	22	1
MOTHER HISPANIC	1,278	1,178	23	48	DRANK UNKNOWN AMOUNT	265	110	148	1
ATTENDANT					UNKNOWN DRINKING STATUS	505	332	129	10
M.D.	63,846	52,036	10,452	1,210	CIGARETTES SMOKED PER DAY DURING PREGNANCY	**			
D.O.	8,275	7,664	495	109	NONE	57,762	47,106	9,361	1,191
CERT NURSE MIDWIFE	324	301	16	5	LESS THAN 10	3,884	3,142	688	48
OTHER MIDWIFE	99	97	1	0	10-19	5,763	5,227	477	50
OTHER	260	236	21	3	20 OR MORE	4,525	4,242	258	21
PLACE OF BIRTH					SMOKED UNKNOWN AMOUNT	405	312	84	7
HOSPITAL	72,103	59,712	10,913	1,321	UNKNOWN SMOKING STATUS	465	305	117	10
BIRTHING CENTER	137	137	0	0	YEARS AT PRESENT ADDRESS				
CLINIC	0	0	0	0	LESS THAN 1	14,520	11,377	2,799	314
HOME RESIDENCE	501	441	53	6	1-4	40,026	34,332	4,853	783
PLANNED	382	372	5	4	5-9	9,868	8,628	1,090	130
UNPLANNED	104	55	47	2	10 OR MORE	5,399	3,769	1,591	31
OTHER	63	44	19	0	UNKNOWN	2,991	2,228	652	69
MONTH OF BIRTH					MATERNAL TRANSFERS				
JANUARY	5,948	4,840	980	117	FROM ANOTHER HOSPITAL	555	437	104	8
FEBRUARY	5,625	4,637	875	105	DOCTORS OFFICE, OTHER	1,281	832	379	56
MARCH	5,991	4,941	919	107	NO TRANSFER	69,935	58,152	10,418	1,244
APRIL	5,768	4,805	830	114	UNKNOWN	1,033	913	84	19
MAY	6,214	5,196	893	112	INFANT TRANSFER				
JUNE	6,109	5,094	887	114	YES	1,068	871	173	21
JULY	6,455	5,314	1,005	115	NO	70,726	58,568	10,732	1,288
AUGUST	6,430	5,405	901	114	UNKNOWN	1,010	895	80	18
SEPTEMBER	6,317	5,284	913	110	MATERNAL WGT GAIN DURING FULL-TERM SINGLETON PREG.				
OCTOBER	6,198	5,113	971	107	LESS THAN 15 LBS	4,745	3,735	934	73
NOVEMBER	5,802	4,783	901	109	15-24 LBS	11,729	9,722	1,741	243
DECEMBER	5,947	4,922	910	103	25-34 LBS	20,849	18,016	2,375	423
NUMBER BORN					35-44 LBS	15,271	13,236	1,780	241
SINGLETON	70,826	58,739	10,628	1,306	45 OR MORE LBS	9,934	8,328	1,452	142
TWIN	1,946	1,566	354	21	UNKNOWN	2,069	1,329	643	66
TRIPLET	30	27	3	0	CROWN HEEL LENGTH (CM.)				
QUAD. OR MORE	2	2	0	0	LESS THAN 40	699	443	242	5
PREV. TERMINATIONS					40-46	4,589	3,402	1,102	74
NONE	54,282	45,326	7,830	1,025	47-50	32,460	26,145	5,624	638
1	12,538	10,286	2,020	203	51 OR MORE	31,867	27,609	3,665	524
2 OR MORE	5,434	4,297	1,043	87	UNKNOWN	3,189	2,735	352	86
UNKNOWN	550	425	92	12					

TABLE 5B RESIDENT LIVE BIRTHS BY SELECTED OBSTETRIC AND PEDIATRIC CONDITIONS AND PROCEDURES: MISSOURI 1995

	NUMBER	PERCENT		NUMBER	PERCENT
TOTAL LIVE BIRTHS	72,804	100.0	METHOD OF DELIVERY		
MEDICAL RISK FACTORS			VAGINAL	53,524	73.5
TOTAL ONE OR MORE	15,979	21.9	VAGINAL AFTER CESAREAN SECTION	2,508	3.4
ANEMIA	948	1.3	PRIMARY ELEC. CESAREAN SECTION	3,483	4.8
CARDIAC DISEASE	424	.6	PRIMARY EMERG. CESAREAN SECTION	6,226	8.6
ACUTE/CHRONIC LUNG DISEASE	533	.7	REPEAT CESAREAN SECTION	5,477	7.5
DIABETES (INSULIN DEP.)	418	.6	OUTLET/LOW FORCEPS	3,038	4.2
DIABETES (NON-INSULIN DEP.)	1,260	1.7	MID/HIGH FORCEPS	153	.2
GENITAL HERPES	681	.9	VACUUM EXTRACTION	5,496	7.5
HYDRAMNIOS/OLIGOHYDRAMNIOS	1,258	1.7	ABNORMAL CONDITIONS NEWBORN		
HEMOGLOBINOPATHY	94	.1	TOTAL ONE OR MORE	4,698	6.5
HYPERTENSION, CHRONIC	572	.8	ANEMIA	61	.1
HYPERTENSION, PREG. INDUCED	3,241	4.5	BIRTH INJURY	235	.3
ECLAMPSIA	67	.1	FETAL ALCOHOL SYNDROME	15	.0
INCOMPETENT CERVIX	200	.3	HYALINE MEMBRANE (RDS)	760	1.0
PREV. INFANT 4000+ GMS.	992	1.4	MECONIUM ASPIRATION	127	.2
PREV. PRETERM/SGA	1,009	1.4	ASSISTED VENT. (LT 30 MINS.)	1,062	1.5
RENAL DISEASE	204	.3	ASSISTED VENT. (30+ MINS.)	834	1.1
RH SENSITIZATION	325	.4	SEIZURES	92	.1
UTERINE BLEEDING	475	.7	OTHER	2,407	3.3
OTHER	6,337	8.7	CONGENITAL ANOMALIES		
OBSTETRIC PROCEDURES			TOTAL ONE OR MORE	1,032	1.4
TOTAL ONE OR MORE	70,133	96.3	ANENCEPHALUS	18	.0
AMNIOCENTESIS	1,992	2.7	SPINA BIFIDA/MENINGOCELE	36	.0
ELECTRONIC FETAL MONITORING	66,171	90.9	HYDROCEPHALUS	36	.0
INDUCTION OF LABOR	15,389	21.1	MICROCEPHALUS	13	.0
STIMULATION OF LABOR	13,837	19.0	OTHER CNS ANOMALIES	6	.0
TOCOLYSIS	1,430	2.0	HEART MALFORMATION	134	.2
ULTRASOUND	54,407	74.7	OTHER CIRC/RESP. ANOMALIES	46	.1
CHORIONIC VILLUS SAMPLING	133	.2	RECTAL ATRESIA/STENOSIS	21	.0
OTHER	1,268	1.7	TRACHEO-ESOPHAGEAL FISTULA		
COMPLICATIONS OF LABOR/DEL.			ESOPHAGEAL ATRESIA	11	.0
TOTAL ONE OR MORE	24,731	34.0	OMPHALOCELE/GASTROSCHISIS	32	.0
FEBRILE	1,417	1.9	OTHER GASTROINTESTINAL ANOMALIES	16	.0
MECONIUM, MODERATE/HEAVY	4,134	5.7	MALFORMED GENITALIA	130	.2
PREMATURE RUPT. MEMB. (>12 HRS.)	2,472	3.4	RENAL AGENESIS	8	.0
ABRUPTIO PLACENTA	528	.7	OTHER UROGENITAL ANOMALIES	86	.1
PLACENTA PREVIA	271	.4	CLEFT LIP/PALATE	86	.1
OTHER EXCESSIVE BLEEDING	291	.4	POLYDACTYLY/SYNDACTYLY/ADACTYLY	85	.1
SEIZURES DURING LABOR	32	.0	CLUB FOOT	87	.1
PRECIPITOUS LABOR (<3 HRS.)	1,949	2.7	DIAPHRAGMATIC HERNIA	24	.0
PROLONGED LABOR (>20 HRS.)	608	.8	OTHER MUSCULOSKELETAL/INTEGUMENTAL	165	.2
DYSFUNCTIONAL LABOR	2,986	4.1	DOWN SYNDROME	46	.1
BREECH	2,814	3.9	OTHER CHROMOSOMAL ANOMALIES	16	.0
OTHER MALPRESENTATION	1,248	1.7	OTHER	56	.1
CEPHALOPELVIC DISPROPORTION	2,287	3.1			
CORD PROLAPSE	174	.2			
ANESTHETIC COMPLICATIONS	18	.0			
FETAL DISTRESS	3,977	5.5			
OTHER	6,297	8.6			

TABLE 6 RESIDENT LIVE BIRTHS BY AGE OF MOTHER BY LIVE BIRTH ORDER BY MOTHER'S MARITAL STATUS BY RACE OF MOTHER: MISSOURI 1995

RACE OF MOTHER AGE OF MOTHER	ALL LIVE BIRTHS LIVE BIRTH ORDER						OUT-OF-WEDLOCK LIVE BIRTHS LIVE BIRTH ORDER					
	TOTAL	1ST	2ND	3RD	4TH	5TH OR MORE	TOTAL	1ST	2ND	3RD	4TH	5TH OR MORE
ALL RACES												
ALL AGES	72,804	30,399	23,971	11,560	4,291	2,583	23,361	12,148	5,771	3,056	1,355	1,031
UNDER 15	215	210	5	0	0	0	209	204	5*	0	0	0
15-17	3,695	3,297	367	28	2	1	3,238	2,904	309*	22	2	1
18-19	6,577	4,827	1,426	287	34	3	4,569	3,396	932	210	28	3
20-24	19,450	9,188	6,718	2,536	756	252	8,431	3,925	2,562	1,284	471	189
25-29	19,837	7,454	7,217	3,409	1,161	596	3,793	1,040	1,157	831	432	333
30-34	15,899	4,040	6,086	3,607	1,331	835	2,073	486	556	478	262	291
35-39	6,180	1,214	1,933	1,469	860	704	894	168	215	199	137	175
40-44	911	163	208	217	141	182	148	24	33	31	23	37
45-49	34	3	9	6	6	10	5	1	1	1	0	2
UNKNOWN	6	3	2	1	0	0	1	0	1	0	0	0
WHITE												
ALL AGES	60,334	25,393	20,372	9,591	3,333	1,645	14,415	8,290	3,424	1,734	666	301
UNDER 15	81	80	1	0	0	0	77	76	1	0	0	0
15-17	2,434	2,252	172	10	0	0	1,986	1,865	117	4	0	0
18-19	4,945	3,818	966	149	11	1	3,007	2,427	495	78	6	1
20-24	15,522	7,722	5,470	1,821	435	74	5,198	2,748	1,566	667	185	32
25-29	17,106	6,694	6,371	2,866	871	304	2,269	710	719	510	232	98
30-34	14,034	3,591	5,510	3,225	1,143	565	1,248	325	377	310	150	86
35-39	5,389	1,083	1,693	1,324	751	538	534	120	130	144	78	62
40-44	790	148	180	191	118	153	93	19	18	21	15	20
45-49	27	2	7	4	4	10	2	0	0	0	0	2
UNKNOWN	6	3	2	1	0	0	1	0	1	0	0	0
BLACK												
ALL AGES	10,985	4,319	3,121	1,757	889	899	8,574	3,643	2,271	1,273	668	719
UNDER 15	128	124	4	0	0	0	128	124	4	0	0	0
15-17	1,218	1,010	187	18	2	1	1,213	1,007	185	18	2	1
18-19	1,562	948	452	137	23	2	1,509	923	431	131	22	2
20-24	3,552	1,250	1,150	673	306	173	3,071	1,081	965	595	274	156
25-29	2,323	557	712	489	277	288	1,461	308	414	309	197	233
30-34	1,475	325	410	312	172	256	791	150	173	157	110	201
35-39	626	92	182	107	92	153	345	44	83	52	56	110
40-44	95	12	22	19	16	26	53	5	15	10	7	16
45-49	6	1	2	2	1	0	3	1	1	1	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0

TABLE 7 TEEN-AGE RESIDENT LIVE BIRTHS BY AGE OF MOTHER BY LIVE BIRTH ORDER BY MOTHER'S MARITAL STATUS BY RACE OF MOTHER
WITH PERCENTAGES: MISSOURI 1995

RACE OF MOTHER AGE OF MOTHER ALL RACES	ALL LIVE BIRTHS LIVE BIRTH ORDER				OUT-OF-WEDLOCK LIVE BIRTHS LIVE BIRTH ORDER				PERCENT OUT-OF-WEDLOCK LIVE BIRTH ORDER			
	TOTAL	1ST	2ND	3RD OR MORE	TOTAL	1ST	2ND	3RD OR MORE	TOTAL	1ST	2ND	3RD OR MORE
10-19	10,487	8,334	1,798	355	8,016	6,504	1,246	266	76.4	78.0	69.3	74.9
10	0	0	0	0	0	0	0	0	---	---	---	---
11	0	0	0	0	0	0	0	0	---	---	---	---
12	4	3	1	0	4	3	1	0	100.0	100.0	100.0	---
13	28	28	0	0	28	28	0	0	100.0	100.0	---	---
14	183	179	4	0	177	173	4	0	96.7	96.6	100.0	---
15	530	498	31	1	504	475	29	0	95.1	95.4	93.5	---
16	1,192	1,090	97	5	1,069	979	86	4	89.7	89.8	88.7	80.0
17	1,973	1,709	239	25	1,665	1,450	194	21	84.4	84.8	81.2	84.0
18	3,077	2,429	555	93	2,271	1,806	397	68	73.8	74.4	71.5	73.1
19	3,500	2,398	871	231	2,298	1,590	535	173	65.7	66.3	61.4	74.9
WHITE												
10-19	7,460	6,150	1,139	171	5,070	4,368	613	89	68.0	71.0	53.8	52.0
10	0	0	0	0	0	0	0	0	---	---	---	---
11	0	0	0	0	0	0	0	0	---	---	---	---
12	1	1	0	0	1	1	0	0	100.0	100.0	---	---
13	4	4	0	0	4	4	0	0	100.0	100.0	---	---
14	76	75	1	0	72	71	1	0	94.7	94.7	100.0	---
15	281	269	11	1	255	246	9	0	90.7	91.4	81.8	---
16	764	725	38	1	644	616	28	0	84.3	85.0	73.7	---
17	1,389	1,258	123	8	1,087	1,003	80	4	78.3	79.7	65.0	50.0
18	2,294	1,899	349	46	1,511	1,291	197	23	65.9	68.0	56.4	50.0
19	2,651	1,919	617	115	1,496	1,136	298	62	56.4	59.2	48.3	53.9
BLACK												
10-19	2,908	2,082	643	183	2,850	2,054	620	176	98.0	98.7	96.4	96.2
10	0	0	0	0	0	0	0	0	---	---	---	---
11	0	0	0	0	0	0	0	0	---	---	---	---
12	3	2	1	0	3	2	1	0	100.0	100.0	100.0	---
13	23	23	0	0	23	23	0	0	100.0	100.0	---	---
14	102	99	3	0	102	99	3	0	100.0	100.0	100.0	---
15	246	226	20	0	246	226	20	0	100.0	100.0	100.0	---
16	415	354	57	4	413	353	56	4	99.5	99.7	98.2	100.0
17	557	430	110	17	554	428	109	17	99.5	99.5	99.1	100.0
18	753	504	202	47	734	492	197	45	97.5	97.6	97.5	95.7
19	809	444	250	115	775	431	234	110	95.8	97.1	93.6	95.7

TABLE 8 PERCENT LOW BIRTH WEIGHT AND RESIDENT LIVE BIRTHS BY BIRTH WEIGHT BY AGE OF MOTHER BY RACE OF MOTHER: MISSOURI 1995

AGE OF MOTHER AND RACE OF MOTHER	PERCENT LOW BIRTH WEIGHT	BIRTH WEIGHT										4500 OR MORE GRAMS	UNKNOWN
		TOTAL	LESS THAN 500 GRAMS	500- 999 GRAMS	1000- 1499 GRAMS	1500- 1999 GRAMS	2000- 2499 GRAMS	2500- 2999 GRAMS	3000- 3499 GRAMS	3500- 3999 GRAMS	4000 4499 GRAMS		
ALL RACES													
ALL AGES	7.6	72,804	115	375	460	1,062	3,535	11,885	26,530	21,209	6,387	1,201	45
UNDER 15	18.1	215	0	4	5	10	20	52	78	36	9	1	0
15-17	11.1	3,695	12	32	29	72	265	831	1,436	822	180	14	2
18-19	9.6	6,577	11	53	59	108	403	1,337	2,545	1,635	376	45	5
20-24	7.4	19,450	33	85	119	281	915	3,469	7,428	5,373	1,482	244	21
25-29	6.7	19,837	26	90	102	242	861	2,961	7,164	6,154	1,858	369	10
30-34	6.8	15,899	23	72	91	217	683	2,184	5,469	5,101	1,712	343	4
35-39	8.7	6,180	7	37	49	116	329	908	2,078	1,820	672	162	2
40 AND OVER	9.1	945	3	2	6	16	59	142	331	264	98	23	1
WHITE													
ALL AGES	6.5	60,334	63	229	324	737	2,540	8,952	21,813	18,722	5,811	1,112	31
UNDER 15	12.3	81	0	0	2	5	3	12	30	21	7	1	0
15-17	9.2	2,434	3	19	14	37	152	492	930	629	145	11	2
18-19	8.7	4,945	7	36	35	70	281	906	1,898	1,367	300	40	5
20-24	6.2	15,522	17	47	80	174	643	2,562	5,870	4,569	1,319	227	14
25-29	5.8	17,106	17	58	85	187	638	2,354	6,165	5,524	1,724	348	6
30-34	5.9	14,034	12	43	66	167	537	1,785	4,794	4,719	1,596	314	1
35-39	7.3	5,389	6	24	38	83	242	725	1,840	1,648	631	150	2
40 AND OVER	8.0	817	1	2	4	14	44	115	285	241	89	21	1
BLACK													
ALL AGES	14.1	10,985	50	135	129	304	928	2,641	4,140	2,107	475	73	3
UNDER 15	22.7	128	0	4	3	5	17	39	46	14	0	0	0
15-17	14.7	1,218	9	11	13	34	112	336	487	180	33	3	0
18-19	12.7	1,562	3	17	22	37	120	419	621	246	72	5	0
20-24	12.6	3,552	16	35	39	101	258	828	1,404	712	144	14	1
25-29	13.3	2,323	8	31	16	49	204	532	834	528	102	19	0
30-34	16.1	1,475	11	25	25	46	130	321	521	288	85	21	2
35-39	20.4	626	1	12	10	30	75	144	191	124	30	9	0
40 AND OVER	16.8	101	2	0	1	2	12	22	36	15	9	2	0

ALL AGES INCLUDE UNKNOWN AGE

TABLE 9

RESIDENT LIVE BIRTHS BY MOTHER'S MARITAL STATUS BY RACE WITH PERCENTAGES BY COUNTY AND CITIES WITH 25,000
OR MORE POPULATION: MISSOURI 1995

COUNTIES	TOTAL LIVE BIRTHS			OUT-OF-WEDLOCK LIVE BIRTHS			PERCENT OUT-OF-WEDLOCK		
	TOTAL	WHITE	BLACK	TOTAL	WHITE	BLACK	TOTAL	WHITE	BLACK
STATE TOTAL	72,804	60,334	10,985	23,361	14,415	8,574	32.1	23.9	78.1
ADAIR	274	267	3	62	60	2	22.6	22.5	66.7
ANDREW	151	150	0	26	26	0	17.2	17.3	--
ATCHISON	68	68	0	18	18	0	26.5	26.5	--
AUDRAIN	311	282	25	89	61	24	28.6	21.6	96.0
BARRY	457	454	0	126	125	0	27.6	27.5	--
BARTON	172	169	0	42	42	0	24.4	24.9	--
BATES	204	201	0	52	50	0	25.5	24.9	--
BENTON	151	150	0	43	42	0	28.5	28.0	--
BOLLINGER	127	126	0	23	23	0	18.1	18.3	--
BOONE	1,665	1,382	179	408	260	139	24.5	18.8	77.7
BUCHANAN	1,052	999	45	430	390	36	40.9	39.0	80.0
BUTLER	549	505	41	210	178	32	38.3	35.2	78.0
CALDWELL	81	80	0	23	23	0	28.4	28.8	--
CALLAWAY	451	426	17	119	110	9	26.4	25.8	52.9
CAMDEN	331	327	0	89	89	0	26.9	27.2	--
CAPE GIRARDEAU	792	728	58	192	148	44	24.2	20.3	75.9
CARROLL	133	131	2	40	39	1	30.1	29.8	50.0
CARTER	80	80	0	20	20	0	25.0	25.0	--
CASS	1,026	1,000	6	225	218	2	21.9	21.8	33.3
CEDAR	137	136	0	35	35	0	25.5	25.7	--
CHARITON	71	71	0	11	11	0	15.5	15.5	--
CHRISTIAN	650	648	0	134	133	0	20.6	20.5	--
CLARK	95	95	0	30	30	0	31.6	31.6	--
CLAY	2,247	2,149	38	461	431	18	20.5	20.1	47.4
CLINTON	230	222	7	65	60	5	28.3	27.0	71.4
COLE	895	803	84	237	178	57	26.5	22.2	67.9
COOPER	210	201	6	54	49	4	25.7	24.4	66.7
CRAWFORD	292	291	0	104	104	0	35.6	35.7	--
DADE	102	102	0	26	26	0	25.5	25.5	--
DALLAS	200	199	0	44	43	0	22.0	21.6	--
DAVIESS	97	97	0	21	21	0	21.6	21.6	--
DE KALB	87	85	0	20	19	0	23.0	22.4	--
DENT	188	187	0	43	43	0	22.9	23.0	--
DOUGLAS	164	162	1	39	39	0	23.8	24.1	--
DUNKLIN	462	386	74	212	145	67	45.9	37.6	90.5

TABLE 9 (CONT) RESIDENT LIVE BIRTHS BY MOTHER'S MARITAL STATUS BY RACE WITH PERCENTAGES BY COUNTY AND CITIES WITH 25,000
OR MORE POPULATION: MISSOURI 1995

COUNTIES	TOTAL LIVE BIRTHS			OUT-OF-WEDLOCK LIVE BIRTHS			PERCENT OUT-OF-WEDLOCK		
	TOTAL	WHITE	BLACK	TOTAL	WHITE	BLACK	TOTAL	WHITE	BLACK
FRANKLIN	1,213	1,185	14	307	294	10	25.3	24.8	71.4
GASCONADE	153	153	0	46	46	0	30.1	30.1	--
GENTRY	76	74	1	21	21	0	27.6	28.4	--
GREENE	3,056	2,915	76	853	780	54	27.9	26.8	71.1
GRUNDY	127	126	0	36	35	0	28.3	27.8	--
HARRISON	79	78	1	21	20	1	26.6	25.6	100.0
HENRY	231	224	4	74	67	4	32.0	29.9	100.0
HICKORY	84	80	0	22	20	0	26.2	25.0	--
HOLT	51	50	0	11	10	0	21.6	20.0	--
HOWARD	128	118	10	32	25	7	25.0	21.2	70.0
HOWELL	461	458	0	119	118	0	25.8	25.8	--
IRON	143	141	2	47	45	2	32.9	31.9	100.0
JACKSON	9,370	6,488	2,568	3,928	1,805	1,998	41.9	27.8	77.8
JASPER	1,438	1,386	14	455	435	5	31.6	31.4	35.7
JEFFERSON	2,624	2,587	16	723	708	12	27.6	27.4	75.0
JOHNSON	663	594	46	136	110	24	20.5	18.5	52.2
KNOX	41	41	0	10	10	0	24.4	24.4	--
LACLEDE	421	418	1	117	115	1	27.8	27.5	100.0
LAFAYETTE	390	382	8	108	104	4	27.7	27.2	50.0
LAWRENCE	423	420	0	104	103	0	24.6	24.5	--
LEWIS	123	119	3	32	31	1	26.0	26.1	33.3
LINCOLN	454	446	5	134	127	4	29.5	28.5	80.0
LINN	156	156	0	35	35	0	22.4	22.4	--
LIVINGSTON	193	186	6	64	61	2	33.2	32.8	33.3
MC DONALD	303	298	0	85	85	0	28.1	28.5	--
MACON	196	193	2	42	41	1	21.4	21.2	50.0
MADISON	145	144	1	40	39	1	27.6	27.1	100.0
MARIES	83	83	0	21	21	0	25.3	25.3	--
MARION	380	352	25	120	101	19	31.6	28.7	76.0
MERCER	36	36	0	8	8	0	22.2	22.2	--
MILLER	270	269	0	82	82	0	30.4	30.5	--
MISSISSIPPI	191	134	57	111	57	54	58.1	42.5	94.7
MONITEAU	153	152	1	38	37	1	24.8	24.3	100.0
MONROE	119	114	4	31	27	4	26.1	23.7	100.0
MONTGOMERY	131	128	2	40	39	1	30.5	30.5	50.0

TABLE 9 (CONT) RESIDENT LIVE BIRTHS BY MOTHER'S MARITAL STATUS BY RACE WITH PERCENTAGES BY COUNTY AND CITIES WITH 25,000
OR MORE POPULATION: MISSOURI 1995

COUNTIES	TOTAL LIVE BIRTHS			OUT-OF-WEDLOCK LIVE BIRTHS			PERCENT OUT-OF-WEDLOCK		
	TOTAL	WHITE	BLACK	TOTAL	WHITE	BLACK	TOTAL	WHITE	BLACK
MORGAN	240	236	1	61	60	0	25.4	25.4	--
NEW MADRID	276	195	81	139	68	71	50.4	34.9	87.7
NEWTON	695	678	0	169	167	0	24.3	24.6	--
NODAWAY	228	224	0	44	44	0	19.3	19.6	--
OREGON	116	113	0	30	28	0	25.9	24.8	--
OSAGE	152	151	0	23	23	0	15.1	15.2	--
OZARK	86	86	0	24	24	0	27.9	27.9	--
PEMISCOT	373	179	189	236	67	167	63.3	37.4	88.4
PERRY	229	228	0	67	66	0	29.3	28.9	--
PETTIS	489	464	19	138	121	16	28.2	26.1	84.2
PHELPS	442	420	11	116	112	4	26.2	26.7	36.4
PIKE	184	172	11	53	42	10	28.8	24.4	90.9
PLATTE	869	806	33	178	145	21	20.5	18.0	63.6
POLK	336	332	1	50	49	0	14.9	14.8	--
PULASKI	576	485	73	122	98	21	21.2	20.2	28.8
PUTNAM	60	60	0	17	17	0	28.3	28.3	--
RALLS	84	82	2	17	16	1	20.2	19.5	50.0
RANDOLPH	313	295	14	111	99	10	35.5	33.6	71.4
RAY	280	275	3	88	85	1	31.4	30.9	33.3
REYNOLDS	81	80	1	31	31	0	38.3	38.8	--
RIPLEY	180	179	0	53	53	0	29.4	29.6	--
ST. CHARLES	3,733	3,584	98	641	585	53	17.2	16.3	54.1
ST. CLAIR	93	92	0	24	24	0	25.8	26.1	--
ST. FRANCOIS	646	640	3	219	217	2	33.9	33.9	66.7
STE. GENEVIEVE	181	180	0	30	30	0	16.6	16.7	--
ST. LOUIS CITY	5,982	1,981	3,856	4,061	682	3,315	67.9	34.4	86.0
ST. LOUIS COUNTY	13,343	9,949	3,010	3,570	1,393	2,131	26.8	14.0	70.8
SALINE	299	284	13	116	105	10	38.8	37.0	76.9
SCHUYLER	48	48	0	9	9	0	18.8	18.8	--
SCOTLAND	66	66	0	11	11	0	16.7	16.7	--
SCOTT	569	473	95	197	118	79	34.6	24.9	83.2
SHANNON	90	89	0	20	20	0	22.2	22.5	--
SHELBY	82	81	1	14	13	1	17.1	16.0	100.0
STODDARD	312	309	2	98	96	2	31.4	31.1	100.0
STONE	307	305	0	80	79	0	26.1	25.9	--

TABLE 9 (CONT) RESIDENT LIVE BIRTHS BY MOTHER'S MARITAL STATUS BY RACE WITH PERCENTAGES BY COUNTY AND CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 1995

COUNTIES	TOTAL LIVE BIRTHS			OUT-OF-WEDLOCK LIVE BIRTHS			PERCENT OUT-OF-WEDLOCK		
	TOTAL	WHITE	BLACK	TOTAL	WHITE	BLACK	TOTAL	WHITE	BLACK
SULLIVAN	71	71	0	19	19	0	26.8	26.8	--
TANEY	463	459	0	124	124	0	26.8	27.0	--
TEXAS	283	282	0	82	81	0	29.0	28.7	--
VERNON	227	221	1	62	61	0	27.3	27.6	--
WARREN	304	294	6	81	77	4	26.6	26.2	66.7
WASHINGTON	266	263	3	103	101	2	38.7	38.4	66.7
WAYNE	148	148	0	53	53	0	35.8	35.8	--
WEBSTER	420	417	2	68	67	1	16.2	16.1	50.0
WORTH	28	28	0	9	9	0	32.1	32.1	--
WRIGHT	247	243	3	77	75	2	31.2	30.9	66.7
CITIES OVER 25,000 POPULATION									
BLUE SPRINGS	672	640	13	129	122	6	19.2	19.1	46.2
CAPE GIRARDEAU	415	359	53	126	86	40	30.4	24.0	75.5
COLUMBIA	1,097	842	161	309	171	131	28.2	20.3	81.4
FLORISSANT	579	514	54	134	102	29	23.1	19.8	53.7
GLADSTONE	275	262	2	53	51	1	19.3	19.5	50.0
INDEPENDENCE	1,497	1,420	39	536	493	26	35.8	34.7	66.7
JEFFERSON CITY	475	394	75	166	115	50	34.9	29.2	66.7
KIRKWOOD	357	329	24	38	20	18	10.6	6.1	75.0
LEES SUMMIT	937	904	15	138	128	6	14.7	14.2	40.0
MARYLAND HEIGHTS	282	248	12	49	39	6	17.4	15.7	50.0
RAYTOWN	331	295	25	78	59	14	23.6	20.0	56.0
ST. CHARLES	1,162	1,106	38	258	233	23	22.2	21.1	60.5
ST. JOSEPH	947	897	43	402	364	34	42.4	40.6	79.1
ST. LOUIS CITY	5,982	1,981	3,856	4,061	682	3,315	67.9	34.4	86.0
ST. PETERS	758	735	13	111	106	5	14.6	14.4	38.5
SPRINGFIELD	2,134	2,009	74	683	614	52	32.0	30.6	70.3
UNIVERSITY CITY	1,130	726	352	341	81	257	30.2	11.2	73.0
MULTI-COUNTY CITIES									
JOPLIN	711	682	10	239	230	4	33.6	33.7	40.0
JASPER CO. PART	633	605	10	223	214	4	35.2	35.4	40.0
NEWTON CO. PART	78	77	0	16	16	0	20.5	20.8	--
KANSAS CITY	6,710	4,032	2,415	3,127	1,114	1,906	46.6	27.6	78.9
JACKSON CO. PART	5,129	2,543	2,373	2,805	828	1,882	54.7	32.6	79.3
CLAY CO. PART	1,126	1,069	23	233	215	10	20.7	20.1	43.5
PLATTE CO. PART	455	420	19	89	71	14	19.6	16.9	73.7
CASS CO. PART	0	0	0	0	0	0	--	--	--

TABLE 10A RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY RACE OF MOTHER, REGIONAL PLANNING COMMISSION: MISSOURI 1995

	TOTAL		STATE TOTAL WHITE		BLACK		EAST-WEST GATEWAY		MID AMERICA		SOUTHWEST MISSOURI	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	72,804	100.0	60,334	100.0	10,985	100.0	26,895	100.0	13,792	100.0	6,414	100.0
UNDER 2500 GRAMS	5,547	7.6	3,893	6.5	1,546	14.1	2,270	8.4	1,058	7.7	438	6.8
OVER 4499 GRAMS	1,201	1.6	1,112	1.8	73	0.7	450	1.7	239	1.7	107	1.7
CROWN HEEL LT 47 CM (<18.5 IN)	5,288	7.6	3,845	6.7	1,344	12.6	1,865	7.2	1,103	8.5	418	6.6
LESS THAN 37 WEEKS GESTATION	7,060	9.7	5,049	8.4	1,865	17.0	2,862	10.6	1,336	9.7	588	9.2
APGAR SCORE LESS THAN 8	2,166	3.0	1,567	2.6	562	5.1	757	2.8	429	3.1	140	2.2
CONGENITAL ANOMALIES	1,032	1.4	872	1.4	139	1.3	276	1.0	174	1.3	104	1.6
ABNORMAL CONDITIONS OF NEWBORN	4,698	6.5	3,736	6.2	865	7.9	1,487	5.5	728	5.3	529	8.2
INFANT TRANSFERS	1,068	1.5	871	1.4	173	1.6	377	1.4	141	1.0	40	0.6
MATERNAL TRANSFERS	1,848	2.5	1,281	2.1	483	4.4	274	1.0	842	6.1	142	2.2
HOME DELIVERIES	501	0.7	441	0.7	53	0.5	145	0.5	48	0.3	81	1.3
CESAREAN DELIVERIES	15,111	20.8	12,845	21.3	2,012	18.3	5,704	21.2	2,518	18.3	1,369	21.3
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	14,577	20.0	12,923	21.4	1,507	13.7	4,313	16.0	2,647	19.2	1,242	19.4
DRANK ALCOHOL DURING PREG	1,195	1.6	828	1.4	350	3.2	558	2.1	300	2.2	53	0.8
GT 15 PERCENT UNDERWEIGHT	5,519	7.9	4,699	8.1	627	6.1	1,838	7.2	1,048	7.9	601	9.6
GT 20 PERCENT OVERWEIGHT	19,992	28.8	15,984	27.7	3,783	36.7	7,052	26.2	3,729	27.0	1,740	27.1
GAINED LT 15 LBS DURING PREG	4,745	7.6	3,735	7.0	934	11.3	1,590	6.1	755	5.7	411	6.5
GAINED 45+ LBS. DURING PREG	9,934	15.9	8,328	15.7	1,452	17.5	3,313	12.3	1,988	14.4	941	14.7
MATERNAL EDUCATION UNDER 12	13,805	19.0	10,181	16.9	3,370	30.7	4,337	16.1	2,369	17.2	1,258	19.6
OUT-OF-WEDLOCK BIRTHS	23,361	32.1	14,415	23.9	8,574	78.1	9,302	34.6	4,880	35.4	1,609	25.1
LIVE BIRTH ORDER 4 OR MORE	6,874	9.4	4,978	8.3	1,788	16.3	2,761	10.3	1,342	9.7	562	8.8
LT 18 MOS SINCE LAST BIRTH	4,301	10.6	3,316	9.9	891	14.4	1,535	6.2	759	10.1	401	11.1
PRENATAL CARE												
1ST TRIMESTER	60,895	83.6	52,207	86.5	7,537	68.6	22,871	85.0	11,549	83.7	5,363	83.6
2ND TRIMESTER	8,390	11.5	6,023	10.0	2,167	19.7	2,613	9.7	1,486	10.8	826	12.9
3RD TRIMESTER	1,385	1.9	934	1.5	413	3.8	413	1.5	259	1.9	146	2.3
NO PRENATAL CARE	753	1.0	344	0.6	395	3.6	381	1.4	160	1.2	57	0.9
INADEQUATE PRENATAL CARE	8,786	12.4	5,616	9.5	2,964	28.5	3,172	12.2	1,575	11.9	750	11.8
MOTHER MEDICAID PARTICIPANT	29,318	41.6	21,190	36.3	7,597	70.7	8,744	32.9	5,045	39.1	2,915	46.2
MOTHER WIC PARTICIPANT	28,415	40.3	20,540	35.2	7,363	68.6	7,968	30.0	4,855	37.6	2,747	43.5
MOTHER ON MEDICAID AND WIC	23,663	33.5	17,059	29.2	6,215	57.8	6,590	24.8	3,949	30.6	2,363	37.4
MOTHER FOOD STAMP RECIPIENT	15,567	22.1	9,681	16.6	5,607	52.2	5,508	20.8	2,859	22.2	1,101	17.4
AGE OF MOTHER												
UNDER 15	215	0.3	81	0.1	128	1.2	93	0.3	41	0.3	16	0.2
15-17	3,695	5.1	2,434	4.0	1,218	11.1	1,220	4.5	742	5.4	269	4.2
18-19	6,577	9.0	4,945	8.2	1,562	14.2	1,924	7.2	1,180	8.6	635	9.9
20-24	19,450	26.7	15,522	25.7	3,552	32.3	5,567	20.7	3,584	26.0	2,040	31.8
25-29	19,837	27.2	17,106	28.4	2,323	21.1	7,372	27.4	3,851	27.9	1,771	27.6
30-34	15,899	21.8	14,034	23.3	1,475	13.4	7,284	27.1	3,034	22.0	1,192	18.6
35-39	6,180	8.5	5,389	8.9	626	5.7	3,008	11.2	1,178	8.5	423	6.6
40 AND OVER	945	1.3	817	1.4	101	0.9	427	1.6	182	1.3	68	1.1

TABLE 10A (CONT)

	MID-MISSOURI		MO KAN		NORTHWEST MISSOURI		GREEN HILLS		NORTHEAST MISSOURI		MARK TWAIN	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	3,654	100.0	1,520	100.0	451	100.0	1,104	100.0	647	100.0	1,669	100.0
UNDER 2500 GRAMS	262	7.2	91	6.0	19	4.2	62	5.6	35	5.4	121	7.2
OVER 4499 GRAMS	34	0.9	19	1.3	9	2.0	24	2.2	9	1.4	27	1.6
CROWN HEEL LT 47 CM (<18.5 IN)	250	7.2	70	4.7	18	4.3	111	10.7	21	4.6	119	7.9
LESS THAN 37 WEEKS GESTATION	336	9.2	117	7.7	27	6.0	82	7.4	50	7.7	147	8.8
APGAR SCORE LESS THAN 8	138	3.8	25	1.6	10	2.2	26	2.4	24	3.7	58	3.5
CONGENITAL ANOMALIES	76	2.1	30	2.0	9	2.0	20	1.8	7	1.1	51	3.1
ABNORMAL CONDITIONS OF NEWBORN	280	7.7	71	4.7	13	2.9	62	5.6	75	11.6	145	8.7
INFANT TRANSFERS	50	1.4	25	1.6	5	1.1	20	1.8	26	4.0	36	2.2
MATERNAL TRANSFERS	86	2.4	13	0.9	6	1.3	34	3.1	7	1.1	44	2.6
HOME DELIVERIES	35	1.0	5	0.3	2	0.4	11	1.0	18	2.8	27	1.6
CESAREAN DELIVERIES	693	19.0	186	12.2	84	18.6	220	19.9	150	23.2	357	21.4
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	657	18.0	413	27.2	75	16.6	279	25.3	148	22.9	431	25.8
DRANK ALCOHOL DURING PREG	83	2.3	10	0.7	4	0.9	9	0.8	6	0.9	12	0.7
GT 15 PERCENT UNDERWEIGHT	232	6.8	122	8.1	22	5.2	91	8.8	34	7.4	143	9.6
GT 20 PERCENT OVERWEIGHT	958	26.2	465	30.6	123	27.3	333	30.2	151	23.3	436	26.1
GAINED LT 15 LBS DURING PREG	239	6.8	124	8.2	38	8.4	106	9.8	52	8.1	129	7.9
GAINED 45+ LBS. DURING PREG	451	12.3	226	14.9	56	12.4	131	11.9	91	14.1	207	12.4
MATERNAL EDUCATION UNDER 12	515	14.1	332	21.8	58	12.9	252	22.8	127	19.6	382	22.9
OUT-OF-WEDLOCK BIRTHS	911	24.9	541	35.6	103	22.8	295	26.7	154	23.8	477	28.6
LIVE BIRTH ORDER 4 OR MORE	296	8.1	127	8.4	35	7.8	114	10.3	59	9.1	163	9.8
LT 18 MOS SINCE LAST BIRTH	166	8.3	110	12.8	17	6.7	81	12.1	29	8.4	108	11.0
PRENATAL CARE												
1ST TRIMESTER	2,974	81.4	1,314	86.4	396	87.8	933	84.5	536	82.8	1,332	79.8
2ND TRIMESTER	477	13.1	158	10.4	47	10.4	119	10.8	80	12.4	252	15.1
3RD TRIMESTER	99	2.7	31	2.0	5	1.1	28	2.5	14	2.2	49	2.9
NO PRENATAL CARE	23	0.6	6	0.4	1	0.2	6	0.5	3	0.5	5	0.3
INADEQUATE PRENATAL CARE	442	12.5	142	9.4	35	7.8	129	11.9	77	12.3	218	13.3
MOTHER MEDICAID PARTICIPANT	1,207	33.5	791	52.9	188	44.5	603	57.7	196	42.0	775	50.4
MOTHER WIC PARTICIPANT	1,065	29.6	724	48.5	191	45.3	598	57.2	219	46.9	790	51.4
MOTHER ON MEDICAID AND WIC	909	25.2	659	44.1	154	36.5	517	49.5	172	36.8	676	44.0
MOTHER FOOD STAMP RECIPIENT	574	16.0	429	28.7	57	13.5	237	22.7	96	20.6	361	23.6
AGE OF MOTHER												
UNDER 15	4	0.1	2	0.1	1	0.2	5	0.5	1	0.2	3	0.2
15-17	134	3.7	105	6.9	19	4.2	56	5.1	27	4.2	96	5.8
18-19	268	7.3	168	11.1	37	8.2	134	12.1	50	7.7	180	10.8
20-24	905	24.8	480	31.6	136	30.2	352	31.9	203	31.4	528	31.6
25-29	1,110	30.4	409	26.9	136	30.2	315	28.5	189	29.2	456	27.3
30-34	877	24.0	245	16.1	86	19.1	174	15.8	118	18.2	276	16.5
35-39	312	8.5	97	6.4	29	6.4	54	4.9	50	7.7	106	6.4
40 AND OVER	44	1.2	14	0.9	7	1.6	14	1.3	9	1.4	24	1.4

TABLE 10A (CONT)

	BOONSLICK		HARRY S TRUMAN		KAYSINGER BASIN		SHOW-ME		SOUTH CENTRAL OZARK		MERAMEC	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	889	100.0	2,608	100.0	1,127	100.0	1,841	100.0	1,447	100.0	1,424	100.0
UNDER 2500 GRAMS	56	6.3	184	7.1	66	5.9	119	6.5	118	8.2	94	6.6
OVER 4499 GRAMS	22	2.5	37	1.4	18	1.6	38	2.1	18	1.2	27	1.9
CROWN HEEL LT 47 CM (<18.5 IN)	37	4.3	130	5.3	63	5.8	131	7.2	109	7.8	130	9.3
LESS THAN 37 WEEKS GESTATION	77	8.7	252	9.7	84	7.5	141	7.7	150	10.4	100	7.0
APGAR SCORE LESS THAN 8	18	2.0	74	2.8	68	6.0	66	3.6	39	2.7	46	3.2
CONGENITAL ANOMALIES	19	2.1	64	2.5	28	2.5	36	2.0	21	1.5	12	0.8
ABNORMAL CONDITIONS OF NEWBORN	102	11.5	297	11.4	81	7.2	157	8.5	118	8.2	57	4.0
INFANT TRANSFERS	25	2.8	32	1.2	30	2.7	34	1.8	21	1.5	20	1.4
MATERNAL TRANSFERS	25	2.8	49	1.9	27	2.4	47	2.6	74	5.1	33	2.3
HOME DELIVERIES	11	1.2	14	0.5	13	1.2	16	0.9	15	1.0	9	0.6
CESAREAN DELIVERIES	178	20.0	457	17.5	306	27.2	374	20.3	279	19.3	365	25.6
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	267	30.0	654	25.1	315	28.0	411	22.3	396	27.4	396	27.8
DRANK ALCOHOL DURING PREG	8	0.9	24	0.9	28	2.5	23	1.2	10	0.7	8	0.6
GT 15 PERCENT UNDERWEIGHT	78	9.0	241	9.9	82	7.5	137	7.6	112	8.0	137	9.8
GT 20 PERCENT OVERWEIGHT	290	32.6	725	27.8	343	30.4	542	29.4	420	29.0	442	31.0
GAINED LT 15 LBS DURING PREG	71	8.1	178	6.9	81	7.3	107	5.9	118	8.2	108	7.6
GAINED 45+ LBS. DURING PREG	117	13.2	426	16.3	157	13.9	282	15.3	211	14.6	209	14.7
MATERNAL EDUCATION UNDER 12	187	21.0	654	25.1	254	22.5	309	16.8	389	26.9	368	25.8
OUT-OF-WEDLOCK BIRTHS	255	28.7	751	28.8	312	27.7	498	27.1	391	27.0	433	30.4
LIVE BIRTH ORDER 4 OR MORE	96	10.8	226	8.7	113	10.0	131	7.1	130	9.0	108	7.6
LT 18 MOS SINCE LAST BIRTH	63	11.3	190	12.5	71	11.1	102	9.6	118	14.4	82	10.2
PRENATAL CARE												
1ST TRIMESTER	738	83.0	2,145	82.2	934	82.9	1,585	86.1	1,212	83.8	1,083	76.1
2ND TRIMESTER	117	13.2	365	14.0	144	12.8	201	10.9	186	12.9	293	20.6
3RD TRIMESTER	20	2.2	68	2.6	20	1.8	33	1.8	28	1.9	25	1.8
NO PRENATAL CARE	6	0.7	13	0.5	6	0.5	6	0.3	14	1.0	11	0.8
INADEQUATE PRENATAL CARE	117	13.3	358	13.8	111	10.1	182	10.0	175	12.2	169	12.0
MOTHER MEDICAID PARTICIPANT	337	38.0	1,255	51.4	628	57.5	785	43.1	912	65.0	833	58.9
MOTHER WIC PARTICIPANT	339	38.2	1,242	51.5	630	57.7	881	48.4	938	66.9	830	58.7
MOTHER ON MEDICAID AND WIC	276	31.1	1,042	42.7	528	48.4	667	36.6	805	57.4	724	51.2
MOTHER FOOD STAMP RECIPIENT	175	19.8	555	23.0	282	25.8	357	19.6	450	32.1	402	28.4
AGE OF MOTHER												
UNDER 15	1	0.1	4	0.2	3	0.3	2	0.1	5	0.3	2	0.1
15-17	41	4.6	148	5.7	69	6.1	87	4.7	93	6.4	91	6.4
18-19	90	10.1	297	11.4	136	12.1	195	10.6	213	14.7	157	11.0
20-24	257	28.9	872	33.4	374	33.2	639	34.7	536	37.0	505	35.5
25-29	245	27.6	682	26.2	285	25.3	507	27.5	315	21.8	344	24.2
30-34	181	20.4	426	16.3	172	15.3	302	16.4	186	12.9	233	16.4
35-39	65	7.3	155	5.9	78	6.9	90	4.9	81	5.6	83	5.8
40 AND OVER	9	1.0	24	0.9	10	0.9	18	1.0	18	1.2	9	0.6

TABLE 10A (CONT)

	LAKE OF THE OZARKS		SOUTHEAST MISSOURI		BOOTHEEL		OZARK FOOTHILLS	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	1,838	100.0	2,263	100.0	2,183	100.0	1,038	100.0
UNDER 2500 GRAMS	119	6.5	137	6.1	210	9.6	88	8.5
OVER 4499 GRAMS	32	1.7	53	2.3	25	1.1	13	1.3
CROWN HEEL LT 47 CM (<18.5 IN)	113	6.3	172	7.7	268	13.3	160	15.6
LESS THAN 37 WEEKS GESTATION	152	8.3	181	8.0	265	12.1	113	10.9
APGAR SCORE LESS THAN 8	57	3.1	57	2.5	85	3.9	49	4.7
CONGENITAL ANOMALIES	22	1.2	19	0.8	47	2.2	17	1.6
ABNORMAL CONDITIONS OF NEWBORN	130	7.1	114	5.0	186	8.5	66	6.4
INFANT TRANSFERS	39	2.1	48	2.1	75	3.4	24	2.3
MATERNAL TRANSFERS	42	2.3	42	1.9	53	2.4	8	0.8
HOME DELIVERIES	36	2.0	5	0.2	7	0.3	3	0.3
CESAREAN DELIVERIES	365	19.9	615	27.2	649	29.7	242	23.3
MATERNAL RISK FACTORS								
SMOKED DURING PREGNANCY	472	25.7	583	25.8	596	27.3	282	27.2
DRANK ALCOHOL DURING PREG	17	0.9	17	0.8	22	1.0	3	0.3
GT 15 PERCENT UNDERWEIGHT	150	8.4	195	8.7	166	8.3	90	9.2
GT 20 PERCENT OVERWEIGHT	553	30.1	690	30.5	665	30.5	335	32.3
GAINED LT 15 LBS DURING PREG	158	8.7	165	7.3	189	8.9	126	13.0
GAINED 45+ LBS. DURING PREG	285	15.5	355	15.7	340	15.6	148	14.3
MATERNAL EDUCATION UNDER 12	427	23.2	489	21.6	777	35.6	321	30.9
OUT-OF-WEDLOCK BIRTHS	471	25.6	618	27.3	993	45.5	367	35.4
LIVE BIRTH ORDER 4 OR MORE	184	10.0	146	6.5	203	9.3	78	7.5
LT 18 MOS SINCE LAST BIRTH	108	10.1	116	9.1	191	15.9	54	9.8
PRENATAL CARE								
1ST TRIMESTER	1,529	83.2	1,871	82.7	1,738	79.6	792	76.3
2ND TRIMESTER	235	12.8	334	14.8	314	14.4	143	13.8
3RD TRIMESTER	33	1.8	39	1.7	49	2.2	26	2.5
NO PRENATAL CARE	11	0.6	11	0.5	24	1.1	9	0.9
INADEQUATE PRENATAL CARE	196	10.9	217	9.6	438	20.6	283	29.7
MOTHER MEDICAID PARTICIPANT	865	47.3	1,056	47.0	1,496	73.6	687	66.8
MOTHER WIC PARTICIPANT	946	51.7	1,206	53.7	1,539	75.8	707	68.7
MOTHER ON MEDICAID AND WIC	697	38.1	956	42.5	1,373	67.5	606	58.9
MOTHER FOOD STAMP RECIPIENT	395	21.6	468	20.8	902	44.4	359	34.9
AGE OF MOTHER								
UNDER 15	5	0.3	4	0.2	20	0.9	3	0.3
15-17	92	5.0	121	5.3	202	9.3	83	8.0
18-19	200	10.9	230	10.2	362	16.6	121	11.7
20-24	608	33.1	715	31.6	752	34.4	397	38.2
25-29	510	27.7	627	27.7	484	22.2	229	22.1
30-34	294	16.0	413	18.3	260	11.9	146	14.1
35-39	115	6.3	124	5.5	79	3.6	53	5.1
40 AND OVER	13	0.7	29	1.3	21	1.0	5	0.5

TABLE 10B

RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 1995

	ADAIR		ANDREW		ATCHISON		AUDRAIN		BARRY		BARTON	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	274	100.0	151	100.0	68	100.0	311	100.0	457	100.0	172	100.0
UNDER 2500 GRAMS	17	6.2	6	4.0	7	10.3	15	4.8	33	7.2	11	6.4
OVER 4499 GRAMS	3	1.1	0	0.0	0	0.0	6	1.9	9	2.0	4	2.3
CROWN HEEL LT 47 CM (<18.5 IN)	13	4.9	4	2.7	6	12.8	13	4.3	20	5.3	6	3.6
LESS THAN 37 WEEKS GESTATION	25	9.1	11	7.3	6	8.8	26	8.4	36	7.9	14	8.1
APGAR SCORE LESS THAN 8	14	5.1	0	0.0	5	7.4	7	2.3	7	1.5	3	1.7
CONGENITAL ANOMALIES	1	0.4	1	0.7	3	4.4	10	3.2	16	3.5	4	2.3
ABNORMAL CONDITIONS OF NEWBORN	40	14.6	6	4.0	3	4.4	21	6.8	30	6.6	17	9.9
INFANT TRANSFERS	16	5.8	3	2.0	1	1.5	4	1.3	5	1.1	3	1.7
MATERNAL TRANSFERS	3	1.1	2	1.3	0	0.0	6	1.9	10	2.2	4	2.3
HOME DELIVERIES	0	0.0	0	0.0	1	1.5	11	3.5	4	0.9	1	0.6
CESAREAN DELIVERIES	64	23.4	11	7.3	16	23.5	67	21.5	94	20.6	25	14.5
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	64	23.4	30	19.9	11	16.2	78	25.1	120	26.3	43	25.0
DRANK ALCOHOL DURING PREG	3	1.1	1	0.7	0	0.0	4	1.3	3	0.7	0	0.0
GT 15 PERCENT UNDERWEIGHT	15	5.6	9	6.0	1	2.1	18	6.2	43	11.6	21	12.2
GT 20 PERCENT OVERWEIGHT	82	30.6	46	30.7	14	29.8	97	33.6	111	29.8	48	27.9
GAINED LT 15 LBS DURING PREG	18	7.4	16	11.9	7	11.9	25	9.5	30	7.4	10	6.5
GAINED 45+ LBS. DURING PREG	30	12.3	18	13.3	3	5.1	37	14.1	66	16.3	25	16.1
MATERNAL EDUCATION UNDER 12	41	15.0	19	12.6	9	13.2	79	25.4	113	24.7	35	20.3
OUT-OF-WEDLOCK BIRTHS	62	22.6	26	17.2	18	26.5	89	28.6	126	27.6	42	24.4
LIVE BIRTH ORDER 4 OR MORE	15	5.5	11	7.3	5	7.4	36	11.6	37	8.1	16	9.3
LT 18 MOS SINCE LAST BIRTH	10	7.2	10	10.2	3	8.8	17	9.3	30	11.0	12	10.8
PRENATAL CARE												
1ST TRIMESTER	241	88.0	139	92.1	62	91.2	237	76.2	355	77.7	145	84.3
2ND TRIMESTER	24	8.8	11	7.3	5	7.4	56	18.0	78	17.1	19	11.0
3RD TRIMESTER	4	1.5	1	0.7	0	0.0	9	2.9	17	3.7	7	4.1
NO PRENATAL CARE	3	1.1	0	0.0	1	1.5	1	0.3	5	1.1	0	0.0
INADEQUATE PRENATAL CARE	24	8.9	8	5.3	5	7.4	39	12.9	69	15.1	21	12.3
MOTHER MEDICAID PARTICIPANT	103	38.0	56	37.8	28	60.9	143	46.3	212	55.4	65	39.2
MOTHER WIC PARTICIPANT	113	41.7	58	39.2	27	58.7	134	43.4	223	58.7	70	42.2
MOTHER ON MEDICAID AND WIC	86	31.7	48	32.4	21	45.7	120	38.8	189	49.3	52	31.3
MOTHER FOOD STAMP RECIPIENT	46	17.0	19	12.8	15	32.6	57	18.6	71	18.7	24	14.5
AGE OF MOTHER												
UNDER 15	0	0.0	0	0.0	1	1.5	1	0.3	1	0.2	0	0.0
15-17	11	4.0	8	5.3	3	4.4	22	7.1	28	6.1	9	5.2
18-19	16	5.8	7	4.6	3	4.4	35	11.3	53	11.6	18	10.5
20-24	82	29.9	40	26.5	25	36.8	86	27.7	168	36.8	51	29.7
25-29	83	30.3	48	31.8	24	35.3	82	26.4	124	27.1	45	26.2
30-34	57	20.8	35	23.2	8	11.8	56	18.0	57	12.5	33	19.2
35-39	22	8.0	12	7.9	3	4.4	21	6.8	23	5.0	13	7.6
40 AND OVER	3	1.1	1	0.7	1	1.5	8	2.6	3	0.7	3	1.7

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY:

	BATES		BENTON		BOLLINGER		BOONE		BUCHANAN		BUTLER	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	204	100.0	151	100.0	127	100.0	1,665	100.0	1,052	100.0	549	100.0
UNDER 2500 GRAMS	9	4.4	11	7.3	6	4.7	130	7.8	65	6.2	42	7.7
OVER 4499 GRAMS	1	0.5	5	3.3	2	1.6	16	1.0	16	1.5	6	1.1
CROWN HEEL LT 47 CM (<18.5 IN)	14	7.4	9	6.2	10	7.9	109	7.0	44	4.3	83	15.3
LESS THAN 37 WEEKS GESTATION	13	6.4	15	9.9	9	7.1	175	10.5	80	7.6	55	10.0
APGAR SCORE LESS THAN 8	16	7.8	2	1.3	2	1.6	59	3.5	21	2.0	22	4.0
CONGENITAL ANOMALIES	5	2.5	4	2.6	3	2.4	36	2.2	23	2.2	11	2.0
ABNORMAL CONDITIONS OF NEWBORN	14	6.9	8	5.3	6	4.7	126	7.6	49	4.7	39	7.1
INFANT TRANSFERS	6	2.9	3	2.0	2	1.6	15	0.9	19	1.8	14	2.6
MATERNAL TRANSFERS	3	1.5	4	2.6	0	0.0	31	1.9	7	0.7	7	1.3
HOME DELIVERIES	5	2.5	0	0.0	1	0.8	13	0.8	5	0.5	2	0.4
CESAREAN DELIVERIES	61	29.9	41	27.2	36	28.3	357	21.4	126	12.0	115	20.9
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	63	30.9	42	27.8	44	34.6	247	14.8	290	27.6	149	27.1
DRANK ALCOHOL DURING PREG	2	1.0	2	1.3	0	0.0	40	2.4	6	0.6	2	0.4
GT 15 PERCENT UNDERWEIGHT	11	5.6	11	7.5	11	8.7	94	6.3	87	8.3	47	9.1
GT 20 PERCENT OVERWEIGHT	75	38.1	48	32.7	36	28.6	411	27.5	317	30.4	165	32.1
GAINED LT 15 LBS DURING PREG	18	9.9	12	9.2	8	6.8	96	7.0	83	8.6	60	13.5
GAINED 45+ LBS. DURING PREG	27	14.9	18	13.8	19	16.2	200	14.7	161	16.8	80	18.0
MATERNAL EDUCATION UNDER 12	41	20.1	31	20.5	32	25.2	203	12.2	261	24.8	158	28.8
OUT-OF-WEDLOCK BIRTHS	52	25.5	43	28.5	23	18.1	408	24.5	430	40.9	210	38.3
LIVE BIRTH ORDER 4 OR MORE	24	11.8	17	11.3	5	3.9	121	7.3	84	8.0	33	6.0
LT 18 MOS SINCE LAST BIRTH	13	10.9	11	12.1	6	8.1	63	7.1	84	14.6	27	9.4
PRENATAL CARE												
1ST TRIMESTER	168	82.4	124	82.1	111	87.4	1,363	81.9	906	86.1	423	77.0
2ND TRIMESTER	28	13.7	18	11.9	15	11.8	201	12.1	109	10.4	68	12.4
3RD TRIMESTER	4	2.0	2	1.3	1	0.8	36	2.2	23	2.2	13	2.4
NO PRENATAL CARE	0	0.0	1	0.7	0	0.0	6	0.4	6	0.6	4	0.7
INADEQUATE PRENATAL CARE	18	9.1	11	7.6	8	6.3	183	11.5	100	9.6	139	28.0
MOTHER MEDICAID PARTICIPANT	112	58.6	98	67.1	57	45.2	529	32.4	587	56.9	338	61.9
MOTHER WIC PARTICIPANT	124	64.9	99	67.8	78	61.9	445	27.3	515	50.0	344	63.0
MOTHER ON MEDICAID AND WIC	97	50.8	85	58.2	55	43.7	376	23.0	484	46.9	297	54.4
MOTHER FOOD STAMP RECIPIENT	48	25.1	48	32.9	16	12.7	260	16.0	341	33.1	178	32.6
AGE OF MOTHER												
UNDER 15	2	1.0	0	0.0	0	0.0	3	0.2	2	0.2	1	0.2
15-17	9	4.4	6	4.0	10	7.9	65	3.9	80	7.6	39	7.1
18-19	27	13.2	12	7.9	18	14.2	108	6.5	134	12.7	70	12.8
20-24	63	30.9	66	43.7	45	35.4	375	22.5	338	32.1	202	36.8
25-29	46	22.5	36	23.8	32	25.2	511	30.7	269	25.6	132	24.0
30-34	41	20.1	21	13.9	18	14.2	416	25.0	159	15.1	79	14.4
35-39	14	6.9	10	6.6	4	3.1	161	9.7	61	5.8	24	4.4
40 AND OVER	2	1.0	0	0.0	0	0.0	26	1.6	9	0.9	1	0.2

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 1995

	CALDWELL		CALLAWAY		CAMDEN		CAPE GIRARDEAU		CARROLL		CARTER	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	81	100.0	451	100.0	331	100.0	792	100.0	133	100.0	80	100.0
UNDER 2500 GRAMS	4	4.9	33	7.3	20	6.0	44	5.6	4	3.0	13	16.3
OVER 4499 GRAMS	2	2.5	3	0.7	6	1.8	23	2.9	2	1.5	2	2.5
CROWN HEEL LT 47 CM (<18.5 IN)	10	12.3	31	7.2	19	5.8	68	8.6	12	9.0	18	23.4
LESS THAN 37 WEEKS GESTATION	5	6.2	49	10.9	29	8.8	61	7.7	10	7.5	16	20.0
APGAR SCORE LESS THAN 8	2	2.5	20	4.4	10	3.0	24	3.0	6	4.5	6	7.5
CONGENITAL ANOMALIES	3	3.7	7	1.6	3	0.9	2	0.3	1	0.8	2	2.5
ABNORMAL CONDITIONS OF NEWBORN	4	4.9	45	10.0	33	10.0	39	4.9	8	6.0	9	11.3
INFANT TRANSFERS	1	1.2	8	1.8	10	3.0	12	1.5	2	1.5	4	5.0
MATERNAL TRANSFERS	3	3.7	17	3.8	9	2.7	6	0.8	1	0.8	0	0.0
HOME DELIVERIES	0	0.0	1	0.2	2	0.6	2	0.3	1	0.8	0	0.0
CESAREAN DELIVERIES	15	18.5	79	17.5	67	20.2	206	26.0	21	15.8	29	36.3
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	26	32.1	120	26.6	102	30.8	162	20.5	38	28.6	25	31.3
DRANK ALCOHOL DURING PREG	0	0.0	10	2.2	6	1.8	5	0.6	1	0.8	0	0.0
GT 15 PERCENT UNDERWEIGHT	9	11.3	31	7.3	22	6.8	66	8.4	14	10.6	7	9.6
GT 20 PERCENT OVERWEIGHT	25	31.3	121	28.5	83	25.5	228	29.0	46	34.8	31	42.5
GAINED LT 15 LBS DURING PREG	4	5.4	39	10.1	26	8.8	58	8.1	18	14.6	6	10.5
GAINED 45+ LBS. DURING PREG	9	12.2	60	15.6	49	16.7	125	17.5	18	14.6	13	22.8
MATERNAL EDUCATION UNDER 12	14	17.3	75	16.6	63	19.0	131	16.5	36	27.1	25	31.3
OUT-OF-WEDLOCK BIRTHS	23	28.4	119	26.4	89	26.9	192	24.2	40	30.1	20	25.0
LIVE BIRTH ORDER 4 OR MORE	9	11.1	35	7.8	38	11.5	52	6.6	10	7.5	5	6.3
LT 18 MOS SINCE LAST BIRTH	7	12.1	24	9.8	16	8.8	35	8.4	10	12.3	4	10.3
PRENATAL CARE												
1ST TRIMESTER	62	76.5	351	77.8	294	88.8	707	89.3	123	92.5	58	72.5
2ND TRIMESTER	14	17.3	78	17.3	26	7.9	73	9.2	7	5.3	16	20.0
3RD TRIMESTER	1	1.2	15	3.3	6	1.8	5	0.6	3	2.3	2	2.5
NO PRENATAL CARE	1	1.2	4	0.9	1	0.3	7	0.9	0	0.0	2	2.5
INADEQUATE PRENATAL CARE	9	11.5	58	13.1	21	6.5	49	6.2	15	11.3	21	27.6
MOTHER MEDICAID PARTICIPANT	51	63.0	193	43.2	181	55.0	290	36.9	84	63.2	55	69.6
MOTHER WIC PARTICIPANT	48	59.3	166	37.1	150	45.6	312	39.7	82	61.7	62	78.5
MOTHER ON MEDICAID AND WIC	43	53.1	152	34.0	135	41.0	243	31.0	73	54.9	52	65.8
MOTHER FOOD STAMP RECIPIENT	26	32.1	85	19.0	69	21.0	127	16.2	31	23.3	26	32.9
AGE OF MOTHER												
UNDER 15	0	0.0	0	0.0	1	0.3	1	0.1	2	1.5	1	1.3
15-17	5	6.2	17	3.8	19	5.7	41	5.2	3	2.3	7	8.8
18-19	3	3.7	42	9.3	27	8.2	63	8.0	17	12.8	6	7.5
20-24	32	39.5	147	32.6	102	30.8	218	27.5	44	33.1	28	35.0
25-29	21	25.9	111	24.6	77	23.3	250	31.6	37	27.8	20	25.0
30-34	19	23.5	100	22.2	69	20.8	154	19.4	24	18.0	14	17.5
35-39	1	1.2	32	7.1	33	10.0	55	6.9	5	3.8	3	3.8
40 AND OVER	0	0.0	2	0.4	3	0.9	10	1.3	1	0.8	1	1.3

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 1995

	CASS		CEDAR		CHARITON		CHRISTIAN		CLARK		CLAY	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	1,026	100.0	137	100.0	71	100.0	650	100.0	95	100.0	2,247	100.0
UNDER 2500 GRAMS	82	8.0	3	2.2	5	7.0	45	6.9	3	3.2	140	6.2
OVER 4499 GRAMS	28	2.7	3	2.2	3	4.2	8	1.2	1	1.1	46	2.0
CROWN HEEL LT 47 CM (<18.5 IN)	89	9.5	4	2.9	1	1.5	46	7.1	0	0.0	157	7.2
LESS THAN 37 WEEKS GESTATION	94	9.2	8	5.8	7	9.9	61	9.4	4	4.2	173	7.7
APGAR SCORE LESS THAN 8	28	2.7	15	10.9	5	7.0	8	1.2	3	3.2	43	1.9
CONGENITAL ANOMALIES	15	1.5	5	3.6	3	4.2	7	1.1	5	5.3	33	1.5
ABNORMAL CONDITIONS OF NEWBORN	57	5.6	14	10.2	9	12.7	55	8.5	6	6.3	106	4.7
INFANT TRANSFERS	14	1.4	8	5.8	2	2.8	1	0.2	3	3.2	19	0.8
MATERNAL TRANSFERS	32	3.1	2	1.5	6	8.5	10	1.5	0	0.0	116	5.2
HOME DELIVERIES	8	0.8	0	0.0	0	0.0	3	0.5	4	4.2	1	0.0
CESAREAN DELIVERIES	204	19.9	39	28.5	19	26.8	135	20.8	18	18.9	452	20.1
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	234	22.8	35	25.5	8	11.3	100	15.4	21	22.1	427	19.0
DRANK ALCOHOL DURING PREG	13	1.3	5	3.6	1	1.4	3	0.5	2	2.1	26	1.2
GT 15 PERCENT UNDERWEIGHT	67	6.8	12	8.8	5	7.4	60	9.3	6	20.0	161	7.4
GT 20 PERCENT OVERWEIGHT	268	27.3	39	28.7	22	32.4	149	23.0	9	30.0	607	27.9
GAINED LT 15 LBS DURING PREG	59	6.7	8	6.3	4	7.0	30	5.2	6	7.6	127	6.5
GAINED 45+ LBS. DURING PREG	145	16.5	17	13.4	9	15.8	97	16.8	17	21.5	313	15.9
MATERNAL EDUCATION UNDER 12	133	13.0	37	27.0	7	9.9	90	13.8	21	22.1	220	9.8
OUT-OF-WEDLOCK BIRTHS	225	21.9	35	25.5	11	15.5	134	20.6	30	31.6	461	20.5
LIVE BIRTH ORDER 4 OR MORE	107	10.4	17	12.4	5	7.0	39	6.0	16	16.8	154	6.9
LT 18 MOS SINCE LAST BIRTH	49	8.8	12	16.2	4	9.5	33	9.3	7	12.5	102	8.3
PRENATAL CARE												
1ST TRIMESTER	873	85.1	110	80.3	59	83.1	574	88.3	73	76.8	2,014	89.6
2ND TRIMESTER	109	10.6	24	17.5	6	8.5	62	9.5	12	12.6	173	7.7
3RD TRIMESTER	16	1.6	1	0.7	2	2.8	7	1.1	2	2.1	19	0.8
NO PRENATAL CARE	4	0.4	1	1.5	1	1.4	3	0.5	0	0.0	9	0.4
INADEQUATE PRENATAL CARE	85	8.7	18	13.1	7	10.4	43	6.7	13	14.9	146	6.7
MOTHER MEDICAID PARTICIPANT	323	34.8	77	57.0	26	36.6	233	36.0	20	64.5	542	24.9
MOTHER WIC PARTICIPANT	300	32.3	70	51.9	26	36.6	232	35.9	20	64.5	484	22.2
MOTHER ON MEDICAID AND WIC	245	26.4	61	45.2	20	28.2	184	28.4	18	58.1	385	17.7
MOTHER FOOD STAMP RECIPIENT	127	13.7	32	23.7	8	11.3	76	11.7	9	29.0	226	10.4
AGE OF MOTHER												
UNDER 15	0	0.0	0	0.0	0	0.0	0	0.0	1	1.1	1	0.0
15-17	36	3.5	8	5.8	3	4.2	29	4.5	5	5.3	71	3.2
18-19	97	9.5	22	16.1	5	7.0	45	6.9	8	8.4	120	5.3
20-24	285	27.8	39	28.5	21	29.6	180	27.7	32	33.7	530	23.6
25-29	296	28.8	31	22.6	31	43.7	179	27.5	25	26.3	763	34.0
30-34	207	20.2	23	16.8	11	15.5	152	23.4	17	17.9	526	23.4
35-39	92	9.0	14	10.2	0	0.0	57	8.8	7	7.4	211	9.4
40 AND OVER	13	1.3	0	0.0	0	0.0	8	1.2	0	0.0	25	1.1

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 1995

	CLINTON		COLE		COOPER		CRAWFORD		DADE		DALLAS	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	230	100.0	895	100.0	210	100.0	292	100.0	102	100.0	200	100.0
UNDER 2500 GRAMS	11	4.8	50	5.6	21	10.0	18	6.2	5	4.9	21	10.5
OVER 4499 GRAMS	3	1.3	8	0.9	2	1.0	6	2.1	3	2.9	1	0.5
CROWN HEEL LT 47 CM (<18.5 IN)	13	5.7	68	7.7	19	9.5	21	7.4	6	5.9	20	10.3
LESS THAN 37 WEEKS GESTATION	16	7.0	61	6.8	18	8.6	17	5.8	8	7.8	30	15.0
APGAR SCORE LESS THAN 8	2	0.9	35	3.9	7	3.3	10	3.4	1	1.0	5	2.5
CONGENITAL ANOMALIES	6	2.6	23	2.6	4	1.9	1	0.3	2	2.0	7	3.5
ABNORMAL CONDITIONS OF NEWBORN	11	4.8	59	6.6	13	6.2	9	3.1	4	3.9	21	10.5
INFANT TRANSFERS	1	0.4	18	2.0	2	1.0	4	1.4	0	0.0	4	2.0
MATERNAL TRANSFERS	4	1.7	20	2.2	8	3.8	8	2.7	1	1.0	10	5.0
HOME DELIVERIES	0	0.0	4	0.4	3	1.4	0	0.0	1	1.0	4	2.0
CESAREAN DELIVERIES	40	17.4	150	16.8	42	20.0	82	28.1	19	18.6	43	21.5
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	72	31.3	165	18.4	33	15.7	100	34.2	30	29.4	53	26.5
DRANK ALCOHOL DURING PREG	3	1.3	22	2.5	5	2.4	2	0.7	0	0.0	1	0.5
GT 15 PERCENT UNDERWEIGHT	22	9.6	64	7.4	13	6.6	34	11.8	11	10.8	23	11.7
GT 20 PERCENT OVERWEIGHT	72	31.6	221	25.4	71	36.2	87	30.3	36	35.3	65	33.2
GAINED LT 15 LBS DURING PREG	17	8.3	57	7.1	20	11.2	28	10.3	8	8.7	23	13.9
GAINED 45+ LBS. DURING PREG	37	18.0	103	12.8	33	18.5	48	17.6	12	13.0	27	16.3
MATERNAL EDUCATION UNDER 12	37	16.1	108	12.1	44	21.0	93	31.8	14	13.7	64	32.0
OUT-OF-WEDLOCK BIRTHS	65	28.3	237	26.5	54	25.7	104	35.6	26	25.5	44	22.0
LIVE BIRTH ORDER 4 OR MORE	24	10.4	68	7.6	25	11.9	20	6.8	10	9.8	30	15.0
LT 18 MOS SINCE LAST BIRTH	11	8.5	52	10.5	11	9.8	22	13.3	4	6.3	18	14.3
PRENATAL CARE												
1ST TRIMESTER	198	86.1	734	82.0	172	81.9	227	77.7	85	83.3	151	75.5
2ND TRIMESTER	26	11.3	111	12.4	27	12.9	57	19.5	16	15.7	38	19.0
3RD TRIMESTER	6	2.6	33	3.7	8	3.8	5	1.7	1	1.0	10	5.0
NO PRENATAL CARE	0	0.0	8	0.9	1	0.5	2	0.7	0	0.0	0	0.0
INADEQUATE PRENATAL CARE	29	12.8	123	13.9	30	14.7	32	11.0	12	11.8	38	19.3
MOTHER MEDICAID PARTICIPANT	101	44.1	253	28.4	88	42.7	168	57.9	60	58.8	100	50.5
MOTHER WIC PARTICIPANT	103	45.0	218	24.6	88	42.7	166	57.2	57	55.9	102	51.5
MOTHER ON MEDICAID AND WIC	84	36.7	188	21.1	73	35.4	146	50.3	50	49.0	88	44.4
MOTHER FOOD STAMP RECIPIENT	48	21.0	138	15.6	33	16.0	83	28.6	20	19.6	45	22.7
AGE OF MOTHER												
UNDER 15	0	0.0	1	0.1	0	0.0	1	0.3	1	1.0	0	0.0
15-17	13	5.7	24	2.7	12	5.7	23	7.9	2	2.0	8	4.0
18-19	23	10.0	67	7.5	26	12.4	32	11.0	10	9.8	27	13.5
20-24	67	29.1	227	25.4	43	20.5	105	36.0	29	28.4	70	35.0
25-29	61	26.5	274	30.6	72	34.3	70	24.0	40	39.2	46	23.0
30-34	43	18.7	227	25.4	39	18.6	43	14.7	17	16.7	34	17.0
35-39	19	8.3	67	7.5	17	8.1	16	5.5	3	2.9	11	5.5
40 AND OVER	4	1.7	8	0.9	1	0.5	2	0.7	0	0.0	4	2.0

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 1995

	DAVIESS		DE KALB		DENT		DOUGLAS		DUNKLIN		FRANKLIN	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	97	100.0	87	100.0	188	100.0	164	100.0	462	100.0	1,213	100.0
UNDER 2500 GRAMS	4	4.1	9	10.3	13	6.9	12	7.3	31	6.7	77	6.3
OVER 4499 GRAMS	3	3.1	0	0.0	3	1.6	3	1.8	8	1.7	25	2.1
CROWN HEEL LT 47 CM (<18.5 IN)	8	8.4	9	10.5	14	7.5	11	6.8	45	11.0	119	10.2
LESS THAN 37 WEEKS GESTATION	8	8.2	10	11.5	11	5.9	21	12.8	43	9.3	95	7.8
APGAR SCORE LESS THAN 8	1	1.0	2	2.3	7	3.7	1	0.6	17	3.7	32	2.6
CONGENITAL ANOMALIES	1	1.0	0	0.0	2	1.1	1	0.6	13	2.8	8	0.7
ABNORMAL CONDITIONS OF NEWBORN	4	4.1	5	5.7	8	4.3	15	9.1	38	8.2	32	2.6
INFANT TRANSFERS	3	3.1	2	2.3	2	1.1	1	0.6	18	3.9	15	1.2
MATERNAL TRANSFERS	0	0.0	0	0.0	5	2.7	3	1.8	5	1.1	9	0.7
HOME DELIVERIES	6	6.2	0	0.0	1	0.5	0	0.0	0	0.0	2	0.2
CESAREAN DELIVERIES	10	10.3	9	10.3	46	24.5	37	22.6	128	27.7	261	21.5
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	18	18.6	21	24.1	52	27.7	29	17.7	135	29.2	313	25.8
DRANK ALCOHOL DURING PREG	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	14	1.2
GT 15 PERCENT UNDERWEIGHT	4	4.1	4	4.7	22	11.8	13	8.0	34	8.5	98	8.5
GT 20 PERCENT OVERWEIGHT	39	40.2	30	34.9	54	29.0	51	31.3	142	35.5	339	29.4
GAINED LT 15 LBS DURING PREG	7	7.9	8	10.4	14	8.1	16	11.4	42	10.6	76	7.1
GAINED 45+ LBS. DURING PREG	11	12.4	0	13.0	31	17.9	22	15.7	70	17.6	167	15.5
MATERNAL EDUCATION UNDER 12	44	45.4	15	17.2	52	27.7	43	26.2	187	40.5	247	20.4
OUT-OF-WEDLOCK BIRTHS	21	21.6	20	23.0	43	22.9	39	23.8	212	45.9	307	25.3
LIVE BIRTH ORDER 4 OR MORE	23	23.7	8	9.2	18	9.6	21	12.8	41	8.9	113	9.3
LT 18 MOS SINCE LAST BIRTH	9	14.8	5	8.5	11	10.6	13	13.5	43	17.3	70	10.0
PRENATAL CARE												
1ST TRIMESTER	66	68.0	71	81.6	133	70.7	148	90.2	382	82.7	1,091	89.9
2ND TRIMESTER	26	26.8	12	13.8	48	25.5	12	7.3	49	10.6	90	7.4
3RD TRIMESTER	4	4.1	1	1.1	5	2.7	2	1.2	7	1.5	14	1.2
NO PRENATAL CARE	1	1.0	0	0.0	1	0.5	1	0.6	8	1.7	5	0.4
INADEQUATE PRENATAL CARE	25	26.0	5	6.0	23	12.3	9	5.5	100	22.2	85	7.1
MOTHER MEDICAID PARTICIPANT	44	45.8	47	54.7	128	68.8	94	57.7	334	80.9	421	35.1
MOTHER WIC PARTICIPANT	48	50.0	48	55.8	119	64.0	94	57.7	337	81.6	407	33.9
MOTHER ON MEDICAID AND WIC	38	39.6	43	50.0	115	61.8	71	43.6	302	73.1	324	27.0
MOTHER FOOD STAMP RECIPIENT	18	18.8	21	24.4	64	34.4	38	23.3	231	55.9	212	17.7
AGE OF MOTHER												
UNDER 15	1	1.0	0	0.0	0	0.0	0	0.0	5	1.1	1	0.1
15-17	4	4.1	4	4.6	12	6.4	11	6.7	45	9.7	57	4.7
18-19	17	17.5	4	4.6	24	12.8	26	15.9	92	19.9	84	6.9
20-24	19	19.6	35	40.2	84	44.7	55	33.5	167	36.1	337	27.8
25-29	26	26.8	31	35.6	38	20.2	38	23.2	103	22.3	387	31.9
30-34	23	23.7	8	9.2	15	8.0	21	12.8	33	7.1	230	19.0
35-39	4	4.1	5	5.7	13	6.9	9	5.5	15	3.2	100	8.2
40 AND OVER	3	3.1	0	0.0	2	1.1	4	2.4	2	0.4	17	1.4

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 1995

	GASCONADE		GENTRY		GREENE		GRUNDY		HARRISON		HENRY	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	153	100.0	76	100.0	3,056	100.0	127	100.0	79	100.0	231	100.0
UNDER 2500 GRAMS	9	5.9	3	3.9	205	6.7	1	0.8	5	6.3	14	6.1
OVER 4499 GRAMS	2	1.3	0	0.0	50	1.6	2	1.6	3	3.8	2	0.9
CROWN HEEL LT 47 CM (<18.5 IN)	15	9.9	3	4.0	173	5.7	17	13.7	6	10.5	14	6.1
LESS THAN 37 WEEKS GESTATION	9	5.9	3	3.9	282	9.2	7	5.5	5	6.3	15	6.5
APGAR SCORE LESS THAN 8	3	2.0	1	1.3	74	2.4	2	1.6	4	5.1	2	0.9
CONGENITAL ANOMALIES	0	0.0	1	1.3	39	1.3	2	1.6	4	5.1	7	3.0
ABNORMAL CONDITIONS OF NEWBORN	8	5.2	2	2.6	274	9.0	5	3.9	2	2.5	5	2.2
INFANT TRANSFERS	2	1.3	1	1.3	9	0.3	2	1.6	1	1.3	1	0.4
MATERNAL TRANSFERS	2	1.3	0	0.0	78	2.6	0	0.0	4	5.1	10	4.3
HOME DELIVERIES	2	1.3	1	1.3	10	0.3	1	0.8	0	0.0	4	1.7
CESAREAN DELIVERIES	29	19.0	10	13.2	680	22.3	23	18.1	13	16.5	70	30.3
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	57	37.3	15	19.7	576	18.8	30	23.6	22	27.8	74	32.0
DRANK ALCOHOL DURING PREG	2	1.3	0	0.0	21	0.7	0	0.0	3	3.8	13	5.6
GT 15 PERCENT UNDERWEIGHT	13	8.9	7	9.3	294	9.7	13	10.2	6	10.9	16	7.3
GT 20 PERCENT OVERWEIGHT	42	28.8	21	28.0	812	26.7	38	29.9	12	21.8	67	30.5
GAINED LT 15 LBS DURING PREG	10	7.1	7	10.4	186	6.8	14	11.7	4	6.0	17	8.4
GAINED 45+ LBS. DURING PREG	15	10.6	10	14.9	482	17.6	15	12.5	7	10.4	36	17.8
MATERNAL EDUCATION UNDER 12	33	21.6	20	26.3	508	16.6	28	22.0	17	21.5	56	24.2
OUT-OF-WEDLOCK BIRTHS	46	30.1	21	27.6	853	27.9	36	28.3	21	26.6	74	32.0
LIVE BIRTH ORDER 4 OR MORE	16	10.5	9	11.8	230	7.5	16	12.6	5	6.3	14	6.1
LT 18 MOS SINCE LAST BIRTH	9	10.8	8	19.0	183	10.9	10	12.5	4	9.8	14	10.9
PRENATAL CARE												
1ST TRIMESTER	126	82.4	63	82.9	2,610	85.4	112	88.2	58	73.4	189	81.8
2ND TRIMESTER	19	12.4	11	14.5	371	12.1	10	7.9	13	16.5	26	11.3
3RD TRIMESTER	4	2.6	1	1.3	38	1.2	4	3.1	1	1.3	3	1.3
NO PRENATAL CARE	2	1.3	0	0.0	35	1.1	1	0.8	0	0.0	2	0.9
INADEQUATE PRENATAL CARE	18	12.1	9	12.0	305	10.0	16	12.7	11	15.5	22	10.0
MOTHER MEDICAID PARTICIPANT	64	42.1	41	54.7	1,379	45.3	69	55.2	37	64.9	126	55.3
MOTHER WIC PARTICIPANT	67	44.1	46	61.3	1,245	40.9	69	55.2	39	68.4	120	52.6
MOTHER ON MEDICAID AND WIC	51	33.6	34	45.3	1,100	36.1	59	47.2	31	54.4	101	44.3
MOTHER FOOD STAMP RECIPIENT	31	20.4	9	12.0	575	18.9	31	24.8	12	21.1	60	26.3
AGE OF MOTHER												
UNDER 15	0	0.0	0	0.0	8	0.3	0	0.0	0	0.0	1	0.4
15-17	8	5.2	7	9.2	122	4.0	7	5.5	9	11.4	17	7.4
18-19	14	9.2	11	14.5	268	8.8	17	13.4	11	13.9	23	10.0
20-24	49	32.0	25	32.9	935	30.6	41	32.3	21	26.6	74	32.0
25-29	35	22.9	16	21.1	852	27.9	29	22.8	20	25.3	71	30.7
30-34	31	20.3	10	13.2	623	20.4	25	19.7	8	10.1	28	12.1
35-39	16	10.5	4	5.3	211	6.9	6	4.7	8	10.1	15	6.5
40 AND OVER	0	0.0	3	3.9	37	1.2	2	1.6	2	2.5	2	0.9

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 1995

	HICKORY		HOLT		HOWARD		HOWELL		IRON		JACKSON	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	84	100.0	51	100.0	128	100.0	461	100.0	143	100.0	9,370	100.0
UNDER 2500 GRAMS	7	8.3	1	2.0	9	7.0	42	9.1	16	11.2	773	8.2
OVER 4499 GRAMS	1	1.2	3	5.9	2	1.6	4	0.9	3	2.1	139	1.5
CROWN HEEL LT 47 CM (<18.5 IN)	2	2.4	2	4.1	5	4.4	35	7.8	18	12.7	792	9.0
LESS THAN 37 WEEKS GESTATION	6	7.1	3	5.9	11	8.6	52	11.3	23	16.1	973	10.4
APGAR SCORE LESS THAN 8	3	3.6	0	0.0	6	4.7	12	2.6	5	3.5	342	3.6
CONGENITAL ANOMALIES	0	0.0	0	0.0	1	0.8	4	0.9	1	0.7	114	1.2
ABNORMAL CONDITIONS OF NEWBORN	9	10.7	0	0.0	11	8.6	36	7.8	9	6.3	507	5.4
INFANT TRANSFERS	2	2.4	0	0.0	0	0.0	8	1.7	5	3.5	99	1.1
MATERNAL TRANSFERS	0	0.0	1	2.0	4	3.1	15	3.3	4	2.8	650	6.9
HOME DELIVERIES	0	0.0	0	0.0	1	0.8	4	0.9	0	0.0	38	0.4
CESAREAN DELIVERIES	16	19.0	8	15.7	27	21.1	80	17.4	39	27.3	1,612	17.2
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	20	23.8	4	7.8	39	30.5	139	30.2	53	37.1	1,780	19.0
DRANK ALCOHOL DURING PREG	3	3.6	0	0.0	5	3.9	4	0.9	1	0.7	250	2.7
GT 15 PERCENT UNDERWEIGHT	6	7.3	2	4.1	11	9.2	31	6.9	17	12.0	736	8.3
GT 20 PERCENT OVERWEIGHT	22	26.8	18	36.7	43	36.1	126	28.1	51	35.9	2,549	28.6
GAINED LT 15 LBS DURING PREG	6	8.2	5	10.4	9	8.3	24	6.0	13	10.9	516	6.6
GAINED 45+ LBS. DURING PREG	14	19.2	9	18.8	16	14.7	71	17.7	26	21.8	1,371	17.6
MATERNAL EDUCATION UNDER 12	18	21.4	2	3.9	19	14.8	113	24.5	49	34.3	1,886	20.1
OUT-OF-WEDLOCK BIRTHS	22	26.2	11	21.6	32	25.0	119	25.8	47	32.9	3,928	41.9
LIVE BIRTH ORDER 4 OR MORE	9	10.7	3	5.9	14	10.9	36	7.8	7	4.9	1,014	10.8
LT 18 MOS SINCE LAST BIRTH	0	0.0	2	6.7	6	7.8	34	12.7	12	14.6	562	11.0
PRENATAL CARE												
1ST TRIMESTER	72	85.7	48	94.1	104	81.3	386	83.7	102	71.3	7,646	81.6
2ND TRIMESTER	11	13.1	2	3.9	16	12.5	62	13.4	31	21.7	1,115	11.9
3RD TRIMESTER	1	1.2	1	2.0	4	3.1	7	1.5	10	7.0	201	2.1
NO PRENATAL CARE	0	0.0	0	0.0	1	0.8	5	1.1	0	0.0	144	1.5
INADEQUATE PRENATAL CARE	9	10.7	3	5.9	13	10.6	60	13.1	30	21.0	1,258	14.0
MOTHER MEDICAID PARTICIPANT	50	59.5	18	36.7	60	47.6	265	59.0	95	66.9	3,901	44.7
MOTHER WIC PARTICIPANT	40	47.6	16	32.7	61	48.0	298	66.4	103	72.5	3,796	43.5
MOTHER ON MEDICAID AND WIC	36	42.9	14	28.6	51	40.2	242	53.9	87	61.3	3,103	35.5
MOTHER FOOD STAMP RECIPIENT	27	32.1	6	12.2	27	21.6	153	34.1	51	35.9	2,389	27.4
AGE OF MOTHER												
UNDER 15	0	0.0	0	0.0	0	0.0	2	0.4	1	0.7	37	0.4
15-17	7	8.3	0	0.0	4	3.1	24	5.2	8	5.6	596	6.4
18-19	6	7.1	3	5.9	7	5.5	67	14.5	20	14.0	888	9.5
20-24	21	25.0	17	33.3	35	27.3	170	36.9	57	39.9	2,519	26.9
25-29	25	29.8	15	29.4	43	33.6	100	21.7	32	22.4	2,454	26.2
30-34	17	20.2	13	25.5	27	21.1	72	15.6	19	13.3	1,985	21.2
35-39	7	8.3	3	5.9	10	7.8	20	4.3	2	1.4	764	8.2
40 AND OVER	1	1.2	0	0.0	2	1.6	6	1.3	4	2.8	127	1.4

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 1995

	JASPER		JEFFERSON		JOHNSON		KNOX		LACLEDE		LAFAYETTE	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	1,438	100.0	2,624	100.0	663	100.0	41	100.0	421	100.0	390	100.0
UNDER 2500 GRAMS	107	7.4	193	7.4	37	5.6	1	2.4	23	5.5	20	5.1
OVER 4499 GRAMS	18	1.3	46	1.8	21	3.2	1	2.4	5	1.2	8	2.1
CROWN HEEL LT 47 CM (<18.5 IN)	78	5.5	147	5.9	48	7.4	1	2.6	17	4.1	31	8.1
LESS THAN 37 WEEKS GESTATION	145	10.1	271	10.3	38	5.7	2	4.9	41	9.7	30	7.7
APGAR SCORE LESS THAN 8	43	3.0	52	2.0	23	3.5	1	2.4	13	3.1	12	3.1
CONGENITAL ANOMALIES	39	2.7	19	0.7	15	2.3	0	0.0	5	1.2	4	1.0
ABNORMAL CONDITIONS OF NEWBORN	167	11.6	101	3.8	49	7.4	6	14.6	24	5.7	24	6.2
INFANT TRANSFERS	17	1.2	55	2.1	10	1.5	1	2.4	7	1.7	10	2.6
MATERNAL TRANSFERS	29	2.0	34	1.3	24	3.6	0	0.0	10	2.4	10	2.6
HOME DELIVERIES	6	0.4	14	0.5	2	0.3	3	7.3	1	0.2	3	0.8
CESAREAN DELIVERIES	249	17.3	637	24.3	132	19.9	10	24.4	99	23.5	83	21.3
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	332	23.1	683	26.0	114	17.2	9	22.0	113	26.8	89	22.8
DRANK ALCOHOL DURING PREG	14	1.0	31	1.2	6	0.9	1	2.4	2	0.5	3	0.8
GT 15 PERCENT UNDERWEIGHT	151	10.6	236	9.3	53	8.1	2	5.1	31	7.5	24	6.3
GT 20 PERCENT OVERWEIGHT	410	28.9	674	26.5	187	28.6	17	43.6	146	35.3	127	33.2
GAINED LT 15 LBS DURING PREG	106	8.3	162	7.1	36	5.9	3	7.9	47	12.5	22	6.3
GAINED 45+ LBS. DURING PREG	229	18.0	352	15.4	98	16.2	4	10.5	67	17.9	67	19.0
MATERNAL EDUCATION UNDER 12	350	24.3	454	17.3	76	11.5	13	31.7	103	24.5	62	15.9
OUT-OF-WEDLOCK BIRTHS	455	31.6	723	27.6	136	20.5	10	24.4	117	27.8	108	27.7
LIVE BIRTH ORDER 4 OR MORE	120	8.3	219	8.3	51	7.7	10	24.4	35	8.3	26	6.7
LT 18 MOS SINCE LAST BIRTH	107	13.1	134	9.3	45	11.8	5	19.2	19	7.8	23	10.1
PRENATAL CARE												
1ST TRIMESTER	1,185	82.4	2,288	87.2	549	82.8	33	80.5	352	83.6	342	87.7
2ND TRIMESTER	205	14.3	243	9.3	89	13.4	6	14.6	47	11.2	40	10.3
3RD TRIMESTER	37	2.6	26	1.0	16	2.4	2	4.9	6	1.4	5	1.3
NO PRENATAL CARE	6	0.4	13	0.5	1	0.2	0	0.0	2	0.5	1	0.3
INADEQUATE PRENATAL CARE	205	14.3	204	8.1	66	10.1	8	19.5	40	9.8	35	9.1
MOTHER MEDICAID PARTICIPANT	756	53.3	865	33.4	208	31.9	20	51.3	238	56.8	162	42.1
MOTHER WIC PARTICIPANT	723	51.7	783	30.3	309	47.3	24	61.5	229	54.7	145	37.7
MOTHER ON MEDICAID AND WIC	624	44.0	638	24.6	176	27.0	20	51.3	200	47.7	129	33.5
MOTHER FOOD STAMP RECIPIENT	336	24.0	418	16.2	108	16.5	15	38.5	98	23.4	68	17.7
AGE OF MOTHER												
UNDER 15	2	0.1	6	0.2	1	0.2	0	0.0	0	0.0	0	0.0
15-17	86	6.0	100	3.8	24	3.6	0	0.0	26	6.2	19	4.9
18-19	174	12.1	219	8.3	60	9.0	7	17.1	59	14.0	46	11.8
20-24	478	33.2	670	25.5	230	34.7	11	26.8	148	35.2	139	35.6
25-29	369	25.7	787	30.0	200	30.2	12	29.3	106	25.2	99	25.4
30-34	226	15.7	602	22.9	108	16.3	8	19.5	57	13.5	68	17.4
35-39	89	6.2	209	8.0	33	5.0	1	2.4	20	4.8	13	3.3
40 AND OVER	14	1.0	31	1.2	7	1.1	2	4.9	5	1.2	6	1.5

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 1995

	LAWRENCE		LEWIS		LINCOLN		LINN		LIVINGSTON		MC DONALD	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	423	100.0	123	100.0	454	100.0	156	100.0	193	100.0	303	100.0
UNDER 2500 GRAMS	36	8.5	7	5.7	36	7.9	14	9.0	13	6.7	19	6.3
OVER 4499 GRAMS	8	1.9	1	0.8	12	2.6	3	1.9	4	2.1	2	0.7
CROWN HEEL LT 47 CM (<18.5 IN)	27	6.4	2	12.5	20	4.6	19	12.4	27	14.1	10	5.9
LESS THAN 37 WEEKS GESTATION	45	10.6	8	6.5	43	9.5	12	7.7	12	6.2	29	9.6
APGAR SCORE LESS THAN 8	12	2.8	3	2.4	13	2.9	2	1.3	3	1.6	9	3.0
CONGENITAL ANOMALIES	11	2.6	1	0.8	12	2.6	3	1.9	2	1.0	3	1.0
ABNORMAL CONDITIONS OF NEWBORN	42	9.9	11	8.9	53	11.7	11	7.1	6	3.1	20	6.6
INFANT TRANSFERS	5	1.2	0	0.0	16	3.5	5	3.2	2	1.0	5	1.7
MATERNAL TRANSFERS	9	2.1	1	0.8	17	3.7	9	5.8	2	1.0	3	1.0
HOME DELIVERIES	5	1.2	1	0.8	5	1.1	0	0.0	2	1.0	3	1.0
CESAREAN DELIVERIES	104	24.6	33	26.8	106	23.3	36	23.1	42	21.8	58	19.1
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	79	18.7	28	22.8	142	31.3	36	23.1	53	27.5	111	36.6
DRANK ALCOHOL DURING PREG	0	0.0	0	0.0	2	0.4	0	0.0	0	0.0	5	1.7
GT 15 PERCENT UNDERWEIGHT	34	8.3	1	6.7	39	8.6	17	11.6	12	6.2	20	11.8
GT 20 PERCENT OVERWEIGHT	114	27.8	7	46.7	145	32.2	40	27.2	66	34.2	52	30.6
GAINED LT 15 LBS DURING PREG	25	6.8	14	13.0	39	9.8	17	12.4	22	12.4	21	8.1
GAINED 45+ LBS. DURING PREG	47	12.8	24	22.2	51	12.8	20	14.6	21	11.9	52	20.1
MATERNAL EDUCATION UNDER 12	114	27.0	20	16.3	97	21.4	24	15.4	43	22.3	109	36.0
OUT-OF-WEDLOCK BIRTHS	104	24.6	32	26.0	134	29.5	35	22.4	64	33.2	85	28.1
LIVE BIRTH ORDER 4 OR MORE	47	11.1	2	1.6	52	11.5	14	9.0	20	10.4	29	9.6
LT 18 MOS SINCE LAST BIRTH	22	8.9	3	5.5	44	15.4	13	14.1	16	13.3	21	11.2
PRENATAL CARE												
1ST TRIMESTER	338	79.9	101	82.1	383	84.4	139	89.1	173	89.6	246	81.2
2ND TRIMESTER	62	14.7	19	15.4	53	11.7	14	9.0	17	8.8	41	13.5
3RD TRIMESTER	19	4.5	1	0.8	14	3.1	2	1.3	3	1.6	9	3.0
NO PRENATAL CARE	4	0.9	0	0.0	2	0.4	0	0.0	0	0.0	1	0.3
INADEQUATE PRENATAL CARE	59	14.0	11	9.2	64	14.2	13	8.5	13	6.7	43	14.4
MOTHER MEDICAID PARTICIPANT	185	43.9	6	37.5	171	37.7	95	60.9	119	61.7	88	51.5
MOTHER WIC PARTICIPANT	198	47.0	8	50.0	171	37.7	91	58.3	116	60.1	98	57.6
MOTHER ON MEDICAID AND WIC	153	36.3	6	37.5	142	31.3	84	53.8	107	55.4	79	46.2
MOTHER FOOD STAMP RECIPIENT	72	17.1	4	25.0	86	18.9	35	22.6	48	24.9	52	30.6
AGE OF MOTHER												
UNDER 15	2	0.5	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
15-17	19	4.5	9	7.3	22	4.8	7	4.5	13	6.7	17	5.6
18-19	61	14.4	11	8.9	45	9.9	17	10.9	25	13.0	38	12.5
20-24	145	34.3	33	26.8	135	29.7	57	36.5	63	32.6	111	36.6
25-29	115	27.2	41	33.3	126	27.8	47	30.1	52	26.9	75	24.8
30-34	52	12.3	17	13.8	87	19.2	21	13.5	26	13.5	42	13.9
35-39	26	6.1	10	8.1	34	7.5	6	3.8	13	6.7	17	5.6
40 AND OVER	3	0.7	2	1.6	5	1.1	1	0.6	1	0.5	3	1.0

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 1995

	MACON		MADISON		MARIES		MARION		HERCER		MILLER	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	196	100.0	145	100.0	83	100.0	380	100.0	36	100.0	270	100.0
UNDER 2500 GRAMS	9	4.6	12	8.3	5	6.0	34	8.9	4	11.1	21	7.8
OVER 4499 GRAMS	2	1.0	3	2.1	1	1.2	8	2.1	1	2.8	3	1.1
CROWN HEEL LT 47 CM (<18.5 IN)	7	3.7	10	7.0	6	7.5	33	11.5	3	18.8	20	7.6
LESS THAN 37 WEEKS GESTATION	15	7.7	10	6.9	3	3.6	33	8.7	4	11.1	20	7.4
APGAR SCORE LESS THAN 8	8	4.1	6	4.1	2	2.4	15	3.9	0	0.0	9	3.3
CONGENITAL ANOMALIES	2	1.0	0	0.0	0	0.0	16	4.2	0	0.0	5	1.9
ABNORMAL CONDITIONS OF NEWBORN	27	13.8	9	6.2	7	8.4	29	7.6	3	8.3	27	10.0
INFANT TRANSFERS	6	3.1	1	0.7	0	0.0	8	2.1	1	2.8	10	3.7
MATERNAL TRANSFERS	10	5.1	4	2.8	1	1.2	8	2.1	1	2.8	3	1.1
HOME DELIVERIES	3	1.5	0	0.0	2	2.4	2	0.5	0	0.0	2	0.7
CESAREAN DELIVERIES	50	25.5	51	35.2	14	16.9	72	18.9	7	19.4	50	18.5
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	46	23.5	43	29.7	20	24.1	97	25.5	7	19.4	75	27.8
DRANK ALCOHOL DURING PREG	1	0.5	0	0.0	0	0.0	0	0.0	1	2.8	0	0.0
GT 15 PERCENT UNDERWEIGHT	20	10.6	6	4.2	3	3.8	30	10.4	2	13.3	22	8.2
GT 20 PERCENT OVERWEIGHT	52	27.7	44	31.0	26	32.5	77	26.6	7	46.7	86	32.1
GAINED LT 15 LBS DURING PREG	16	9.1	13	10.0	5	6.4	35	10.3	6	19.4	20	8.2
GAINED 45+ LBS. DURING PREG	25	14.3	32	24.6	5	6.4	48	14.2	3	9.7	41	16.9
MATERNAL EDUCATION UNDER 12	32	16.3	45	31.0	15	18.1	86	22.6	12	33.3	59	21.9
OUT-OF-WEDLOCK BIRTHS	42	21.4	40	27.6	21	25.3	120	31.6	8	22.2	82	30.4
LIVE BIRTH ORDER 4 OR MORE	19	9.7	9	6.2	11	13.3	21	5.5	2	5.6	27	10.0
LT 18 MOS SINCE LAST BIRTH	14	11.8	6	8.0	3	6.1	19	9.1	2	8.3	20	12.0
PRENATAL CARE												
1ST TRIMESTER	164	83.7	110	75.9	62	74.7	306	80.5	30	83.3	223	82.6
2ND TRIMESTER	19	9.7	31	21.4	16	19.3	64	16.8	4	11.1	38	14.1
3RD TRIMESTER	7	3.6	2	1.4	0	0.0	7	1.8	1	2.8	5	1.9
NO PRENATAL CARE	0	0.0	0	0.0	2	2.4	1	0.3	1	2.8	1	0.4
INADEQUATE PRENATAL CARE	19	10.0	17	12.0	12	14.8	48	12.7	5	13.9	31	11.7
MOTHER MEDICAID PARTICIPANT	83	42.8	89	62.2	31	37.3	149	51.2	9	56.3	151	56.3
MOTHER WIC PARTICIPANT	108	55.7	111	77.6	30	36.1	146	50.2	7	43.8	129	48.0
MOTHER ON MEDICAID AND WIC	77	39.7	87	60.8	25	30.1	131	45.0	7	43.8	118	43.9
MOTHER FOOD STAMP RECIPIENT	36	18.7	34	23.8	12	14.5	84	28.9	3	18.8	60	22.4
AGE OF MOTHER												
UNDER 15	0	0.0	0	0.0	0	0.0	2	0.5	1	2.8	0	0.0
15-17	7	3.6	9	6.2	1	1.2	25	6.6	2	5.6	15	5.6
18-19	17	8.7	26	17.9	4	4.8	44	11.6	6	16.7	32	11.9
20-24	65	33.2	50	34.5	27	32.5	118	31.1	8	22.2	85	31.5
25-29	58	29.6	33	22.8	33	39.8	105	27.6	8	22.2	81	30.0
30-34	28	14.3	18	12.4	14	16.9	61	16.1	8	22.2	38	14.1
35-39	17	8.7	9	6.2	4	4.8	22	5.8	2	5.6	16	5.9
40 AND OVER	4	2.0	0	0.0	0	0.0	3	0.8	1	2.8	2	0.7

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 1995

	MISSISSIPPI		MONITEAU		MONROE		MONTGOMERY		MORGAN		NEW MADRID	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	191	100.0	153	100.0	119	100.0	131	100.0	240	100.0	276	100.0
UNDER 2500 GRAMS	27	14.1	12	7.8	8	6.7	3	2.3	15	6.3	26	9.4
OVER 4499 GRAMS	2	1.0	2	1.3	1	0.8	3	2.3	6	2.5	4	1.4
CROWN HEEL LT 47 CM (<18.5 IN)	27	14.5	12	8.1	9	8.3	3	2.3	14	6.1	32	12.1
LESS THAN 37 WEEKS GESTATION	34	17.8	15	9.8	12	10.1	7	5.3	15	6.3	38	13.8
APGAR SCORE LESS THAN 8	6	3.1	6	3.9	4	3.4	1	0.8	9	3.8	13	4.7
CONGENITAL ANOMALIES	1	0.5	4	2.6	2	1.7	3	2.3	7	2.9	7	2.5
ABNORMAL CONDITIONS OF NEWBORN	21	11.0	17	11.1	8	6.7	9	6.9	28	11.7	31	11.2
INFANT TRANSFERS	6	3.1	2	1.3	2	1.7	5	3.8	3	1.3	11	4.0
MATERNAL TRANSFERS	12	6.3	3	2.0	1	0.8	1	0.8	6	2.5	8	2.9
HOME DELIVERIES	2	1.0	13	8.5	6	5.0	0	0.0	30	12.5	3	1.1
CESAREAN DELIVERIES	60	31.4	22	14.4	21	17.6	23	17.6	42	17.5	86	31.2
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	51	26.7	27	17.6	21	17.6	48	36.6	60	25.0	75	27.2
DRANK ALCOHOL DURING PREG	3	1.6	1	0.7	1	0.8	0	0.0	5	2.1	5	1.8
GT 15 PERCENT UNDERWEIGHT	16	8.7	10	6.8	13	11.8	13	10.4	18	8.2	24	9.1
GT 20 PERCENT OVERWEIGHT	46	25.0	52	35.4	32	29.1	45	36.0	78	35.5	97	36.7
GAINED LT 15 LBS DURING PREG	10	6.7	8	6.0	10	9.7	12	10.0	22	10.9	27	11.7
GAINED 45+ LBS. DURING PREG	33	22.1	18	13.4	9	8.7	20	16.7	17	8.5	41	17.8
MATERNAL EDUCATION UNDER 12	77	40.3	48	31.4	25	21.0	35	26.7	107	44.6	97	35.1
OUT-OF-WEDLOCK BIRTHS	111	58.1	38	24.8	31	26.1	40	30.5	61	25.4	139	50.4
LIVE BIRTH ORDER 4 OR MORE	17	8.9	19	12.4	14	11.8	9	6.9	41	17.1	24	8.7
LT 18 MOS SINCE LAST BIRTH	17	21.0	6	6.7	4	5.2	8	10.3	14	9.2	32	20.6
PRENATAL CARE												
1ST TRIMESTER	149	78.0	114	74.5	96	80.7	106	80.9	181	75.4	212	76.8
2ND TRIMESTER	31	16.2	31	20.3	15	12.6	21	16.0	46	19.2	45	16.3
3RD TRIMESTER	7	3.7	2	1.3	5	4.2	1	0.8	5	2.1	9	3.3
NO PRENATAL CARE	2	1.0	2	1.3	2	1.7	1	0.8	1	0.4	3	1.1
INADEQUATE PRENATAL CARE	39	20.6	24	16.1	17	14.4	13	10.1	34	14.8	68	25.0
MOTHER MEDICAID PARTICIPANT	151	80.3	52	34.2	43	38.4	60	45.8	122	50.8	194	72.4
MOTHER WIC PARTICIPANT	142	75.9	57	37.5	53	47.3	58	44.3	116	48.3	202	75.4
MOTHER ON MEDICAID AND WIC	134	71.3	45	29.6	39	34.8	48	36.6	104	43.3	181	67.5
MOTHER FOOD STAMP RECIPIENT	86	45.7	17	11.3	11	9.8	33	25.4	65	27.2	116	43.3
AGE OF MOTHER												
UNDER 15	5	2.6	0	0.0	0	0.0	1	0.8	0	0.0	3	1.1
15-17	23	12.0	8	5.2	9	7.6	7	5.3	11	4.6	24	8.7
18-19	41	21.5	12	7.8	11	9.2	16	12.2	15	6.3	46	16.7
20-24	58	30.4	42	27.5	39	32.8	42	32.1	75	31.3	97	35.1
25-29	32	16.8	45	29.4	20	16.8	35	26.7	83	34.6	57	20.7
30-34	22	11.5	35	22.9	28	23.5	24	18.3	45	18.8	38	13.8
35-39	5	2.6	7	4.6	8	6.7	5	3.8	9	3.8	8	2.9
40 AND OVER	4	2.1	4	2.6	4	3.4	1	0.8	2	0.8	2	0.7

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 1995

	NEWTON		NODAWAY		OREGON		OSAGE		OZARK		PEMISCOT	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	695	100.0	228	100.0	116	100.0	152	100.0	86	100.0	373	100.0
UNDER 2500 GRAMS	47	6.8	5	2.2	9	7.8	7	4.6	6	7.0	47	12.6
OVER 4499 GRAMS	13	1.9	6	2.6	0	0.0	1	0.7	0	0.0	1	0.3
CROWN HEEL LT 47 CM (<18.5 IN)	36	5.3	5	2.2	6	5.7	6	4.0	5	7.4	37	13.0
LESS THAN 37 WEEKS GESTATION	64	9.2	12	5.3	12	10.3	7	4.6	7	8.1	68	18.2
APGAR SCORE LESS THAN 8	19	2.7	3	1.3	2	1.7	5	3.3	3	3.5	18	4.8
CONGENITAL ANOMALIES	18	2.6	5	2.2	2	1.7	1	0.7	1	1.2	12	3.2
ABNORMAL CONDITIONS OF NEWBORN	93	13.4	6	2.6	7	6.0	9	5.9	15	17.4	40	10.7
INFANT TRANSFERS	7	1.0	3	1.3	2	1.7	5	3.3	1	1.2	14	3.8
MATERNAL TRANSFERS	13	1.9	4	1.8	4	3.4	3	2.0	4	4.7	1	0.3
HOME DELIVERIES	4	0.6	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3
CESAREAN DELIVERIES	125	18.0	44	19.3	26	22.4	16	10.5	25	29.1	107	28.7
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	168	24.2	33	14.5	32	27.6	26	17.1	18	20.9	86	23.1
DRANK ALCOHOL DURING PREG	5	0.7	3	1.3	1	0.9	0	0.0	2	2.3	8	2.1
GT 15 PERCENT UNDERWEIGHT	49	7.2	11	4.9	6	5.7	9	6.0	6	9.0	22	7.7
GT 20 PERCENT OVERWEIGHT	215	31.6	62	27.4	32	30.5	39	26.2	16	23.9	105	36.7
GAINED LT 15 LBS DURING PREG	41	6.7	14	6.7	6	5.8	10	7.0	7	9.1	39	13.1
GAINED 45+ LBS. DURING PREG	120	19.5	30	14.3	17	16.5	21	14.7	18	23.4	54	18.1
MATERNAL EDUCATION UNDER 12	160	23.0	20	8.8	27	23.3	18	11.8	21	24.4	169	45.3
OUT-OF-WEDLOCK BIRTHS	169	24.3	44	19.3	30	25.9	23	15.1	24	27.9	236	63.3
LIVE BIRTH ORDER 4 OR MORE	61	8.8	16	7.0	11	9.5	14	9.2	8	9.3	59	15.8
LT 18 MOS SINCE LAST BIRTH	50	12.2	3	2.2	7	9.5	4	4.0	8	17.4	51	23.1
PRENATAL CARE												
1ST TRIMESTER	569	81.9	200	87.7	97	83.6	136	89.5	65	75.6	280	75.1
2ND TRIMESTER	100	14.4	24	10.5	13	11.2	13	8.6	16	18.6	76	20.4
3RD TRIMESTER	15	2.2	3	1.3	3	2.6	1	0.7	4	4.7	9	2.4
NO PRENATAL CARE	6	0.9	0	0.0	3	2.6	1	0.7	1	1.2	3	0.8
INADEQUATE PRENATAL CARE	89	12.9	16	7.0	20	17.2	11	7.3	12	14.0	94	25.8
MOTHER MEDICAID PARTICIPANT	346	50.5	84	37.3	83	78.3	32	21.2	55	80.9	271	94.4
MOTHER WIC PARTICIPANT	351	51.7	89	39.6	86	81.1	30	19.9	54	79.4	268	93.4
MOTHER ON MEDICAID AND WIC	287	41.9	72	32.0	78	73.6	24	15.9	50	73.5	261	90.9
MOTHER FOOD STAMP RECIPIENT	143	21.1	19	8.4	44	41.5	14	9.3	22	32.4	203	70.7
AGE OF MOTHER												
UNDER 15	2	0.3	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5
15-17	36	5.2	8	3.5	4	3.4	4	2.6	6	7.0	53	14.2
18-19	67	9.6	16	7.0	17	14.7	6	3.9	17	19.8	73	19.6
20-24	232	33.4	59	25.9	47	40.5	36	23.7	33	38.4	115	30.8
25-29	193	27.8	73	32.0	26	22.4	54	35.5	20	23.3	74	19.8
30-34	125	18.0	52	22.8	14	12.1	33	21.7	3	3.5	40	10.7
35-39	36	5.2	17	7.5	8	6.9	18	11.8	6	7.0	13	3.5
40 AND OVER	4	0.6	3	1.3	0	0.0	1	0.7	1	1.2	3	0.8

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 1995

	PERRY		PETTIS		PHELPS		PIKE		PLATTE		POLK	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	229	100.0	489	100.0	442	100.0	184	100.0	869	100.0	336	100.0
UNDER 2500 GRAMS	10	4.4	40	8.2	28	6.3	15	8.2	46	5.3	21	6.3
OVER 4499 GRAMS	5	2.2	7	1.4	10	2.3	2	1.1	20	2.3	3	0.9
CROWN HEEL LT 47 CM (<18.5 IN)	16	7.1	31	6.4	54	12.3	11	6.4	43	5.3	20	6.0
LESS THAN 37 WEEKS GESTATION	15	6.6	47	9.6	30	6.8	15	8.2	76	8.7	35	10.4
APGAR SCORE LESS THAN 8	2	0.9	23	4.7	17	3.8	2	1.1	12	1.4	6	1.8
CONGENITAL ANOMALIES	1	0.4	11	2.2	3	0.7	3	1.6	10	1.2	6	1.8
ABNORMAL CONDITIONS OF NEWBORN	6	2.6	63	12.9	6	1.4	11	6.0	47	5.4	24	7.1
INFANT TRANSFERS	2	0.9	9	1.8	2	0.5	3	1.6	6	0.7	7	2.1
MATERNAL TRANSFERS	2	0.9	7	1.4	8	1.8	2	1.1	37	4.3	8	2.4
HOME DELIVERIES	0	0.0	10	2.0	4	0.9	5	2.7	0	0.0	2	0.6
CESAREAN DELIVERIES	57	24.9	98	20.0	115	26.0	21	11.4	196	22.6	60	17.9
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	53	23.1	112	22.9	84	19.0	48	26.1	127	14.6	49	14.6
DRANK ALCOHOL DURING PREG	1	0.4	7	1.4	0	0.0	1	0.5	11	1.3	0	0.0
GT 15 PERCENT UNDERWEIGHT	19	8.4	41	8.6	37	8.4	18	10.2	65	7.7	28	8.3
GT 20 PERCENT OVERWEIGHT	67	29.6	120	25.2	143	32.6	43	24.3	229	27.2	114	33.9
GAINED LT 15 LBS DURING PREG	12	5.8	25	5.8	24	5.9	15	9.0	38	5.1	24	8.1
GAINED 45+ LBS. DURING PREG	31	15.0	79	18.4	63	15.6	17	10.2	115	15.4	30	10.2
MATERNAL EDUCATION UNDER 12	40	17.5	96	19.6	90	20.4	59	32.1	81	9.3	60	17.9
OUT-OF-WEDLOCK BIRTHS	67	29.3	138	28.2	116	26.2	53	28.8	178	20.5	50	14.9
LIVE BIRTH ORDER 4 OR MORE	21	9.2	42	8.6	30	6.8	29	15.8	44	5.1	42	12.5
LT 18 MOS SINCE LAST BIRTH	8	5.9	18	6.3	22	8.9	17	13.8	26	5.7	22	10.8
PRENATAL CARE												
1ST TRIMESTER	198	86.5	429	87.7	324	73.3	133	72.3	781	89.9	290	86.3
2ND TRIMESTER	24	10.5	46	9.4	104	23.5	38	20.7	56	6.4	43	12.8
3RD TRIMESTER	5	2.2	7	1.4	7	1.6	12	6.5	18	2.1	3	0.9
NO PRENATAL CARE	1	0.4	3	0.6	3	0.7	0	0.0	2	0.2	0	0.0
INADEQUATE PRENATAL CARE	19	8.3	51	10.6	52	11.9	41	22.3	58	6.9	34	10.1
MOTHER MEDICAID PARTICIPANT	100	44.2	250	51.3	250	56.9	94	52.8	169	21.0	139	41.4
MOTHER WIC PARTICIPANT	118	52.2	262	53.8	256	58.3	91	51.1	167	20.8	136	40.5
MOTHER ON MEDICAID AND WIC	95	42.0	216	44.4	212	48.3	82	46.1	123	15.3	115	34.2
MOTHER FOOD STAMP RECIPIENT	35	15.5	106	21.8	111	25.3	44	24.7	66	8.2	53	15.8
AGE OF MOTHER												
UNDER 15	0	0.0	0	0.0	1	0.2	0	0.0	2	0.2	0	0.0
15-17	15	6.6	24	4.9	27	6.1	13	7.1	23	2.6	9	2.7
18-19	21	9.2	49	10.0	45	10.2	20	10.9	50	5.8	37	11.0
20-24	64	27.9	160	32.7	136	30.8	69	37.5	165	19.0	115	34.2
25-29	66	28.8	139	28.4	115	26.0	39	21.2	267	30.7	91	27.1
30-34	46	20.1	78	16.0	92	20.8	29	15.8	259	29.8	65	19.3
35-39	14	6.1	33	6.7	23	5.2	13	7.1	90	10.4	17	5.1
40 AND OVER	3	1.3	5	1.0	3	0.7	1	0.5	13	1.5	2	0.6

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 1995

	PULASKI		PUTNAM		RALLS		RANDOLPH		RAY		REYNOLDS	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	576	100.0	60	100.0	84	100.0	313	100.0	280	100.0	81	100.0
UNDER 2500 GRAMS	40	6.9	3	5.0	4	4.8	30	9.6	17	6.1	3	3.7
OVER 4499 GRAMS	12	2.1	0	0.0	4	4.8	3	1.0	6	2.1	2	2.5
CROWN HEEL LT 47 CM (<18.5 IN)	43	7.7	3	6.0	4	5.7	33	10.8	22	8.0	8	10.1
LESS THAN 37 WEEKS GESTATION	47	8.2	5	8.3	4	4.8	36	11.5	20	7.1	6	7.4
APGAR SCORE LESS THAN 8	16	2.8	0	0.0	6	7.1	12	3.8	4	1.4	5	6.2
CONGENITAL ANOMALIES	2	0.3	0	0.0	3	3.6	13	4.2	2	0.7	2	2.5
ABNORMAL CONDITIONS OF NEWBORN	18	3.1	2	3.3	9	10.7	30	9.6	11	3.9	2	2.5
INFANT TRANSFERS	9	1.6	0	0.0	1	1.2	7	2.2	3	1.1	1	1.2
MATERNAL TRANSFERS	14	2.4	4	6.7	2	2.4	13	4.2	7	2.5	0	0.0
HOME DELIVERIES	1	0.2	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0
CESAREAN DELIVERIES	107	18.6	20	33.3	16	19.0	86	27.5	54	19.3	22	27.2
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	122	21.2	23	38.3	18	21.4	107	34.2	79	28.2	18	22.2
DRANK ALCOHOL DURING PREG	4	0.7	2	3.3	0	0.0	4	1.3	0	0.0	0	0.0
GT 15 PERCENT UNDERWEIGHT	57	10.0	5	10.0	2	2.8	36	12.2	19	7.1	2	2.6
GT 20 PERCENT OVERWEIGHT	160	28.2	18	36.0	21	29.6	94	31.8	76	28.3	26	33.8
GAINED LT 15 LBS DURING PREG	43	8.3	2	3.8	6	7.8	17	6.7	15	6.1	14	19.7
GAINED 45+ LBS. DURING PREG	111	21.3	9	17.3	12	15.6	48	19.0	44	18.0	8	11.3
MATERNAL EDUCATION UNDER 12	95	16.5	14	23.3	13	15.5	81	25.9	49	17.5	21	25.9
OUT-OF-WEDLOCK BIRTHS	122	21.2	17	28.3	17	20.2	111	35.5	88	31.4	31	38.3
LIVE BIRTH ORDER 4 OR MORE	43	7.5	4	6.7	7	8.3	27	8.6	23	8.2	8	9.9
LT 18 MOS SINCE LAST BIRTH	39	12.1	1	3.3	5	10.6	25	14.4	20	12.5	5	10.2
PRENATAL CARE												
1ST TRIMESTER	479	83.2	53	88.3	74	88.1	257	82.1	235	83.9	61	75.3
2ND TRIMESTER	78	13.5	3	5.0	8	9.5	42	13.4	33	11.8	13	16.0
3RD TRIMESTER	11	1.9	2	3.3	1	1.2	5	1.6	5	1.8	3	3.7
NO PRENATAL CARE	6	1.0	0	0.0	0	0.0	0	0.0	1	0.4	2	2.5
INADEQUATE PRENATAL CARE	70	12.2	4	6.9	5	6.0	37	12.1	28	10.3	21	26.6
MOTHER MEDICAID PARTICIPANT	173	30.2	33	66.0	33	45.8	194	62.4	110	39.7	59	74.7
MOTHER WIC PARTICIPANT	322	56.2	32	64.0	32	44.4	180	57.9	108	39.1	53	67.1
MOTHER ON MEDICAID AND WIC	140	24.4	25	50.0	30	41.7	162	52.1	93	33.6	50	63.3
MOTHER FOOD STAMP RECIPIENT	103	18.0	14	28.0	13	18.1	104	33.7	51	18.5	22	27.8
AGE OF MOTHER												
UNDER 15	4	0.7	1	1.7	0	0.0	0	0.0	1	0.4	1	1.2
15-17	21	3.6	2	3.3	3	3.6	16	5.1	16	5.7	7	8.6
18-19	67	11.6	8	13.3	5	6.0	39	12.5	25	8.9	10	12.3
20-24	198	34.4	24	40.0	24	28.6	104	33.2	85	30.4	29	35.8
25-29	163	28.3	17	28.3	27	32.1	98	31.3	71	25.4	17	21.0
30-34	85	14.8	5	8.3	21	25.0	40	12.8	57	20.4	11	13.6
35-39	37	6.4	3	5.0	4	4.8	12	3.8	21	7.5	5	6.2
40 AND OVER	1	0.2	0	0.0	0	0.0	4	1.3	4	1.4	1	1.2

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 1995

	RIPLEY		ST. CHARLES		ST. CLAIR		ST. FRANCOIS		STE. GENEVIEVE		ST. LOUIS CITY	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	180	100.0	3,733	100.0	93	100.0	646	100.0	181	100.0	5,982	100.0
UNDER 2500 GRAMS	15	8.3	215	5.8	7	7.5	40	6.2	9	5.0	770	12.9
OVER 4499 GRAMS	0	0.0	86	2.3	1	1.1	12	1.9	5	2.8	50	0.8
CROWN HEEL LT 47 CM (<18.5 IN)	26	14.7	153	4.3	6	6.6	38	5.9	12	6.8	648	11.1
LESS THAN 37 WEEKS GESTATION	21	11.7	319	8.5	7	7.5	44	6.8	19	10.5	900	15.0
APGAR SCORE LESS THAN 8	10	5.6	62	1.7	6	6.5	11	1.7	7	3.9	263	4.4
CONGENITAL ANOMALIES	2	1.1	84	2.3	1	1.1	6	0.9	6	3.3	45	0.8
ABNORMAL CONDITIONS OF NEWBORN	12	6.7	421	11.3	5	5.4	34	5.3	** 11	6.1	416	7.0
INFANT TRANSFERS	3	1.7	67	1.8	3	3.2	21	3.3	5	2.8	94	1.6
MATERNAL TRANSFERS	1	0.6	55	1.5	4	4.3	19	2.9	7	3.9	65	1.1
HOME DELIVERIES	1	0.6	21	0.6	1	1.1	2	0.3	0	0.0	38	0.6
CESAREAN DELIVERIES	36	20.0	901	24.1	26	28.0	187	28.9	39	21.5	1,109	18.5
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	45	25.0	642	17.2	23	24.7	193	29.9	35	19.3	1,031	17.2
DRANK ALCOHOL DURING PREG	0	0.0	52	1.4	1	1.1	10	1.5	0	0.0	186	3.1
GT 15 PERCENT UNDERWEIGHT	24	14.2	262	7.2	6	6.6	60	9.4	16	8.9	412	7.4
GT 20 PERCENT OVERWEIGHT	60	35.5	927	25.5	21	23.1	211	32.9	53	29.4	1,864	33.4
GAINED LT 15 LBS DURING PREG	23	15.8	176	5.3	6	7.2	53	9.0	8	5.1	469	10.2
GAINED 45+ LBS. DURING PREG	23	15.8	514	15.5	13	15.7	108	18.3	14	8.9	769	16.7
MATERNAL EDUCATION UNDER 12	63	35.0	302	8.1	24	25.8	166	25.7	26	14.4	1,996	33.4
OUT-OF-WEDLOCK BIRTHS	53	29.4	641	17.2	24	25.8	219	33.9	30	16.6	4,061	67.9
LIVE BIRTH ORDER 4 OR MORE	19	10.6	342	9.2	9	9.7	35	5.4	17	9.4	947	15.8
LT 18 MOS SINCE LAST BIRTH	8	7.9	209	9.6	4	7.4	38	10.1	11	9.7	433	13.3
PRENATAL CARE												
1ST TRIMESTER	136	75.6	3,399	91.1	75	80.6	487	75.4	156	86.2	4,238	70.8
2ND TRIMESTER	23	12.8	263	7.0	12	12.9	140	21.7	20	11.0	977	16.3
3RD TRIMESTER	5	2.8	43	1.2	5	5.4	12	1.9	4	2.2	204	3.4
NO PRENATAL CARE	0	0.0	16	0.4	0	0.0	3	0.5	0	0.0	246	4.1
INADEQUATE PRENATAL CARE	55	34.0	253	6.8	12	13.0	77	12.1	17	9.4	1,461	26.1
MOTHER MEDICAID PARTICIPANT	130	73.4	613	16.5	51	56.0	368	57.1	57	31.5	3,728	63.2
MOTHER WIC PARTICIPANT	130	73.4	546	14.7	57	62.6	405	62.9	79	43.6	3,474	58.9
MOTHER ON MEDICAID AND WIC	111	62.7	409	11.0	49	53.8	335	52.0	54	29.8	3,022	51.2
MOTHER FOOD STAMP RECIPIENT	73	41.2	290	7.8	21	23.1	190	29.5	15	8.3	2,837	48.1
AGE OF MOTHER												
UNDER 15	0	0.0	2	0.1	0	0.0	2	0.3	0	0.0	52	0.9
15-17	14	7.8	88	2.4	9	9.7	31	4.8	7	3.9	562	9.4
18-19	21	11.7	181	4.8	12	12.9	74	11.5	8	4.4	733	12.3
20-24	78	43.3	619	16.6	30	32.3	232	35.9	49	27.1	1,757	29.4
25-29	37	20.6	1,219	32.7	19	20.4	162	25.1	52	28.7	1,314	22.0
30-34	18	10.0	1,178	31.6	15	16.1	112	17.3	46	25.4	990	16.5
35-39	11	6.1	401	10.7	7	7.5	23	3.6	17	9.4	501	8.4
40 AND OVER	1	0.6	45	1.2	1	1.1	10	1.5	2	1.1	73	1.2

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 1995

	ST. LOUIS CO		SALINE		SCHUYLER		SCOTLAND		SCOTT		SHANNON	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	13,343	100.0	299	100.0	48	100.0	66	100.0	569	100.0	90	100.0
UNDER 2500 GRAMS	1,015	7.6	22	7.4	3	6.3	4	6.1	53	9.3	11	12.2
OVER 4499 GRAMS	243	1.8	2	0.7	2	4.2	1	1.5	9	1.6	1	1.1
CROWN HEEL LT 47 CM (<18.5 IN)	798	6.3	21	7.1	2	4.3	3	4.9	86	15.2	8	8.9
LESS THAN 37 WEEKS GESTATION	1,277	9.6	26	8.7	4	8.3	7	10.6	53	9.3	9	10.0
APGAR SCORE LESS THAN 8	348	2.6	8	2.7	1	2.1	2	3.0	16	2.8	3	3.3
CONGENITAL ANOMALIES	120	0.9	6	2.0	0	0.0	0	0.0	10	1.8	1	1.1
ABNORMAL CONDITIONS OF NEWBORN	517	3.9	21	7.0	5	10.4	7	10.6	36	6.3	4	4.4
INFANT TRANSFERS	146	1.1	5	1.7	4	8.3	2	3.0	11	1.9	3	3.3
MATERNAL TRANSFERS	111	0.8	6	2.0	2	4.2	1	1.5	19	3.3	5	5.6
HOME DELIVERIES	70	0.5	1	0.3	0	0.0	10	15.2	1	0.2	3	3.3
CESAREAN DELIVERIES	2,796	21.0	61	20.4	14	29.2	11	16.7	179	31.5	19	21.1
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	1,644	12.3	96	32.1	13	27.1	13	19.7	146	25.7	20	22.2
DRANK ALCOHOL DURING PREG	275	2.1	7	2.3	0	0.0	0	0.0	3	0.5	0	0.0
GT 15 PERCENT UNDERWEIGHT	830	6.5	19	6.5	3	6.3	7	11.7	45	8.0	8	8.9
GT 20 PERCENT OVERWEIGHT	3,248	25.5	108	37.0	21	43.8	15	25.0	169	30.0	23	25.6
GAINED LT 15 LBS DURING PREG	707	6.2	24	9.2	6	13.6	5	8.6	41	8.2	9	12.0
GAINED 45+ LBS. DURING PREG	1,511	13.2	38	14.5	5	11.4	11	19.0	87	17.4	16	21.3
MATERNAL EDUCATION UNDER 12	1,338	10.0	75	25.1	5	10.4	27	40.9	155	27.2	18	20.0
OUT-OF-WEDLOCK BIRTHS	3,570	26.8	116	38.8	9	18.8	11	16.7	197	34.6	20	22.2
LIVE BIRTH ORDER 4 OR MORE	1,140	8.5	12	4.0	2	4.2	14	21.2	47	8.3	10	11.1
LT 18 MOS SINCE LAST BIRTH	689	9.5	16	9.6	0	0.0	4	9.8	37	11.0	5	11.4
PRENATAL CARE												
1ST TRIMESTER	11,855	88.8	265	88.6	39	81.3	49	74.2	470	82.6	69	76.7
2ND TRIMESTER	1,040	7.8	26	8.7	7	14.6	12	18.2	74	13.0	12	13.3
3RD TRIMESTER	126	0.9	5	1.7	1	2.1	4	6.1	10	1.8	3	3.3
NO PRENATAL CARE	101	0.8	1	0.3	0	0.0	0	0.0	6	1.1	3	3.3
INADEQUATE PRENATAL CARE	1,169	9.0	30	10.1	3	6.4	18	28.1	68	12.1	16	18.6
MOTHER MEDICAID PARTICIPANT	3,117	23.7	165	55.7	20	41.7	27	43.5	345	61.0	60	66.7
MOTHER WIC PARTICIPANT	2,758	21.0	165	55.7	26	54.2	28	45.2	381	67.6	56	62.2
MOTHER ON MEDICAID AND WIC	2,197	16.7	146	49.3	19	39.6	23	37.1	316	55.8	53	58.9
MOTHER FOOD STAMP RECIPIENT	1,751	13.3	75	25.4	7	14.6	15	24.2	176	31.2	29	32.2
AGE OF MOTHER												
UNDER 15	32	0.2	1	0.3	0	0.0	0	0.0	5	0.9	2	2.2
15-17	413	3.1	20	6.7	1	2.1	1	1.5	34	6.0	6	6.7
18-19	707	5.3	40	13.4	5	10.4	3	4.5	65	11.4	10	11.1
20-24	2,184	16.4	110	36.8	17	35.4	28	42.4	207	36.4	32	35.6
25-29	3,665	27.5	69	23.1	10	20.8	18	27.3	146	25.7	19	21.1
30-34	4,284	32.1	48	16.1	7	14.6	12	18.2	81	14.2	13	14.4
35-39	1,797	13.5	11	3.7	7	14.6	3	4.5	25	4.4	7	7.8
40 AND OVER	261	2.0	0	0.0	1	2.1	1	1.5	5	0.9	1	1.1

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 1995

	SHELBY		STODDARD		STONE		SULLIVAN		TANEY		TEXAS	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	82	100.0	312	100.0	307	100.0	71	100.0	463	100.0	283	100.0
UNDER 2500 GRAMS	6	7.3	26	8.3	21	6.8	5	7.0	29	6.3	22	7.8
OVER 4499 GRAMS	1	1.2	1	0.3	7	2.3	1	1.4	9	1.9	2	0.7
CROWN HEEL LT 47 CM (<18.5 IN)	9	12.7	41	13.4	24	8.0	5	7.6	58	12.6	33	11.8
LESS THAN 37 WEEKS GESTATION	6	7.3	29	9.3	23	7.5	7	9.9	39	8.4	29	10.2
APGAR SCORE LESS THAN 8	4	4.9	15	4.8	10	3.3	1	1.4	12	2.6	8	2.8
CONGENITAL ANOMALIES	2	2.4	4	1.3	5	1.6	1	1.4	5	1.1	7	2.5
ABNORMAL CONDITIONS OF NEWBORN	10	12.2	20	6.4	30	9.8	8	11.3	25	5.4	19	6.7
INFANT TRANSFERS	5	6.1	15	4.8	2	0.7	1	1.4	4	0.9	5	1.8
MATERNAL TRANSFERS	2	2.4	8	2.6	8	2.6	4	5.6	6	1.3	32	11.3
HOME DELIVERIES	0	0.0	0	0.0	1	0.3	1	1.4	2	0.4	4	1.4
CESAREAN DELIVERIES	24	29.3	89	28.5	60	19.5	14	19.7	95	20.5	53	18.7
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	16	19.5	103	33.0	68	22.1	18	25.4	110	23.8	90	31.8
DRANK ALCOHOL DURING PREG	1	1.2	2	0.6	1	0.3	1	1.4	6	1.3	1	0.4
GT 15 PERCENT UNDERWEIGHT	6	8.8	25	8.3	25	8.4	4	6.1	50	11.0	27	9.6
GT 20 PERCENT OVERWEIGHT	20	29.4	106	35.2	77	26.0	20	30.3	129	28.4	89	31.8
GAINED LT 15 LBS DURING PREG	5	6.9	30	12.0	21	7.7	8	12.9	33	8.1	26	11.0
GAINED 45+ LBS. DURING PREG	11	15.3	55	22.1	55	20.1	9	14.5	67	16.5	36	15.2
MATERNAL EDUCATION UNDER 12	7	8.5	92	29.5	73	23.8	13	18.3	96	20.7	90	31.8
OUT-OF-WEDLOCK BIRTHS	14	17.1	98	31.4	80	26.1	19	26.8	124	26.8	82	29.0
LIVE BIRTH ORDER 4 OR MORE	10	12.2	15	4.8	22	7.2	6	8.5	37	8.0	23	8.1
LT 18 MOS SINCE LAST BIRTH	7	13.7	11	6.9	24	14.0	5	11.9	26	10.8	26	17.4
PRENATAL CARE												
1ST TRIMESTER	65	79.3	245	78.5	255	83.1	58	81.7	385	83.2	231	81.6
2ND TRIMESTER	10	12.2	39	12.5	42	13.7	5	7.0	58	12.5	47	16.6
3RD TRIMESTER	3	3.7	7	2.2	2	0.7	5	7.0	13	2.8	4	1.4
NO PRENATAL CARE	1	1.2	2	0.6	5	1.6	1	1.4	2	0.4	0	0.0
INADEQUATE PRENATAL CARE	12	15.2	69	23.9	45	14.9	11	15.9	55	12.1	37	13.2
MOTHER MEDICAID PARTICIPANT	36	50.7	201	64.6	179	59.5	36	53.7	258	56.0	194	68.8
MOTHER WIC PARTICIPANT	46	64.8	209	67.2	151	50.2	40	59.7	216	46.9	197	69.9
MOTHER ON MEDICAID AND WIC	35	49.3	179	57.6	135	44.9	30	44.8	196	42.5	174	61.7
MOTHER FOOD STAMP RECIPIENT	12	17.1	90	28.9	65	21.6	11	16.4	70	15.2	105	37.4
AGE OF MOTHER												
UNDER 15	0	0.0	0	0.0	2	0.7	0	0.0	0	0.0	0	0.0
15-17	1	1.2	23	7.4	17	5.5	1	1.4	22	4.8	25	8.8
18-19	9	11.0	45	14.4	37	12.1	8	11.3	47	10.2	43	15.2
20-24	23	28.0	108	34.6	123	40.1	22	31.0	143	30.9	108	38.2
25-29	27	32.9	72	23.1	69	22.5	27	38.0	133	28.7	56	19.8
30-34	13	15.9	46	14.7	40	13.0	4	5.6	85	18.4	36	12.7
35-39	9	11.0	13	4.2	15	4.9	6	8.5	31	6.7	13	4.6
40 AND OVER	0	0.0	5	1.6	4	1.3	3	4.2	2	0.4	2	0.7

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 1995

	VERNON		WARREN		WASHINGTON		WAYNE		WEBSTER		WORTH	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	227	100.0	304	100.0	266	100.0	148	100.0	420	100.0	28	100.0
UNDER 2500 GRAMS	15	6.6	17	5.6	21	7.9	15	10.1	22	5.2	3	10.7
OVER 4499 GRAMS	5	2.2	7	2.3	5	1.9	3	2.0	9	2.1	0	0.0
CROWN HEEL LT 47 CM (<18.5 IN)	14	6.5	14	4.7	20	7.6	25	17.0	24	5.8	2	7.4
LESS THAN 37 WEEKS GESTATION	20	8.8	27	8.9	30	11.3	15	10.1	29	6.9	3	10.7
APGAR SCORE LESS THAN 8	24	10.6	4	1.3	7	2.6	6	4.1	5	1.2	1	3.6
CONGENITAL ANOMALIES	6	2.6	4	1.3	6	2.3	0	0.0	6	1.4	0	0.0
ABNORMAL CONDITIONS OF NEWBORN	26	11.5	40	13.2	19	7.1	4	2.7	24	5.7	2	7.1
INFANT TRANSFERS	7	3.1	4	1.3	10	3.8	2	1.4	3	0.7	0	0.0
MATERNAL TRANSFERS	4	1.8	7	2.3	9	3.4	0	0.0	2	0.5	1	3.6
HOME DELIVERIES	3	1.3	6	2.0	0	0.0	0	0.0	49	11.7	0	0.0
CESAREAN DELIVERIES	53	23.3	49	16.1	79	29.7	40	27.0	79	18.8	6	21.4
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	58	25.6	77	25.3	83	31.2	45	30.4	57	13.6	12	42.9
DRANK ALCOHOL DURING PREG	2	0.9	6	2.0	4	1.5	1	0.7	18	4.3	1	3.6
GT 15 PERCENT UNDERWEIGHT	20	9.0	26	8.8	28	10.6	10	7.1	33	8.0	1	3.7
GT 20 PERCENT OVERWEIGHT	71	32.0	100	34.0	90	34.0	53	37.9	133	32.0	8	29.6
GAINED LT 15 LBS DURING PREG	14	6.9	20	7.5	27	11.5	23	19.2	31	8.3	5	20.0
GAINED 45+ LBS. DURING PREG	32	15.7	46	17.2	47	20.1	24	20.0	58	15.5	4	16.0
MATERNAL EDUCATION UNDER 12	47	20.7	55	18.1	85	32.0	54	36.5	126	30.0	7	25.0
OUT-OF-WEDLOCK BIRTHS	62	27.3	81	26.6	103	38.7	53	35.8	68	16.2	9	32.1
LIVE BIRTH ORDER 4 OR MORE	23	10.1	35	11.5	13	4.9	13	8.8	68	16.2	2	7.1
LT 18 MOS SINCE LAST BIRTH	17	13.9	11	5.7	15	9.7	10	12.8	39	15.4	1	8.3
PRENATAL CARE												
1ST TRIMESTER	196	86.3	249	81.9	211	79.3	114	77.0	320	76.2	23	82.1
2ND TRIMESTER	25	11.0	43	14.1	49	18.4	23	15.5	56	13.3	5	17.9
3RD TRIMESTER	4	1.8	5	1.6	4	1.5	3	2.0	36	8.6	0	0.0
NO PRENATAL CARE	1	0.4	3	1.0	1	0.4	1	0.7	3	0.7	0	0.0
INADEQUATE PRENATAL CARE	21	9.3	40	13.3	32	12.1	47	33.6	90	21.6	2	7.1
MOTHER MEDICAID PARTICIPANT	114	52.5	106	35.1	192	72.5	105	70.9	170	40.8	17	63.0
MOTHER WIC PARTICIPANT	120	55.3	110	36.4	192	72.5	118	79.7	187	44.8	13	48.1
MOTHER ON MEDICAID AND WIC	99	45.6	86	28.5	175	66.0	96	64.9	153	36.7	13	48.1
MOTHER FOOD STAMP RECIPIENT	46	21.2	56	18.5	101	38.1	60	40.5	54	12.9	8	29.6
AGE OF MOTHER												
UNDER 15	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
15-17	13	5.7	12	3.9	20	7.5	16	10.8	13	3.1	1	3.6
18-19	34	15.0	29	9.5	38	14.3	14	9.5	50	11.9	4	14.3
20-24	81	35.7	80	26.3	104	39.1	60	40.5	132	31.4	10	35.7
25-29	57	25.1	84	27.6	53	19.9	23	15.5	122	29.0	8	28.6
30-34	27	11.9	70	23.0	38	14.3	24	16.2	67	16.0	3	10.7
35-39	11	4.8	26	8.6	11	4.1	10	6.8	29	6.9	2	7.1
40 AND OVER	4	1.8	3	1.0	2	0.8	1	0.7	5	1.2	0	0.0

TABLE 10B (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY COUNTY: MISSOURI 1995

	WRIGHT	
	NUMBER	PERCENT
TOTAL LIVE BIRTHS	247	100.0
UNDER 2500 GRAMS	16	6.5
OVER 4499 GRAMS	8	3.2
CROWN HEEL LT 47 CM (<18.5 IN)	11	4.5
LESS THAN 37 WEEKS GESTATION	20	8.1
APGAR SCORE LESS THAN 8	10	4.0
CONGENITAL ANOMALIES	5	2.0
ABNORMAL CONDITIONS OF NEWBORN	22	8.9
INFANT TRANSFERS	1	0.4
MATERNAL TRANSFERS	11	4.5
HOME DELIVERIES	4	1.6
CESAREAN DELIVERIES	39	15.8
MATERNAL RISK FACTORS		
SMOKED DURING PREGNANCY	68	27.5
DRANK ALCOHOL DURING PREG	2	0.8
GT 15 PERCENT UNDERWEIGHT	21	8.6
GT 20 PERCENT OVERWEIGHT	83	34.2
GAINED LT 15 LBS DURING PREG	30	13.3
GAINED 45+ LBS. DURING PREG	31	13.8
MATERNAL EDUCATION UNDER 12	77	31.2
OUT-OF-WEDLOCK BIRTHS	77	31.2
LIVE BIRTH ORDER 4 OR MORE	21	8.5
LT 18 MOS SINCE LAST BIRTH	25	17.4
PRENATAL CARE		
1ST TRIMESTER	216	87.4
2ND TRIMESTER	24	9.7
3RD TRIMESTER	5	2.0
NO PRENATAL CARE	1	0.4
INADEQUATE PRENATAL CARE	21	8.6
MOTHER MEDICAID PARTICIPANT	161	65.7
MOTHER WIC PARTICIPANT	153	62.4
MOTHER ON MEDICAID AND WIC	137	55.9
MOTHER FOOD STAMP RECIPIENT	59	24.1
AGE OF MOTHER		
UNDER 15	1	0.4
15-17	17	6.9
18-19	33	13.4
20-24	91	36.8
25-29	56	22.7
30-34	27	10.9
35-39	18	7.3
40 AND OVER	4	1.6

TABLE 10C

RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY CITIES WITH 25,000 OR MORE POPULATION:

MISSOURI 1995

	BLUE SPRINGS		CAPE GIRARDEAU		COLUMBIA		FLORISSANT		GLADSTONE		INDEPENDENCE	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	672	100.0	415	100.0	1,097	100.0	579	100.0	275	100.0	1,497	100.0
UNDER 2500 GRAMS	43	6.4	25	6.0	87	7.9	43	7.4	19	6.9	82	5.5
OVER 4499 GRAMS	12	1.8	13	3.1	11	1.0	12	2.1	7	2.5	24	1.6
CROWN HEEL LT 47 CM (<18.5 IN)	44	6.8	33	8.0	75	7.4	38	6.7	20	7.7	106	7.2
LESS THAN 37 WEEKS GESTATION	49	7.3	32	7.7	114	10.4	58	10.0	25	9.1	122	8.1
APGAR SCORE LESS THAN 8	24	3.6	16	3.9	42	3.8	15	2.6	8	2.9	41	2.7
CONGENITAL ANOMALIES	2	0.3	1	0.2	31	2.8	5	0.9	3	1.1	19	1.3
ABNORMAL CONDITIONS OF NEWBORN	42	6.3	19	4.6	94	8.6	35	6.0	17	6.2	78	5.2
INFANT TRANSFERS	10	1.5	7	1.7	11	1.0	6	1.0	1	0.4	18	1.2
MATERNAL TRANSFERS	16	2.4	5	1.2	24	2.2	6	1.0	12	4.4	44	2.9
HOME DELIVERIES	4	0.6	1	0.2	9	0.8	2	0.3	0	0.0	10	0.7
CESAREAN DELIVERIES	127	18.9	95	22.9	227	20.7	127	21.9	68	24.7	256	17.1
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	80	11.9	92	22.2	166	15.1	106	18.3	44	16.0	446	29.8
DRANK ALCOHOL DURING PREG	4	0.6	4	1.0	36	3.3	6	1.0	5	1.8	22	1.5
GT 15 PERCENT UNDERWEIGHT	46	6.9	29	7.0	59	6.2	39	7.0	22	8.2	149	10.2
GT 20 PERCENT OVERWEIGHT	177	26.7	124	30.1	247	25.8	160	28.7	80	29.9	449	30.7
GAINED LT 15 LBS DURING PREG	33	5.5	34	9.1	63	7.0	38	7.5	16	6.8	95	7.2
GAINED 45+ LBS. DURING PREG	87	14.4	66	17.6	130	14.4	59	11.7	42	17.7	284	21.5
MATERNAL EDUCATION UNDER 12	66	9.8	93	22.4	150	13.7	43	7.4	13	4.7	344	23.0
OUT-OF-WEDLOCK BIRTHS	129	19.2	126	30.4	309	28.2	134	23.1	53	19.3	536	35.8
LIVE BIRTH ORDER 4 OR MORE	57	8.5	31	7.5	77	7.0	50	8.6	19	6.9	140	9.4
LT 18 MOS SINCE LAST BIRTH	27	6.9	20	9.4	49	8.5	25	7.9	11	7.8	77	9.4
PRENATAL CARE												
1ST TRIMESTER	610	90.8	366	88.2	870	79.3	546	94.3	250	90.9	1,215	81.2
2ND TRIMESTER	46	6.8	40	9.6	143	13.0	29	5.0	17	6.2	219	14.6
3RD TRIMESTER	6	0.9	4	1.0	30	2.7	2	0.3	3	1.1	32	2.1
NO PRENATAL CARE	4	0.6	5	1.2	5	0.5	2	0.3	2	0.7	17	1.1
INADEQUATE PRENATAL CARE	42	6.3	33	8.0	153	14.7	26	4.5	13	4.8	199	13.5
MOTHER MEDICAID PARTICIPANT	129	19.9	180	43.8	390	36.2	116	20.2	63	24.4	614	42.0
MOTHER WIC PARTICIPANT	112	17.3	175	42.6	324	30.1	99	17.2	52	20.2	588	40.3
MOTHER ON MEDICAID AND WIC	92	14.2	149	36.3	279	25.9	71	12.4	41	15.9	486	33.3
MOTHER FOOD STAMP RECIPIENT	49	7.6	92	22.4	213	19.9	42	7.3	19	7.4	351	24.0
AGE OF MOTHER												
UNDER 15	0	0.0	1	0.2	3	0.3	1	0.2	0	0.0	2	0.1
15-17	18	2.7	24	5.8	45	4.1	9	1.6	7	2.5	92	6.1
18-19	36	5.4	43	10.4	79	7.2	27	4.7	15	5.5	158	10.6
20-24	154	22.9	116	28.0	259	23.6	121	20.9	57	20.7	443	29.6
25-29	225	33.5	121	29.2	320	29.2	200	34.5	84	30.5	382	25.5
30-34	172	25.6	78	18.8	270	24.6	158	27.3	65	23.6	299	20.0
35-39	59	8.8	25	6.0	102	9.3	58	10.0	45	16.4	100	6.7
40 AND OVER	8	1.2	7	1.7	19	1.7	5	0.9	2	0.7	21	1.4

TABLE 10C (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 1995

	JEFFERSON CITY		JOPLIN		KANSAS CITY TOTAL		KANSAS CITY CASS COUNTY		KANSAS CITY CLAY COUNTY		KANSAS CITY JACKSON COUNTY	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	475	100.0	711	100.0	6,710	100.0	0	--	1,126	100.0	5,129	100.0
UNDER 2500 GRAMS	29	6.1	50	7.0	617	9.2	0	--	68	6.0	531	10.4
OVER 4499 GRAMS	4	0.8	9	1.3	93	1.4	0	--	18	1.6	64	1.2
CROWN HEEL LT 47 CM (<18.5 IN)	39	8.4	44	6.2	590	9.3	0	--	69	6.4	505	10.5
LESS THAN 37 WEEKS GESTATION	36	7.6	69	9.7	758	11.3	0	--	84	7.5	646	12.6
APGAR SCORE LESS THAN 8	18	3.8	18	2.5	243	3.6	0	--	21	1.9	216	4.2
CONGENITAL ANOMALIES	13	2.7	26	3.7	91	1.4	0	--	19	1.7	68	1.3
ABNORMAL CONDITIONS OF NEWBORN	32	6.7	102	14.3	384	5.7	0	--	52	4.6	304	5.9
INFANT TRANSFERS	9	1.9	10	1.4	67	1.0	0	--	10	0.9	55	1.1
MATERNAL TRANSFERS	11	2.3	22	3.1	630	9.4	0	--	65	5.8	550	10.7
HOME DELIVERIES	3	0.6	2	0.3	18	0.3	0	--	0	0.0	18	0.4
CESAREAN DELIVERIES	80	16.8	125	17.6	1,137	16.9	0	--	214	19.0	822	16.0
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	101	21.3	173	24.3	1,171	17.5	0	--	187	16.6	922	18.0
DRANK ALCOHOL DURING PREG	12	2.5	13	1.8	197	2.9	0	--	9	0.8	182	3.5
GT 15 PERCENT UNDERWEIGHT	37	8.1	75	10.7	517	8.2	0	--	73	6.7	412	8.6
GT 20 PERCENT OVERWEIGHT	120	26.4	200	28.4	1,802	28.5	0	--	298	27.3	1,395	29.1
GAINED LT 15 LBS DURING PREG	29	6.9	43	6.8	385	7.1	0	--	62	6.3	303	7.5
GAINED 45+ LBS. DURING PREG	61	14.5	119	18.7	900	16.6	0	--	154	15.7	692	17.2
MATERNAL EDUCATION UNDER 12	73	15.4	163	22.9	1,393	20.8	0	--	105	9.3	1,256	24.5
OUT-OF-WEDLOCK BIRTHS	166	34.9	239	33.6	3,127	46.6	0	--	233	20.7	2,805	54.7
LIVE BIRTH ORDER 4 OR MORE	31	6.5	57	8.0	775	11.5	0	--	76	6.7	678	13.2
LT 18 MOS SINCE LAST BIRTH	39	16.6	44	10.9	418	11.7	0	--	41	6.7	365	13.4
PRENATAL CARE												
1ST TRIMESTER	361	76.0	582	81.9	5,414	80.7	0	--	1,009	89.6	3,988	77.8
2ND TRIMESTER	77	16.2	103	14.5	783	11.7	0	--	80	7.1	680	13.3
3RD TRIMESTER	22	4.6	21	3.0	156	2.3	0	--	12	1.1	138	2.7
NO PRENATAL CARE	7	1.5	3	0.4	118	1.8	0	--	5	0.4	111	2.2
INADEQUATE PRENATAL CARE	90	19.4	106	15.0	949	14.9	0	--	71	6.5	858	17.8
MOTHER MEDICAID PARTICIPANT	191	40.6	403	57.2	3,003	48.1	0	--	244	22.5	2,686	56.9
MOTHER WIC PARTICIPANT	161	34.3	371	53.4	2,957	47.5	0	--	217	20.1	2,673	56.7
MOTHER ON MEDICAID AND WIC	148	31.4	333	47.2	2,412	38.6	0	--	171	15.8	2,189	46.3
MOTHER FOOD STAMP RECIPIENT	103	22.1	195	28.1	1,879	30.2	0	--	107	9.9	1,742	37.0
AGE OF MOTHER												
UNDER 15	1	0.2	1	0.1	34	0.5	0	--	1	0.1	33	0.6
15-17	16	3.4	43	6.0	462	6.9	0	--	33	2.9	418	8.1
18-19	52	10.9	75	10.5	635	9.5	0	--	52	4.6	564	11.0
20-24	141	29.7	245	34.5	1,834	27.3	0	--	269	23.9	1,480	28.9
25-29	128	26.9	184	25.9	1,759	26.2	0	--	388	34.5	1,225	23.9
30-34	95	20.0	116	16.3	1,353	20.2	0	--	275	24.4	935	18.2
35-39	39	8.2	44	6.2	550	8.2	0	--	97	8.6	408	8.0
40 AND OVER	3	0.6	3	0.4	83	1.2	0	--	11	1.0	66	1.3

TABLE 10C (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 1995

	KANSAS CITY PLATTE COUNTY		KIRKWOOD		LEES SUMMIT		MARYLAND HGTS		RAYTOWN		ST. CHARLES	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	455	100.0	357	100.0	937	100.0	282	100.0	331	100.0	1,162	100.0
UNDER 2500 GRAMS	18	4.0	23	6.4	43	4.6	19	6.7	23	6.9	74	6.4
OVER 4499 GRAMS	11	2.4	7	2.0	16	1.7	6	2.1	5	1.5	18	1.5
CROWN HEEL LT 47 CM (<18.5 IN)	16	3.7	18	5.4	55	6.5	20	7.7	22	7.1	50	4.5
LESS THAN 37 WEEKS GESTATION	28	6.2	28	7.8	59	6.3	22	7.8	33	10.0	107	9.2
APGAR SCORE LESS THAN 8	6	1.3	7	2.0	28	3.0	5	1.8	14	4.2	18	1.5
CONGENITAL ANOMALIES	4	0.9	2	0.6	14	1.5	0	0.0	3	0.9	27	2.3
ABNORMAL CONDITIONS OF NEWBORN	28	6.2	5	1.4	26	2.8	6	2.1	21	6.3	144	12.4
INFANT TRANSFERS	2	0.4	2	0.6	7	0.7	2	0.7	4	1.2	25	2.2
MATERNAL TRANSFERS	15	3.3	0	0.0	15	1.6	1	0.4	4	1.2	17	1.5
HOME DELIVERIES	0	0.0	5	1.4	3	0.3	3	1.1	0	0.0	3	0.3
CESAREAN DELIVERIES	101	22.2	94	26.3	196	20.9	72	25.5	70	21.1	278	23.9
MATERNAL RISK FACTORS												
SMOKED DURING PREGNANCY	62	13.6	25	7.0	107	11.4	46	16.3	72	21.8	229	19.7
DRANK ALCOHOL DURING PREG	6	1.3	10	2.8	20	2.1	5	1.8	8	2.4	16	1.4
GT 15 PERCENT UNDERWEIGHT	32	7.3	23	6.7	58	6.4	25	9.3	22	6.9	88	7.8
GT 20 PERCENT OVERWEIGHT	109	24.7	69	20.2	207	22.9	65	24.2	97	30.2	277	24.4
GAINED LT 15 LBS DURING PREG	20	5.0	7	2.2	35	4.2	20	8.2	13	4.6	60	5.8
GAINED 45+ LBS. DURING PREG	54	13.5	44	14.0	115	13.9	27	11.0	45	16.1	161	15.7
MATERNAL EDUCATION UNDER 12	32	7.0	14	3.9	63	6.7	20	7.1	35	10.6	117	10.1
OUT-OF-WEDLOCK BIRTHS	89	19.6	38	10.6	138	14.7	49	17.4	78	23.6	258	22.2
LIVE BIRTH ORDER 4 OR MORE	21	4.6	24	6.7	52	5.5	15	5.3	27	8.2	106	9.1
LT 18 MOS SINCE LAST BIRTH	12	5.1	21	11.0	38	7.4	14	9.3	13	7.3	67	10.1
PRENATAL CARE												
1ST TRIMESTER	417	91.6	339	95.0	863	92.1	251	89.0	289	87.3	1,038	89.3
2ND TRIMESTER	23	5.1	13	3.6	51	5.4	17	6.0	27	8.2	100	8.6
3RD TRIMESTER	6	1.3	1	0.3	8	0.9	3	1.1	5	1.5	15	1.3
NO PRENATAL CARE	2	0.4	2	0.6	3	0.3	5	1.8	2	0.6	6	0.5
INADEQUATE PRENATAL CARE	20	4.5	14	4.0	52	5.8	19	6.9	26	8.1	86	7.5
MOTHER MEDICAID PARTICIPANT	73	16.8	27	7.7	121	14.2	42	15.3	73	23.8	240	20.8
MOTHER WIC PARTICIPANT	67	15.4	25	7.1	109	12.8	25	9.1	66	21.5	209	18.1
MOTHER ON MEDICAID AND WIC	52	12.0	20	5.7	86	10.1	22	8.0	51	16.6	160	13.9
MOTHER FOOD STAMP RECIPIENT	30	6.9	17	4.8	57	6.7	16	5.8	34	11.1	121	10.5
AGE OF MOTHER												
UNDER 15	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
15-17	11	2.4	8	2.2	22	2.3	4	1.4	9	2.7	30	2.6
18-19	19	4.2	7	2.0	38	4.1	8	2.8	21	6.3	59	5.1
20-24	85	18.7	23	6.4	151	16.1	36	12.8	73	22.1	228	19.6
25-29	146	32.1	103	28.9	306	32.7	97	34.4	86	26.0	363	31.2
30-34	143	31.4	145	40.6	320	34.2	100	35.5	91	27.5	346	29.8
35-39	45	9.9	61	17.1	86	9.2	36	12.8	42	12.7	117	10.1
40 AND OVER	6	1.3	10	2.8	14	1.5	1	0.4	9	2.7	18	1.5

TABLE 10C (CONT) RESIDENT LIVE BIRTHS BY SELECTED CHARACTERISTICS BY CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 1995

	ST. JOSEPH		ST. LOUIS CITY		ST. PETERS		SPRINGFIELD		UNIVERSITY CITY	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL LIVE BIRTHS	947	100.0	5,982	100.0	758	100.0	2,134	100.0	1,130	100.0
UNDER 2500 GRAMS	61	6.4	770	12.9	32	4.2	144	6.7	94	8.3
OVER 4499 GRAMS	14	1.5	50	0.8	14	1.8	40	1.9	19	1.7
CROWN HEEL LT 47 CM (<18.5 IN)	41	4.4	648	11.1	29	3.9	128	6.0	74	6.9
LESS THAN 37 WEEKS GESTATION	72	7.6	900	15.0	50	6.6	207	9.7	119	10.5
APGAR SCORE LESS THAN 8	19	2.0	263	4.4	13	1.7	54	2.5	32	2.8
CONGENITAL ANOMALIES	20	2.1	45	0.8	24	3.2	27	1.3	11	1.0
ABNORMAL CONDITIONS OF NEWBORN	46	4.9	416	7.0	82	10.8	189	8.9	40	3.5
INFANT TRANSFERS	19	2.0	94	1.6	10	1.3	7	0.3	11	1.0
MATERNAL TRANSFERS	7	0.7	65	1.1	13	1.7	65	3.0	6	0.5
HOME DELIVERIES	4	0.4	38	0.6	4	0.5	8	0.4	4	0.4
CESAREAN DELIVERIES	110	11.6	1,109	18.5	173	22.8	467	21.9	211	18.7
MATERNAL RISK FACTORS										
SMOKED DURING PREGNANCY	268	28.3	1,031	17.2	104	13.7	442	20.7	103	9.1
DRANK ALCOHOL DURING PREG	5	0.5	186	3.1	7	0.9	18	0.8	22	1.9
GT 15 PERCENT UNDERWEIGHT	79	8.4	412	7.4	44	6.0	210	9.9	76	7.1
GT 20 PERCENT OVERWEIGHT	281	29.9	1,864	33.4	187	25.5	574	27.0	250	23.5
GAINED LT 15 LBS DURING PREG	77	8.9	469	10.2	40	5.8	132	6.9	53	5.6
GAINED 45+ LBS. DURING PREG	146	16.9	769	16.7	111	16.1	351	18.4	116	12.2
MATERNAL EDUCATION UNDER 12	245	25.9	1,996	33.4	42	5.5	408	19.1	120	10.6
OUT-OF-WEDLOCK BIRTHS	402	42.4	4,061	67.9	111	14.6	683	32.0	341	30.2
LIVE BIRTH ORDER 4 OR MORE	76	8.0	947	15.8	59	7.8	166	7.8	88	7.8
LT 18 MOS SINCE LAST BIRTH	76	14.7	433	13.3	40	9.2	144	12.6	67	11.6
PRENATAL CARE										
1ST TRIMESTER	812	85.7	4,238	70.8	704	92.9	1,784	83.6	988	87.4
2ND TRIMESTER	101	10.7	977	16.3	38	5.0	290	13.6	93	8.2
3RD TRIMESTER	21	2.2	204	3.4	10	1.3	30	1.4	11	1.0
NO PRENATAL CARE	5	0.5	246	4.1	3	0.4	28	1.3	16	1.4
INADEQUATE PRENATAL CARE	93	9.9	1,461	26.1	41	5.5	242	11.4	123	11.2
MOTHER MEDICAID PARTICIPANT	552	58.8	3,728	63.2	92	12.2	1,129	53.1	304	27.2
MOTHER WIC PARTICIPANT	479	51.1	3,474	58.9	84	11.2	998	46.9	271	24.2
MOTHER ON MEDICAID AND WIC	451	48.0	3,022	51.2	59	7.8	896	42.1	216	19.3
MOTHER FOOD STAMP RECIPIENT	321	34.2	2,837	48.1	36	4.8	468	22.0	196	17.5
AGE OF MOTHER										
UNDER 15	2	0.2	52	0.9	1	0.1	7	0.3	5	0.4
15-17	74	7.8	562	9.4	10	1.3	96	4.5	36	3.2
18-19	126	13.3	733	12.3	36	4.7	221	10.4	65	5.8
20-24	315	33.3	1,757	29.4	124	16.4	724	33.9	164	14.5
25-29	239	25.2	1,314	22.0	271	35.8	572	26.8	311	27.5
30-34	135	14.3	990	16.5	228	30.1	349	16.4	369	32.7
35-39	50	5.3	501	8.4	80	10.6	139	6.5	149	13.2
40 AND OVER	6	0.6	73	1.2	8	1.1	26	1.2	31	2.7

TABLE 11

RESIDENT TEEN-AGE PREGNANCIES AND ABORTIONS BY SELECTED AGES BY COUNTY OF RESIDENCE: MISSOURI 1995

	TOTAL PREGNANCIES			ABORTIONS				TOTAL PREGNANCIES			ABORTIONS		
	UNDER 20	UNDER 18	18-19	UNDER 20	UNDER 18	18-19		UNDER 20	UNDER 18	18-19	UNDER 20	UNDER 18	18-19
STATE TOTAL	13,441	5,178	8,263	2,874	1,227	1,647							
ADAIR	29	11	18	2	0	2	DAVIESS	27	8	19	5	3	2
ANDREW	16	9	7	1	1	0	DE KALB	10	5	5	2	1	1
ATCHISON	8	4	4	1	0	1	DENT	41	15	26	5	3	2
AUDRAIN	63	26	37	5	3	2	DOUGLAS	40	13	27	3	2	1
BARRY	90	33	57	8	4	4	DUNKLIN	153	56	97	10	5	5
BARTON	32	9	23	5	0	5	FRANKLIN	175	70	105	33	12	21
BATES	45	13	32	7	2	5	GASCONADE	25	9	16	3	1	2
BENTON	24	10	14	6	4	2	GENTRY	20	9	11	1	1	0
BOLLINGER	29	11	18	1	1	0	GREENE	534	165	369	131	35	96
BOONE	270	95	175	94	27	67	GRUNDY	25	8	17	1	1	0
BUCHANAN	277	110	167	61	28	33	HARRISON	23	12	11	3	3	0
BUTLER	128	46	82	18	6	12	HENRY	49	23	26	8	5	3
CALDWELL	13	9	4	5	4	1	HICKORY	16	10	6	3	3	0
CALLAWAY	73	21	52	13	3	10	HOLT	7	3	4	4	3	1
CAMDEN	57	23	34	9	2	7	HOWARD	16	7	9	5	3	2
CAPE GIRARDEAU	125	51	74	20	9	11	HOWELL	102	33	69	7	5	2
CARROLL	25	6	19	3	1	2	IRON	29	9	20	0	0	0
CARTER	15	8	7	1	0	1	JACKSON	2,199	932	1,267	661	292	369
CASS	174	58	116	41	22	19	JASPER	293	101	192	30	12	18
CEDAR	34	11	23	4	3	1	JEFFERSON	393	135	258	66	29	37
CHARITON	8	3	5	0	0	0	JOHNSON	111	27	84	26	2	24
CHRISTIAN	92	38	54	16	7	9	KNOX	7	0	7	0	0	0
CLARK	15	7	8	1	1	0	LACLEDE	96	28	68	11	2	9
CLAY	267	105	162	73	32	41	LAFAYETTE	78	22	56	13	3	10
CLINTON	43	18	25	7	5	2	LAWRENCE	93	24	69	10	3	7
COLE	116	38	78	24	13	11	LEWIS	20	9	11	0	0	0
COOPER	45	15	30	7	3	4	LINCOLN	80	30	50	13	8	5
CRAWFORD	61	24	37	5	0	5	LINN	30	12	18	5	5	0
DADE	15	4	11	2	1	1	LIVINGSTON	45	15	30	7	2	5
DALLAS	40	12	28	4	3	1	MC DONALD	59	19	40	3	2	1

TABLE 11(CONT) RESIDENT TEEN-AGE PREGNANCIES AND ABORTIONS BY SELECTED AGES BY COUNTY OF RESIDENCE: MISSOURI 1995

	TOTAL PREGNANCIES			ABORTIONS				TOTAL PREGNANCIES			ABORTIONS		
	UNDER 20	UNDER 18	18-19	UNDER 20	UNDER 18	18-19		UNDER 20	UNDER 18	18-19	UNDER 20	UNDER 18	18-19
MACON	27	9	18	3	2	1	RIPLEY	35	14	21	0	0	0
MADISON	37	10	27	2	1	1	ST. CHARLES	390	141	249	116	51	65
MARIES	7	1	6	2	0	2	ST. CLAIR	24	11	13	3	2	1
MARION	76	27	49	5	0	5	ST. FRANCOIS	123	42	81	14	8	6
MERCER	10	3	7	1	0	1	STE. GENEVIEVE	19	9	10	4	2	2
MILLER	55	20	35	8	5	3	ST. LOUIS CITY	1,685	746	939	319	118	201
MISSISSIPPI	73	31	42	3	2	1	ST. LOUIS COUNTY	1,714	700	1,014	553	252	301
MONITEAU	22	9	13	2	1	1	SALINE	87	36	51	26	15	11
MONROE	21	9	12	1	0	1	SCHUYLER	6	1	5	0	0	0
MONTGOMERY	27	8	19	3	0	3	SCOTLAND	4	1	3	0	0	0
MORGAN	32	14	18	6	3	3	SCOTT	112	44	68	8	5	3
NEW MADRID	84	36	48	10	8	2	SHANNON	21	8	13	2	0	2
NEWTON	120	45	75	15	7	8	SHELBY	10	1	9	0	0	0
NODAWAY	30	11	19	6	3	3	STODDARD	81	30	51	13	7	6
OREGON	23	4	19	2	0	2	STONE	65	26	39	9	7	2
OSAGE	14	6	8	4	2	2	SULLIVAN	9	1	8	0	0	0
OZARK	24	7	17	1	1	0	TANEY	94	32	62	24	9	15
PEMISCOT	135	56	79	7	1	6	TEXAS	80	31	49	12	6	6
PERRY	37	16	21	1	1	0	VERNON	50	15	35	2	1	1
PETTIS	102	37	65	29	13	16	WARREN	50	18	32	8	5	3
PHELPS	82	31	51	9	3	6	WASHINGTON	61	21	40	3	1	2
PIKE	37	14	23	4	1	3	WAYNE	31	16	15	1	0	1
PLATTE	116	40	76	40	15	25	WEBSTER	72	17	55	7	2	5
POLK	52	11	41	6	2	4	WORTH	7	1	6	2	0	2
PULASKI	112	36	76	19	11	8	WRIGHT	54	21	33	3	3	0
PUTNAM	11	3	8	0	0	0							
RALLS	8	3	5	0	0	0							
RANDOLPH	70	21	49	15	5	10							
RAY	52	24	28	10	7	3							
REYNOLDS	20	8	12	2	0	2							

Graph D
Resident Abortion Ratios per 1,000 Live Births
Missouri 1971 - 1995



												Estimated* Resident Abortions	
	Recorded Abortions	Resident Abortions	Resident Abortion Ratio		Recorded Abortions	Resident Abortions	Resident Abortion Ratio		Recorded Abortions	Resident Abortions	Resident Abortion Ratio	Number	Ratio
1971	NA	4,582	58.5	1980	19,043	21,671	275.8	1988	17,382	17,379	241.5	19,739	259.4
1972	NA	6,943	95.8	1981	18,604	20,738	270.2	1989	17,495	18,639	239.7	19,792	254.5
1973	NA	8,589	125.2	1982	19,226	20,380	265.9	1990	16,366	17,947	226.8	19,582	247.5
1974	NA	10,486	151.1	1983	19,199	20,024	265.2	1991	15,473	17,171	218.8	18,946	241.4
1975	10,245	11,077	161.8	1984	20,204	20,037	269.2	1992	13,390	16,240	213.7	18,558	244.2
1976	12,885	13,869	201.6	1985	19,482	19,210	250.5	1993	12,540	15,415	205.1	18,277	243.2
1977	13,533	14,762	202.3	1986	19,039	18,824	250.6	1994	11,879	14,119	192.7	16,719	228.2
1978	15,546	17,785	244.8	1987	17,574	17,518	234.1	1995	11,203	13,635	187.3	16,185	222.3
1979	17,787	21,267	279.6										

Source: 1971-1974 Centers for Disease Control; 1975-1995 Missouri Center for Health Statistics

*Estimated Resident Abortions include estimates from Illinois clinics.

TABLE 12

RESIDENT ABORTIONS BY RACE, AGE OF WOMAN AND TYPE OF PROCEDURE BY WEEKS OF GESTATION: MISSOURI 1995

RACE	WEEKS OF GESTATION								UNKNOWN
	TOTAL	UNDER 9	9-10	11-12	13-14	15-16	17-20	21 AND OVER	
TOTAL	13,635	6,343	3,758	1,958	693	326	365	163	29
WHITE	8,866	4,286	2,415	1,207	403	191	229	129	6
BLACK	4,235	1,771	1,226	691	268	125	123	31	0
OTHER	430	239	101	55	15	8	10	2	0
UNKNOWN	104	47	16	5	7	2	3	1	23
AGE									
TOTAL	13,635	6,343	3,758	1,958	693	326	365	163	29
UNDER 15	161	38	46	26	19	9	14	8	1
15	261	79	84	43	20	12	17	6	0
16	324	117	86	59	29	14	12	7	0
17	481	156	148	105	34	11	16	10	1
18	853	352	232	145	61	32	21	8	2
19	794	324	209	139	51	33	23	13	2
20-24	4,403	2,008	1,233	640	226	110	118	57	11
25-29	2,912	1,444	814	387	116	49	77	19	6
30-34	1,933	947	542	254	80	38	44	25	3
35-39	1,133	656	275	124	39	16	16	6	1
40 AND OVER	356	208	83	35	15	2	7	4	2
UNKNOWN	24	14	6	1	3	0	0	0	0
TYPE OF PROCEDURE									
TOTAL	13,635	6,343	3,758	1,958	693	326	365	163	29
CURETTAGE	12,733	6,291	3,709	1,868	550	176	114	11	14
INTRAUTERINE SALINE INSTILLATION	0	0	0	0	0	0	0	0	0
INTRAUTERINE PROSTAGLANDIN INSTILLATION	5	0	0	0	0	0	2	3	0
HYSTEROTOMY/HYSTERECTOMY	2	0	0	0	0	0	0	0	2
LAMINARIA D & E	792	22	39	86	140	148	238	119	0
OTHER	40	3	0	1	0	2	6	20	8
UNKNOWN	63	27	10	3	3	0	5	10	5

NOTE: WEEKS OF GESTATION IS COMPUTED FROM DATE OF LAST NORMAL MENSES UNLESS THE RESULT IS UNKNOWN OR ILLOGICAL;
THEN THE CLINICAL ESTIMATE OF GESTATION IS USED.

TABLE 13

RESIDENT ABORTIONS BY AGE, MARITAL STATUS, AND EDUCATION, BY RACE: MISSOURI 1995

AGE	RACE				
	TOTAL	WHITE	BLACK	OTHER	UNKNOWN
TOTAL	13,635	8,866	4,235	430	104
UNDER 15	161	84	74	2	1
15	261	159	96	6	0
16	324	229	94	1	0
17	481	330	139	8	4
18	853	590	236	16	11
19	794	528	248	15	3
20-24	4,403	2,737	1,501	137	28
25-29	2,912	1,831	966	92	23
30-34	1,933	1,293	532	88	20
35-39	1,133	795	277	52	9
40 AND OVER	356	270	68	13	5
UNKNOWN	24	20	4	0	0
MARITAL STATUS					
TOTAL	13,635	8,866	4,235	430	104
NEVER MARRIED	6,600	3,760	2,668	156	16
CURRENTLY MARRIED	2,714	1,948	571	182	13
FORMERLY MARRIED	1,148	936	192	19	1
UNMARRIED, UNSPECIFIED	2,969	2,117	743	60	49
UNKNOWN	204	105	61	13	25
YEARS OF EDUCATION					
TOTAL	13,635	8,866	4,235	430	104
0-8	287	153	110	22	2
9-11	2,285	1,498	729	52	6
12	5,757	3,692	1,917	123	25
13-15	3,538	2,328	1,085	111	14
16 OR MORE	1,414	1,022	301	78	13
UNKNOWN	354	173	93	44	44

TABLE 14A

RESIDENT ABORTIONS AND RATIOS PER 1,000 LIVE BIRTHS BY COUNTY OF RESIDENCE: MISSOURI 1995

COUNTIES	NUMBER	RATIO	COUNTIES	NUMBER	RATIO	COUNTIES	NUMBER	RATIO
STATE TOTAL	13,635	187.3	GRUNDY	6	47.2	PETTIS	69	141.1
ADAIR	29	105.8	HARRISON	5	63.3	PHELPS	54	122.2
ANDREW	12	79.5	HENRY	34	147.2	PIKE	10	54.3
ATCHISON	1	14.7	HICKORY	8	95.2	PLATTE	175	201.4
AUDRAIN	22	70.7	HOLT	8	156.9	POLK	32	95.2
BARRY	35	76.6	HOWARD	16	125.0	PULASKI	77	133.7
BARTON	15	87.2	HOWELL	38	82.4	PUTNAM	3	50.0
BATES	22	107.8	IRON	7	49.0	RALLS	5	59.5
BENTON	15	99.3	JACKSON	3,100	330.8	RANDOLPH	39	124.6
BOLLINGER	6	47.2	JASPER	106	73.7	RAY	34	121.4
BOONE	437	262.5	JEFFERSON	359	136.8	REYNOLDS	6	74.1
BUCHANAN	188	178.7	JOHNSON	101	152.3	RIPLEY	11	61.1
BUTLER	47	85.6	KNOX	0	0.0	ST. CHARLES	520	139.3
CALDWELL	16	197.5	LACLEDE	39	92.6	ST. CLAIR	6	64.5
CALLAWAY	66	146.3	LAFAYETTE	60	153.8	ST. FRANCOIS	45	69.7
CAMDEN	48	145.0	LAWRENCE	33	78.0	STE. GENEVIEVE	16	88.4
CAPE GIRARDEAU	96	121.2	LEWIS	0	0.0	ST. LOUIS CITY	1,799	300.7
CARROLL	11	82.7	LINCOLN	44	96.9	ST. LOUIS COUNTY	3,121	233.9
CARTER	3	37.5	LINN	13	83.3	SALINE	52	173.9
CASS	141	137.4	LIVINGSTON	21	108.8	SCHUYLER	1	20.8
CEDAR	10	73.0	MC DONALD	10	33.0	SCOTLAND	0	0.0
CHARITON	4	56.3	MACON	13	66.3	SCOTT	33	58.0
CHRISTIAN	88	135.4	MADISON	11	75.9	SHANNON	8	88.9
CLARK	1	10.5	MARIES	8	96.4	SHELBY	0	0.0
CLAY	350	155.8	MARION	31	81.6	STODDARD	30	96.2
CLINTON	27	117.4	MERCER	1	27.8	STONE	52	169.4
COLE	128	143.0	MILLER	26	96.3	SULLIVAN	4	56.3
COOPER	11	52.4	MISSISSIPPI	12	62.8	TANEY	105	226.8
CRAWFORD	23	78.8	MONITEAU	12	78.4	TEXAS	28	98.9
DADE	12	117.6	MONROE	3	25.2	VERNON	16	70.5
DALLAS	14	70.0	MONTGOMERY	12	91.6	WARREN	35	115.1
DAVIESS	12	123.7	MORGAN	20	83.3	WASHINGTON	8	30.1
DE KALB	8	92.0	NEW MADRID	22	79.7	WAYNE	9	60.8
DENT	14	74.5	NEWTON	45	64.7	WEBSTER	29	69.0
DOUGLAS	11	67.1	NODAWAY	30	131.6	WORTH	3	107.1
DUNKLIN	32	69.3	OREGON	9	77.6	WRIGHT	24	97.2
FRANKLIN	149	122.8	OSAGE	10	65.8			
GASCONADE	11	71.9	OZARK	10	116.3			
GENTRY	4	52.6	PENISCOT	31	83.1			
GREENE	634	207.5	PERRY	10	43.7			

TABLE 14B RESIDENT ABORTIONS AND RATIOS PER 1,000 LIVE BIRTHS BY REGIONAL PLANNING COMMISSION
OF RESIDENCE: MISSOURI 1995

REGIONAL PLANNING COMMISSIONS	NUMBER	RATIO	REGIONAL PLANNING COMMISSIONS	NUMBER	RATIO
MAJOR METRO REGIONS			BOONSLICK	91	102.4
EAST-WEST GATEWAY	5,948	221.2	KAYSINGER BASIN	111	98.5
MID-AMERICA	3,800	275.5	SHOW-ME	282	153.2
MINOR METRO REGIONS			SOUTH CENTRAL OZARK	128	88.5
SOUTHWEST MISSOURI	1,034	161.2	MERAMEC	118	82.9
MID-MISSOURI	680	186.1	LAKE OF THE OZARKS	210	114.3
MO-KAN	235	154.6			
HARRY S TRUMAN	176	67.5	SOUTHEAST MISSOURI	191	84.4
NONMETRO REGIONS			BOOTHEEL	160	73.3
NORTHWEST MISSOURI	46	102.0	OZARK FOOTHILLS	76	73.2
GREEN HILLS	96	87.0			
			MAJOR METRO TOTAL	9,748	239.6
NORTHEAST MISSOURI	31	47.9	MINOR METRO TOTAL	2,125	149.7
MARK TWAIN	123	73.7	NONMETRO TOTAL	1,663	92.8
			STATE TOTAL	13,635	187.3

TABLE 15 RESIDENT ABORTIONS BY AGE AND MARITAL STATUS OF WOMAN: MISSOURI 1995

MARITAL STATUS	TOTAL	AGE								45 AND OVER	UNKNOWN
		UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44		
TOTAL	13,635	161	1,066	1,647	4,403	2,912	1,933	1,133	340	16	24
NEVER MARRIED	6,600	117	697	1,150	2,667	1,151	545	222	43	2	6
CURRENTLY MARRIED	2,714	0	14	46	540	779	720	460	147	8	0
FORMERLY MARRIED	1,148	0	1	5	144	304	332	268	88	4	2
UNMARRIED, UNSPECIFIED	2,969	44	349	427	998	618	303	165	55	2	8
UNKNOWN	204	0	5	19	54	60	33	18	7	0	8

TABLE 16 RESIDENT ABORTIONS BY NUMBER OF LIVING CHILDREN AND NUMBER OF PREVIOUS ABORTIONS: MISSOURI 1995

NUMBER OF LIVING CHILDREN	FREQUENCY OF PATIENTS	NUMBER OF PREVIOUS ABORTIONS	FREQUENCY OF PATIENTS
TOTAL	13,635	TOTAL	13,635
0	6,061	0	8,724
1	3,653	1	3,323
2	2,503	2	1,011
3	935	3	362
4	303	4	106
5	97	5	34
6+	60	6+	30
UNKNOWN	23	UNKNOWN	45

TABLE 17

RESIDENT AND RECORDED LIVE BIRTHS, DEATHS AND NATURAL INCREASE WITH RATES BY COUNTIES AND CITIES WITH
25,000 OR MORE POPULATION: MISSOURI 1995

COUNTIES	POPULATION	NUMBER			RECORDED		RATE		
		LIVE BIRTHS	DEATHS	NATURAL INCREASE	LIVE BIRTHS	DEATHS	LIVE BIRTHS	DEATHS	NATURAL INCREASE
STATE TOTAL	5,324,000	72,804	54,222	18,582	75,980	56,062	13.7	10.2	3.5
ADAIR	24,800	274	214	60	626	345	11.0	8.6	2.4
ANDREW	15,200	151	139	12	0	98	9.9	9.1	0.8
ATCHISON	7,100	68	85	-17	65	80	9.6	12.0	-2.4
AUDRAIN	23,600	311	288	23	308	309	13.2	12.2	1.0
BARRY	31,400	457	382	75	4	295	14.6	12.2	2.4
BARTON	11,700	172	145	27	81	110	14.7	12.4	2.3
BATES	15,400	204	202	2	26	158	13.2	13.1	0.1
BENTON	15,500	151	234	-83	0	129	9.7	15.1	-5.4
BOLLINGER	11,300	127	143	-16	1	64	11.2	12.7	-1.4
BOONE	123,700	1,665	749	916	3,040	1,641	13.5	6.1	7.4
BUCHANAN	82,500	1,052	984	68	1,462	1,173	12.8	11.9	0.8
BUTLER	40,300	549	518	31	1,524	810	13.6	12.9	0.8
CALDWELL	8,600	81	87	-6	0	40	9.4	10.1	-0.7
CALLAWAY	34,900	451	303	148	112	188	12.9	8.7	4.2
CAMDEN	31,600	331	332	-1	592	342	10.5	10.5	0.0
CAPE GIRARDEAU	65,300	792	660	132	1,433	1,189	12.1	10.1	2.0
CARROLL	10,400	133	173	-40	1	123	12.8	16.6	-3.8
CARTER	6,000	80	69	11	0	34	13.3	11.5	1.8
CASS	73,500	1,026	597	429	10	452	14.0	8.1	5.8
CEDAR	12,900	137	196	-59	72	129	10.6	15.2	-4.6
CHARITON	8,800	71	131	-60	0	71	8.1	14.9	-6.8
CHRISTIAN	42,700	650	288	362	2	190	15.2	6.7	8.5
CLARK	7,400	95	90	5	4	37	12.8	12.2	0.7
CLAY	166,000	2,247	1,261	986	2,116	1,457	13.5	7.6	5.9
CLINTON	17,800	230	206	24	1	224	12.9	11.6	1.3
COLE	67,600	895	539	356	1,384	862	13.2	8.0	5.3
COOPER	16,000	210	164	46	4	133	13.1	10.3	2.9
CRAWFORD	21,300	292	226	66	119	202	13.7	10.6	3.1
DADE	8,000	102	122	-20	1	71	12.8	15.3	-2.5
DALLAS	14,600	200	179	21	4	94	13.7	12.3	1.4
DAVIESS	7,900	97	128	-31	7	70	12.3	16.2	-3.9
DE KALB	10,600	87	141	-54	0	69	8.2	13.3	-5.1
DENT	14,200	188	190	-2	36	141	13.2	13.4	-0.1
DOUGLAS	12,100	164	131	33	0	86	13.6	10.8	2.7
DUNKLIN	33,000	462	490	-28	411	366	14.0	14.8	-0.8

TABLE 17(CONT) RESIDENT AND RECORDED LIVE BIRTHS, DEATHS AND NATURAL INCREASE WITH RATES BY COUNTIES AND CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 1995

COUNTIES	POPULATION	NUMBER			NUMBER			RATE	
		RESIDENT	NATURAL INCREASE	LIVE BIRTHS	RECORDED	DEATHS	LIVE BIRTHS	RESIDENT	NATURAL INCREASE
		LIVE BIRTHS			DEATHS			DEATHS	
FRANKLIN	87,800	1,213	825	388	708	706	13.8	9.4	4.4
GASCONADE	14,500	153	221	-68	25	158	10.6	15.2	-4.7
GENTRY	6,800	76	119	-43	1	106	11.2	17.5	-6.3
GREENE	225,000	3,056	2,155	901	5,960	3,334	13.6	9.6	4.0
GRUNDY	10,400	127	163	-36	2	142	12.2	15.7	-3.5
HARRISON	8,300	79	136	-57	0	98	9.5	16.4	-6.9
HENRY	21,000	231	288	-57	369	291	11.0	13.7	-2.7
HICKORY	8,300	84	137	-53	0	70	10.1	16.5	-6.4
HOLT	5,700	51	82	-31	0	34	8.9	14.4	-5.4
HOWARD	9,700	128	121	7	1	74	13.2	12.5	0.7
HOWELL	34,500	461	449	12	678	538	13.4	13.0	0.3
IRON	10,900	143	185	-42	0	155	13.1	17.0	-3.9
JACKSON	635,800	9,370	6,446	2,924	13,098	7,470	14.7	10.1	4.6
JASPER	96,300	1,438	1,097	341	569	1,162	14.9	11.4	3.5
JEFFERSON	186,400	2,624	1,456	1,168	669	1,038	14.1	7.8	6.3
JOHNSON	46,600	663	273	390	599	243	14.2	5.9	8.4
KNOX	4,300	41	66	-25	3	23	9.5	15.3	-5.8
LACLEDE	29,100	421	317	104	209	260	14.5	10.9	3.6
LAFAYETTE	32,200	390	409	-19	83	288	12.1	12.7	-0.6
LAWRENCE	31,700	423	390	33	164	295	13.3	12.3	1.0
LEWIS	10,200	123	121	2	1	93	12.1	11.9	0.2
LINCOLN	33,000	454	294	160	6	239	13.8	8.9	4.8
LINN	14,000	156	192	-36	32	168	11.1	13.7	-2.6
LIVINGSTON	14,300	193	210	-17	493	214	13.5	14.7	-1.2
MC DONALD	18,600	303	187	116	3	84	16.3	10.1	6.2
MACON	15,200	196	225	-29	22	159	12.9	14.8	-1.9
MADISON	11,200	145	174	-29	107	143	12.9	15.5	-2.6
MARIES	8,300	83	87	-4	2	33	10.0	10.5	-0.5
MARION	27,900	380	353	27	493	411	13.6	12.7	1.0
MERCER	4,100	36	51	-15	0	31	8.8	12.4	-3.7
MILLER	22,000	270	287	-17	2	135	12.3	13.0	-0.8
MISSISSIPPI	13,800	191	208	-17	2	95	13.8	15.1	-1.2
MONITEAU	13,000	153	133	20	13	65	11.8	10.2	1.5
MONROE	8,800	119	114	5	7	53	13.5	13.0	0.6
MONTGOMERY	11,600	131	145	-14	0	75	11.3	12.5	-1.2

TABLE 17(CONT) RESIDENT AND RECORDED LIVE BIRTHS, DEATHS AND NATURAL INCREASE WITH RATES BY COUNTIES AND CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 1995

COUNTIES	POPULATION	NUMBER			RECORDED		RATE		
		LIVE BIRTHS	DEATHS	NATURAL INCREASE	LIVE BIRTHS	DEATHS	LIVE BIRTHS	DEATHS	NATURAL INCREASE
MORGAN	17,200	240	238	2	32	138	14.0	13.8	0.1
NEW MADRID	20,700	276	266	10	4	138	13.3	12.9	0.5
NEWTON	47,500	695	467	228	2,479	762	14.6	9.8	4.8
NODAWAY	21,100	228	198	30	306	168	10.8	9.4	1.4
OREGON	10,000	116	150	-34	0	61	11.6	15.0	-3.4
OSAGE	12,400	152	111	41	0	58	12.3	9.0	3.3
OZARK	9,500	86	123	-37	0	61	9.1	12.9	-3.9
PEMISCOT	21,700	373	314	59	130	239	17.2	14.5	2.7
PERRY	17,300	229	196	33	169	162	13.2	11.3	1.9
PETTIS	36,600	489	436	53	582	466	13.4	11.9	1.4
PHELPS	37,500	442	386	56	920	494	11.8	10.3	1.5
PIKE	16,200	184	215	-31	99	181	11.4	13.3	-1.9
PLATTE	66,500	869	371	498	627	350	13.1	5.6	7.5
POLK	24,500	336	263	73	339	271	13.7	10.7	3.0
PULASKI	38,500	576	271	305	351	175	15.0	7.0	7.9
PUTNAM	5,100	60	86	-26	0	67	11.8	16.9	-5.1
RALLS	8,800	84	95	-11	0	55	9.5	10.8	-1.3
RANDOLPH	23,900	313	301	12	334	262	13.1	12.6	0.5
RAY	22,400	280	238	42	2	170	12.5	10.6	1.9
REYNOLDS	6,700	81	73	8	0	42	12.1	10.9	1.2
RIPLEY	13,500	180	170	10	2	99	13.3	12.6	0.7
ST. CHARLES	248,300	3,733	1,367	2,366	2,531	1,308	15.0	5.5	9.5
ST. CLAIR	8,900	93	126	-33	73	114	10.4	14.2	-3.7
ST. FRANCOIS	53,300	646	632	14	817	608	12.1	11.9	0.3
STE. GENEVIEVE	16,600	181	146	35	94	111	10.9	8.8	2.1
ST. LOUIS CITY	358,800	5,982	5,033	949	8,177	6,258	16.7	14.0	2.6
ST. LOUIS COUNTY	1,008,100	13,343	9,306	4,037	18,066	10,252	13.2	9.2	4.0
SALINE	23,000	299	297	2	304	239	13.0	12.9	0.1
SCHUYLER	4,300	48	72	-24	0	27	11.2	16.7	-5.6
SCOTLAND	4,800	66	84	-18	45	70	13.8	17.5	-3.8
SCOTT	40,300	569	401	168	547	462	14.1	10.0	4.2
SHANNON	8,100	90	91	-1	3	33	11.1	11.2	-0.1
SHELBY	6,900	82	94	-12	0	53	11.9	13.6	-1.7
STODDARD	29,600	312	446	-134	0	329	10.5	15.1	-4.5
STONE	25,100	307	243	64	112	125	12.2	9.7	2.5

TABLE 17(CONT) RESIDENT AND RECORDED LIVE BIRTHS, DEATHS AND NATURAL INCREASE WITH RATES BY COUNTIES AND CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 1995

COUNTIES	POPULATION	NUMBER			RATE		
		RESIDENT	RESIDENT	NATURAL	RECORDED	RECORDED	NATURAL
		LIVE BIRTHS	DEATHS	INCREASE	LIVE BIRTHS	DEATHS	INCREASE
SULLIVAN	6,600	71	102	-31	2	58	-4.7
TANEY	32,300	463	383	80	410	364	2.5
TEXAS	22,200	283	245	38	312	189	1.7
VERNON	19,300	227	231	-4	286	200	-0.2
WARREN	22,600	304	192	112	6	82	5.0
WASHINGTON	21,900	266	203	63	0	142	2.9
WAYNE	12,600	148	162	-14	0	71	-1.1
WEBSTER	26,800	420	242	178	49	136	6.6
WORTH	2,300	28	40	-12	0	20	-5.2
WRIGHT	18,700	247	214	33	3	127	1.8
CITIES OVER 25,000 POPULATION							
BLUE SPRINGS	40,931	672	274	398	833	344	9.7
CAPE GIRARDEAU	35,936	415	412	3	1,432	1,086	0.1
COLUMBIA	74,072	1,097	496	601	3,036	1,486	8.1
FLORISSANT	51,398	579	462	117	1,835	554	2.3
GLADSTONE	27,675	275	207	68	0	118	2.5
INDEPENDENCE	111,669	1,497	1,075	422	1,110	1,040	3.8
JEFFERSON CITY	36,930	475	426	49	1,383	831	1.3
KIRKWOOD	28,284	357	297	60	942	478	2.1
LEES SUMMIT	47,029	937	476	461	3	495	9.8
MARYLAND HEIGHTS	26,031	282	164	118	3	138	4.5
RAYTOWN	29,939	331	392	-61	0	181	-2.0
ST. CHARLES	56,339	1,162	528	634	1,140	695	11.3
ST. JOSEPH	71,711	947	901	46	1,461	1,147	0.6
ST. LOUIS CITY	358,800	5,982	5,033	949	8,177	6,258	2.6
ST. PETERS	46,408	758	174	584	671	186	12.6
SPRINGFIELD	149,727	2,134	1,691	443	5,959	3,124	3.0
UNIVERSITY CITY	40,778	586	389	197	4	159	4.8
MULTI-COUNTY CITIES							
JOPLIN	42,892	711	548	163	3,038	1,239	3.8
JASPER CO. PART	38,640	633	490	143	565	794	3.7
NEWTON CO. PART	4,252	78	58	20	2,473	445	4.7
KANSAS CITY	443,878	6,710	4,445	2,265	11,775	5,627	5.1
JACKSON CO. PART	342,680	5,129	3,776	1,353	11,148	5,204	3.9
CLAY CO. PART	73,882	1,126	501	625	0	221	8.5
PLATTE CO. PART	27,270	455	168	287	627	202	10.5
CASS CO. PART	46	0	0	0	0	0	0.0

TABLE 18 RESIDENT AND RECORDED LIVE BIRTHS AND DEATHS BY CITIES WITH 2,500-24,999 POPULATION: MISSOURI 1995

CITIES WITH 10,000 TO 24,999 POPULATION	RESIDENT LIVE		RECORDED LIVE		CITIES WITH 10,000 TO 24,999 POPULATION	RESIDENT LIVE		RECORDED LIVE	
	BIRTHS	DEATHS	BIRTHS	DEATHS		BIRTHS	DEATHS	BIRTHS	DEATHS
ARNOLD	330	144	1	86	MARSHALL	165	149	304	158
BALLWIN	218	86	4	132	MARYVILLE	85	101	306	129
BELLEFONTAINE NGHS.	141	186	0	95	MEXICO	152	168	297	269
BELTON	331	142	4	136	MOBERLY	196	200	334	236
BERKELEY	177	84	1	28	O'FALLON	577	138	3	95
BRIDGETON	171	159	982	641	OVERLAND	234	145	1	49
CARTHAGE	171	196	0	236	POPLAR BLUFF	290	312	1,523	763
CLAYTON	93	95	0	81	RICHMOND HEIGHTS	129	116	2,645	576
CRESTWOOD	93	101	0	34	ROLLA	210	149	916	382
CREVE COEUR	92	128	6,439	851	ST. ANN	186	124	2	37
EXCELSIOR SPRINGS	172	117	2	126	SEDALIA	285	295	575	436
CLAY CO. PART	163	113	2	121	SIKESTON	304	207	547	390
RAY CO. PART	9	4	0	5	NEW MADRID CO. PART	15	5	0	3
FARMINGTON	135	217	815	445	SCOTT CO. PART	289	202	547	387
FERGUSON	331	211	0	95	WARRENSBURG	179	109	335	188
FULTON	113	135	111	120	WASHINGTON	195	144	707	351
GRANDVIEW	350	190	0	99	WEBSTER GROVES	270	249	3	135
HANNIBAL	269	242	491	343					
MARION CO. PART	265	241	491	340					
ROLLS CO. PART	4	1	0	3					
HAZELWOOD	162	118	0	41					
JENNINGS	238	167	0	46					
KENNETT	159	162	410	219					
KIRKSVILLE	176	173	625	334					
LIBERTY	336	193	899	365					

TABLE 18(CONT) RESIDENT AND RECORDED LIVE BIRTHS AND DEATHS BY CITIES WITH 2,500-24,999 POPULATION: MISSOURI 1995

	RESIDENT		RECORDED			RESIDENT		RECORDED	
	LIVE		LIVE			LIVE		LIVE	
CITIES WITH 2,500 TO 9,999 POPULATION	BIRTHS	DEATHS	BIRTHS	DEATHS	CITIES WITH 2,500 TO 9,999 POPULATION	BIRTHS	DEATHS	BIRTHS	DEATHS
AURORA	104	106	159	100	DES PERES	85	** 57	0	157
AVA	54	62	0	60	DEXTER	99	163	0	225
BEL NOR	11	13	0	4	EAST PRAIRIE	43	72	1	38
BEL RIDGE	45	21	1	6	MISSISSIPPI CO. PART	43	72	1	38
BETHANY	35	72	0	84	NEW MADRID CO. PART	0	0	0	0
BLACK JACK	68	71	0	27	ELDON	56	95	0	58
BOLIVAR	112	125	337	208	ELDORADO SPRINGS	50	82	72	84
BONNE TERRE	66	48	0	37	CEDAR CO. PART	50	82	72	84
BOONVILLE	104	97	1	57	VERNON CO. PART	0	0	0	0
BOWLING GREEN	39	63	0	42	ELLISVILLE	73	57	0	75
BRANSON	115	82	408	227	EUREKA	80	63	0	73
BRECKENRIDGE HILLS	90	42	0	11	FAYETTE	39	39	0	37
BRENTWOOD	114	69	0	19	FENTON	54	21	1	23
BROOKFIELD	59	93	32	139	JEFFERSON CO. PART	0	0	0	0
BUCKNER	46	24	0	7	ST. LOUIS CO. PART	54	21	1	23
BUTLER	68	72	23	102	FESTUS	138	117	0	76
CALIFORNIA	48	59	1	31	FLAT RIVER	0	1	0	35
CAMDENTON	41	37	0	17	FREDERICKTOWN	57	104	107	129
CAMERON	69	90	1	156	FRONTENAC	23	38	1	13
CALDWELL CO. PART	0	0	0	0	GLENDALE	92	54	0	12
CLINTON CO. PART	59	46	1	121	HARRISONVILLE	175	154	2	175
DE KALB CO. PART	10	44	0	35	HAYTI	90	75	129	165
CANTON	26	19	0	8	HERMANN	27	48	25	40
CARL JUNCTION	57	28	0	10	HIGGINSVILLE	50	90	0	41
CARROLLTON	67	90	0	101	HOLLISTER	59	38	1	10
CARUTHERSVILLE	155	84	1	28	JACKSON	168	113	0	59
CENTRALIA	41	49	0	42	KINLOCH	44	19	0	4
AUDRAIN CO. PART	0	0	0	0	LADUE	73	81	0	34
BOONE CO. PART	41	49	0	42	LAKE ST. LOUIS	102	39	494	113
CHAFFEE	50	39	0	27	LAMAR	74	64	80	93
CHARLESTON	87	68	0	30	LEBANON	171	179	208	221
CHILLICOTHE	130	162	492	201	LEXINGTON	61	104	80	151
CLARKSON VALLEY	11	5	0	1	LOUISIANA	49	74	94	99
CLINTON	116	158	367	240	MACON	71	87	20	129
COTTLEVILLE	2	1	0	1	MALDEN	89	90	1	58
CRYSTAL CITY	55	55	655	305	MANCHESTER	64	29	2	97
CUBA	44	39	0	33	MAPLEWOOD	156	96	3	26
DELLWOOD	67	46	0	10	MARCELINE	31	36	0	19
DESLOGE	48	56	0	14	MARSHFIELD	70	66	0	43
DESOTO	137	110	1	70	MOLINE ACRES	26	30	1	5

TABLE 18(CONT) RESIDENT AND RECORDED LIVE BIRTHS AND DEATHS BY CITIES WITH 2,500-24,999 POPULATION: MISSOURI 1995

CITIES WITH 2,500 TO 9,999 POPULATION	RESIDENT LIVE		RECORDED LIVE		CITIES WITH 2,500 TO 9,999 POPULATION	RESIDENT LIVE		RECORDED LIVE	
	BIRTHS	DEATHS	BIRTHS	DEATHS		BIRTHS	DEATHS	BIRTHS	DEATHS
MONETT	111	98	0	129	RICHMOND	92	** 103	1	127
BARRY CO. PART	89	82	0	124	RIVERSIDE	52	40	0	70
LAWRENCE CO. PART	22	16	0	5	RIVERVIEW	58	19	1	1
MONROE CITY	38	44	0	26	ROCK HILL	75	40	1	8
MARION CO. PART	3	13	0	18	ST. CLAIR	97	58	0	47
MONROE CO. PART	35	31	0	8	ST. JAMES	47	83	1	38
MOUNTAIN GROVE	74	78	1	55	ST. JOHN	106	83	1	38
MOUNT VERNON	32	68	0	124	STE. GENEVIEVE	0	0	0	0
NEOSHO	159	121	3	205	SALEM	74	91	0	54
NEVADA	100	144	282	147	SAVANNAH	42	70	0	54
NEW MADRID	45	37	1	24	SCOTT CITY	55	35	0	14
NIXA	147	82	0	55	CAPE GIRARDEAU CO. PART	0	0	0	0
NORMANDY	80	53	5	45	SCOTT CO. PART	55	35	0	14
NORTH KANSAS CITY	47	70	1,215	507	SHREWSBURY	53	113	0	92
NORTHWOODS	65	59	2	11	SMITHVILLE	49	42	0	61
OAK GROVE	90	61	1	35	SUGAR CREEK	47	37	0	13
ODESSA	85	51	3	22	SULLIVAN	100	96	119	188
OLIVETTE	69	74	0	22	CRAWFORD CO. PART	18	13	119	116
OSAGE BEACH	40	23	590	223	FRANKLIN CO. PART	82	83	0	72
OZARK	132	77	1	83	SUNSET HILLS	24	101	0	67
PACIFIC	97	59	0	48	TOWN AND COUNTRY	40	146	1,022	352
FRANKLIN CO. PART	90	59	0	47	TRENTON	82	122	1	129
ST. LOUIS CO. PART	7	0	0	1	TROY	102	99	1	156
PAGEDALE	68	61	0	12	UNION	109	65	0	41
PALMYRA	35	45	0	39	VALLEY PARK	49	36	0	50
PERRYVILLE	85	141	169	104	VANDALIA	29	57	1	6
PEVELY	50	21	0	7	WARRENTON	74	72	2	46
PINE LAWN	92	45	2	8	WAYNESVILLE	66	45	0	35
PLATTE CITY	58	39	0	24	WEBB CITY	128	99	0	43
PLEASANT HILL	79	52	1	31	WELLSTON	66	31	0	8
PLEASANT VALLEY	25	19	0	29	WENTZVILLE	95	74	215	124
PORTAGEVILLE	53	46	2	18	WEST PLAINS	149	187	675	399
POTOSI	49	56	0	39	WINDSOR	32	49	0	27
RAYMORE	118	85	0	55	WOODSON TERRACE	62	45	0	21
REPUBLIC	83	80	0	54					

TABLE 19

TWELVE LEADING CAUSES OF DEATH BY RACE WITH PERCENTAGES
AND WITH RATES PER 100,000 FOR ALL RACES, RESIDENT DATA: MISSOURI 1995

RANK (ALL RACES)	NUMBER	CRUDE RATE	AGE-ADJ RATE*	PERCENT OF TOTAL
1. DISEASES OF HEART	18,335	344.4	148.6	33.8
2. MALIGNANT NEOPLASMS	12,319	231.4	136.4	22.7
3. CEREBROVASCULAR DISEASE	3,937	73.9	28.2	7.3
4. CHRONIC PULMONARY DISEASE	2,447	46.0	22.7	4.5
5. PNEUMONIA & INFLUENZA	2,238	42.0	14.5	4.1
6. ACCIDENTAL DEATHS	2,201	41.3	34.9	4.1
7. DIABETES MELLITUS	1,237	23.2	12.3	2.3
8. SUICIDE	726	13.6	12.8	1.3
9. NEPHRITIS & NEPHROSIS	612	11.5	4.5	1.1
10. SEPTICEMIA	510	9.6	4.2	0.9
11. AIDS	502	9.4	9.1	0.9
12. HOMICIDE & LEGAL INTERV	482	9.1	9.9	0.9
ALL OTHER CAUSES	8,676	163.0	602.7	16.0
TOTAL (ALL CAUSES)	54,222	1018.4	0.0	100.0

RANK (WHITE)	NUMBER	PERCENT OF TOTAL	RANK (BLACK)	NUMBER	PERCENT OF TOTAL
1. DISEASES OF HEART	16,696	34.4	1. DISEASES OF HEART	1,586	28.8
2. MALIGNANT NEOPLASMS	11,037	22.8	2. MALIGNANT NEOPLASMS	1,224	22.2
3. CEREBROVASCULAR DISEASE	3,561	7.3	3. CEREBROVASCULAR DISEASE	363	6.6
4. CHRONIC PULMONARY DISEASE	2,295	4.7	4. HOMICIDE & LEGAL INTERV	290	5.3
5. PNEUMONIA & INFLUENZA	2,060	4.2	5. ACCIDENTAL DEATHS	222	4.0
6. ACCIDENTAL DEATHS	1,956	4.0	6. PNEUMONIA & INFLUENZA	174	3.2
7. DIABETES MELLITUS	1,061	2.2	7. DIABETES MELLITUS	166	3.0
8. SUICIDE	665	1.4	8. AIDS	162	2.9
9. NEPHRITIS & NEPHROSIS	532	1.1	9. CHRONIC PULMONARY DISEASE	145	2.6
10. SEPTICEMIA	417	0.9	10. SEPTICEMIA	91	1.7
11. LIVER DISEASE & CIRRHOSIS	344	0.7	11. DISEASES OF EARLY INFANCY	85	1.5
12. AIDS	338	0.7	12. NEPHRITIS & NEPHROSIS	80	1.5
ALL OTHER CAUSES	7,521	15.5	ALL OTHER CAUSES	924	16.8
TOTAL (ALL CAUSES)	48,483	100.0	TOTAL (ALL CAUSES)	5,512	100.0

* 1940 UNITED STATES POPULATION USED AS THE STANDARD BEGINNING IN 1991 INSTEAD OF MISSOURI 1970 POPULATION, WHICH WAS USED IN 1972 TO 1990 ANNUALS. THEREFORE AGE-ADJUSTED DEATH RATES CANNOT BE COMPARED TO PREVIOUS ANNUAL REPORTS.

TABLE 20

FIVE LEADING CAUSES OF DEATH FOR SELECTED AGE GROUPS
WITH PERCENTAGES, RESIDENT DATA: MISSOURI 1995

CAUSES BY AGE GROUPS	NUMBER	PERCENT OF TOTAL	CAUSES BY AGE GROUPS	NUMBER	PERCENT OF TOTAL
UNDER 1 YEAR			45-54 YEARS		
1. DISEASES OF EARLY INFANCY	240	44.5	1. MALIGNANT NEOPLASMS	978	32.0
2. CONGENITAL ANOMALIES	120	22.3	2. DISEASES OF HEART	831	27.2
3. ACCIDENTAL DEATHS	14	2.6	3. ACCIDENTAL DEATHS	216	7.1
4. HOMICIDE & LEGAL INTERV.	11	2.0	4. CEREBROVASCULAR DISEASE	114	3.7
5. DISEASES OF HEART	10	1.9	5. SUICIDE	103	3.4
TOTAL (ALL CAUSES)	539	100.0	TOTAL (ALL CAUSES)	3,054	100.0
1-4 YEARS			55-64 YEARS		
1. ACCIDENTAL DEATHS	35	30.7	1. MALIGNANT NEOPLASMS	2,075	38.8
2. HOMICIDE & LEGAL INTERV.	14	12.3	2. DISEASES OF HEART	1,576	29.5
3. CONGENITAL ANOMALIES	8	7.0	3. CHRONIC PULMONARY DISEASE	255	4.8
4. MALIGNANT NEOPLASMS	6	5.3	4. CEREBROVASCULAR DISEASE	245	4.6
5. CEREBROVASCULAR DISEASE	3	2.6	5. ACCIDENTAL DEATHS	156	2.9
TOTAL (ALL CAUSES)	114	100.0	TOTAL (ALL CAUSES)	5,348	100.0
5-14 YEARS			65-74 YEARS		
1. ACCIDENTAL DEATHS	78	39.4	1. MALIGNANT NEOPLASMS	3,765	34.1
2. MALIGNANT NEOPLASMS	16	8.1	2. DISEASES OF HEART	3,437	31.1
3. HOMICIDE & LEGAL INTERV.	13	6.6	3. CHRONIC PULMONARY DISEASE	714	6.5
4. CHRONIC PULMONARY DISEASE	11	5.6	4. CEREBROVASCULAR DISEASE	596	5.4
5. DISEASES OF HEART	8	4.0	5. DIABETES MELLITUS	364	3.3
TOTAL (ALL CAUSES)	198	100.0	TOTAL (ALL CAUSES)	11,055	100.0
15-24 YEARS			75-84 YEARS		
1. ACCIDENTAL DEATHS	350	43.4	1. DISEASES OF HEART	5,594	36.6
2. HOMICIDE & LEGAL INTERV.	157	19.5	2. MALIGNANT NEOPLASMS	3,325	21.8
3. SUICIDE	124	15.4	3. CEREBROVASCULAR DISEASE	1,332	8.7
4. MALIGNANT NEOPLASMS	35	4.3	4. CHRONIC PULMONARY DISEASE	928	6.1
5. DISEASES OF HEART	30	3.7	5. PNEUMONIA & INFLUENZA	679	4.4
TOTAL (ALL CAUSES)	807	100.0	TOTAL (ALL CAUSES)	15,280	100.0
25-34 YEARS			85-YEARS & OVER		
1. ACCIDENTAL DEATHS	323	29.2	1. DISEASES OF HEART	6,452	43.5
2. AIDS	171	15.4	2. MALIGNANT NEOPLASMS	1,658	11.2
3. SUICIDE	136	12.3	3. CEREBROVASCULAR DISEASE	1,569	10.6
4. HOMICIDE & LEGAL INTERV.	112	10.1	4. PNEUMONIA & INFLUENZA	1,080	7.3
5. MALIGNANT NEOPLASMS	95	8.6	5. CHRONIC PULMONARY DISEASE	433	2.9
TOTAL (ALL CAUSES)	1,107	100.0	TOTAL (ALL CAUSES)	14,820	100.0
35-44 YEARS					
1. MALIGNANT NEOPLASMS	365	19.2			
2. DISEASES OF HEART	314	16.6			
3. ACCIDENTAL DEATHS	299	15.8			
4. AIDS	205	10.8			
5. SUICIDE	144	7.6			
TOTAL (ALL CAUSES)	1,897	100.0			

TABLE 21

RESIDENT DEATHS, AGE GROUPS BY RACE BY SEX
WITH AGE-SPECIFIC RATES PER 1,000 BY SEX: MISSOURI 1995

AGE AT DEATH	TOTAL	NUMBER MALE	A L L R A C E S				W H I T E			B L A C K		
			FEMALE	TOTAL	MALE	RATE FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
ALL AGES	54,222	26,770	27,452	10.2	10.4	10.0	48,483	23,736	24,747	5,512	2,911	2,601
UNDER 1 YEAR	539	308	231	7.4	8.3	6.5	384	227	157	150	78	72
1-4 YEARS	114	68	46	0.4	0.4	0.3	84	55	29	30	13	17
5-9 YEARS	78	40	38	0.2	0.2	0.2	59	31	28	18	9	9
10-14 YEARS	120	84	36	0.3	0.4	0.2	89	69	20	30	14	16
15-19 YEARS	384	277	107	1.0	1.4	0.6	269	177	92	110	96	14
20-24 YEARS	423	334	89	1.2	1.9	0.5	305	234	71	112	95	17
25-29 YEARS	432	319	113	1.2	1.8	0.6	325	237	88	98	73	25
30-34 YEARS	675	505	170	1.6	2.4	0.8	519	393	126	150	109	41
35-39 YEARS	837	606	231	1.9	2.8	1.0	652	481	171	177	122	55
40-44 YEARS	1,060	688	372	2.7	3.5	1.8	824	543	281	228	142	86
45-49 YEARS	1,362	894	468	4.0	5.3	2.6	1,099	730	369	254	159	95
50-54 YEARS	1,692	1,013	679	6.0	7.5	4.7	1,405	845	560	272	160	112
55-59 YEARS	2,161	1,298	863	9.2	11.6	7.1	1,820	1,095	725	326	193	133
60-64 YEARS	3,187	1,974	1,213	14.6	19.1	10.5	2,745	1,721	1,024	416	240	176
65-69 YEARS	4,717	2,793	1,924	22.3	29.0	16.7	4,170	2,495	1,675	525	284	241
70-74 YEARS	6,338	3,587	2,751	33.8	44.0	25.9	5,706	3,242	2,464	615	334	281
75-79 YEARS	7,136	3,711	3,425	49.0	64.0	39.1	6,558	3,441	3,117	558	259	299
80-84 YEARS	8,144	3,762	4,382	78.5	103.9	64.8	7,578	3,524	4,054	549	230	319
85 AND OVER	14,820	4,506	10,314	161.8	186.2	153.0	13,890	4,194	9,696	893	300	593
UNKNOWN AGE	3	3	0				2	2	0	1	1	0

TABLE 22A

RESIDENT DEATHS, AGE GROUPS BY SELECTED CAUSES OF DEATH: MISSOURI 1995

	ALL AGES	UNDER 1 YR.	1-4 YRS.	5-9 YRS.	10-14 YRS.	15-19 YRS.	20-24 YRS.	25-29 YRS.	30-34 YRS.	35-39 YRS.	40-44 YRS.
ALL CAUSES	54,222	539	114	78	120	384	423	432	675	837	1,060
CAUSES OF DEATH											
TUBERCULOSIS	23	0	0	0	0	0	0	0	0	1	0
SEPTICEMIA	510	4	0	1	1	1	2	1	5	6	7
AIDS	502	0	2	2	1	3	7	45	126	114	91
SYPHILIS	13	0	0	0	0	0	0	0	0	0	1
RESIDUAL OF INFECT. DIS.	196	4	4	1	2	1	2	2	4	8	16
MALIGNANT NEOPLASMS	12,319	1	6	9	7	13	22	36	59	132	233
DIGESTIVE ORGANS	2,767	0	1	1	1	2	1	8	7	16	38
RESPIRATORY ORGANS	3,846	1	0	0	0	0	0	2	7	25	39
BREAST	1,006	0	0	0	0	0	0	2	9	27	52
GENITAL ORGANS	1,364	0	0	0	0	0	1	2	3	17	29
URINARY ORGANS	506	0	0	1	0	1	0	0	1	0	9
LEUKEMIA	450	0	1	3	0	4	5	3	4	5	6
OTHER MALIG. NEOPL.	2,380	0	4	4	6	6	15	19	28	42	60
DIABETES MELLITUS	1,237	0	0	0	0	0	0	3	9	13	29
MAJOR CARDIOVASC. DISEASE	23,468	13	4	4	6	18	16	30	73	146	240
DISEASES OF HEART	18,335	10	1	3	5	17	13	27	55	112	202
RHEUMATIC FEVER & RHEUM. HEART DISEASE	106	0	0	0	0	0	0	2	3	2	2
HYPERTENSIVE HEART	592	0	0	0	0	0	2	1	4	5	15
ISCHEMIC HEART	12,831	0	0	0	1	2	2	10	24	70	129
OTHER HEART DISEASE	4,806	10	1	3	4	15	9	14	24	35	56
HYPERTENSION	234	0	0	0	0	0	0	0	0	0	4
CEREBROVASCULAR DISEASE	3,937	3	3	1	0	1	2	2	14	28	26
ATHEROSCLEROSIS	334	0	0	0	0	0	0	1	0	0	1
OTHER MAJOR CARDIOVASC.	628	0	0	0	1	0	1	0	4	6	7
PNEUMONIA & INFLUENZA	2,238	8	1	2	1	2	0	1	7	16	12
CHRONIC PULMONARY DISEASE	2,447	0	0	2	9	8	3	2	3	6	10
ULCER OF STOMACH	140	0	0	0	0	0	0	1	0	0	2
LIVER DISEASE & CIRRHOSIS	413	0	0	0	0	0	0	1	6	20	40
NEPHRITIS & NEPHROSIS	612	3	1	0	1	0	0	0	1	1	6
COMPLICATIONS OF PREG., CHILDBIRTH & PUERPERIUM	12	0	0	0	0	0	5	4	2	1	0
CONGENITAL ANOMALIES	195	120	8	6	2	7	3	2	4	7	4
DISEASES OF EARLY INFANCY	240	240	0	0	0	0	0	0	0	0	0
SYMPTOMS & ILL-DEF. COND.	282	85	6	0	4	1	1	3	6	4	5
ALL OTHER DISEASES	5,880	33	31	16	22	21	30	34	53	65	112
ACCIDENTAL DEATHS	2,201	14	35	32	46	177	173	154	169	164	135
MOTOR VEHICLE	1,102	0	16	19	22	152	137	118	111	84	70
OTHER ACC. DEATHS	1,099	14	19	13	24	25	36	36	58	80	65
SUICIDE	726	0	0	0	7	50	74	59	77	77	67
HOMICIDE & LEGAL INTERV	482	11	14	3	10	78	79	49	63	46	42
ALL OTHER EXTERNAL CAUSES	86	3	2	0	1	4	6	5	8	10	8

TABLE 22A (CONT)

RESIDENT DEATHS, AGE GROUPS BY SELECTED CAUSES OF DEATH: MISSOURI 1995

	45-49 YRS.	50-54 YRS.	55-59 YRS.	60-64 YRS.	65-69 YRS.	70-74 YRS.	75-79 YRS.	80-84 YRS.	85+ YRS.	UNK AGE
ALL CAUSES	1,362	1,692	2,161	3,187	4,717	6,338	7,136	8,144	14,820	3
CAUSES OF DEATH										
TUBERCULOSIS	1	2	1	2	5	3	3	3	2	0
SEPTICEMIA	7	6	16	20	43	74	55	81	180	0
AIDS	49	38	13	8	2	1	0	0	0	0
SYPHILIS	0	0	0	0	0	2	2	0	8	0
RESIDUAL OF INFECT. DIS.	14	12	9	20	14	22	24	15	22	0
MALIGNANT NEOPLASMS	418	560	823	1,252	1,689	2,076	1,779	1,546	1,658	0
DIGESTIVE ORGANS	87	104	162	248	356	474	416	373	472	0
RESPIRATORY ORGANS	108	180	303	524	653	788	557	397	262	0
BREAST	77	87	90	90	101	107	109	121	134	0
GENITAL ORGANS	22	34	53	83	153	210	239	234	284	0
URINARY ORGANS	19	16	22	35	73	77	78	78	96	0
LEUKEMIA	12	13	23	36	55	65	66	60	89	0
OTHER MALIG. NEOPL.	93	126	170	236	298	355	314	283	321	0
DIABETES MELLITUS	31	39	53	101	153	211	176	191	228	0
MAJOR CARDIOVASC. DISEASE	378	603	788	1,111	1,790	2,465	3,241	4,070	8,471	1
DISEASES OF HEART	325	506	668	908	1,480	1,957	2,526	3,068	6,452	0
RHEUMATIC FEVER & RHEUM. HEART DISEASE	2	4	9	2	11	12	16	18	23	0
HYPERTENSIVE HEART	19	33	16	43	47	56	75	89	187	0
ISCHEMIC HEART	223	355	478	649	1,090	1,440	1,828	2,153	4,377	0
OTHER HEART DISEASE	81	114	165	214	332	449	607	808	1,865	0
HYPERTENSION	2	9	4	8	23	21	29	44	90	0
CEREBROVASCULAR DISEASE	44	70	100	145	211	385	559	773	1,569	1
ATHEROSCLEROSIS	1	3	3	8	8	22	30	62	195	0
OTHER MAJOR CARDIOVASC.	6	15	13	42	68	80	97	123	165	0
PNEUMONIA & INFLUENZA	22	25	30	60	114	178	281	398	1,080	0
CHRONIC PULMONARY DISEASE	26	48	97	158	296	418	487	441	433	0
ULCER OF STOMACH	3	3	4	8	8	11	21	26	53	0
LIVER DISEASE & CIRRHOSIS	38	35	40	42	51	51	40	30	19	0
NEPHRITIS & NEPHROSIS	8	10	12	32	31	60	92	120	234	0
COMPLICATIONS OF PREG., CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES	3	4	3	3	4	5	2	5	3	0
DISEASES OF EARLY INFANCY	0	0	0	0	0	0	0	0	0	0
SYMPTOMS & ILL-DEF. COND.	5	9	10	9	12	15	16	27	63	1
ALL OTHER DISEASES	134	144	158	224	382	576	742	1,026	2,077	0
ACCIDENTAL DEATHS	120	96	56	100	84	115	140	127	263	1
MOTOR VEHICLE	53	48	29	53	36	45	43	27	39	0
OTHER ACC. DEATHS	67	48	27	47	48	70	97	100	224	1
SUICIDE	63	40	35	29	26	45	29	30	18	0
HOMICIDE & LEGAL INTERV	29	12	12	7	11	4	5	4	3	0
ALL OTHER EXTERNAL CAUSES	13	6	1	1	2	6	1	4	5	0

TABLE 22B

MALE RESIDENT DEATHS, AGE GROUPS BY SELECTED CAUSES OF DEATH: MISSOURI 1995

	ALL AGES	UNDER 1 YR.	1-4 YRS.	5-9 YRS.	10-14 YRS.	15-19 YRS.	20-24 YRS.	25-29 YRS.	30-34 YRS.	35-39 YRS.	40-44 YRS.
ALL CAUSES	26,770	308	68	40	84	277	334	319	505	606	688
CAUSES OF DEATH											
TUBERCULOSIS	12	0	0	0	0	0	0	0	0	1	0
SEPTICEMIA	219	2	0	0	0	0	2	0	2	4	5
AIDS	462	0	1	2	1	1	6	39	117	109	82
SYPHILIS	2	0	0	0	0	0	0	0	0	0	0
RESIDUAL OF INFECT. DIS.	110	3	2	1	1	0	1	1	2	5	14
MALIGNANT NEOPLASMS	6,419	0	6	5	6	7	16	14	30	61	94
DIGESTIVE ORGANS	1,392	0	1	0	1	0	1	3	5	11	25
RESPIRATORY ORGANS	2,431	0	0	0	0	0	0	0	5	19	17
BREAST	5	0	0	0	0	0	0	0	0	1	0
GENITAL ORGANS	769	0	0	0	0	0	0	0	0	1	1
URINARY ORGANS	315	0	0	0	0	1	0	0	0	0	8
LEUKEMIA	244	0	1	2	0	4	3	1	1	2	4
OTHER MALIG. NEOPL.	1,263	0	4	3	5	2	12	10	19	27	39
DIABETES MELLITUS	522	0	0	0	0	0	0	3	5	10	14
MAJOR CARDIOVASC. DISEASE	10,737	7	2	3	5	13	10	20	55	102	160
DISEASES OF HEART	8,735	6	1	2	4	12	8	17	43	79	142
RHEUMATIC FEVER & RHEUM. HEART DISEASE	26	0	0	0	0	0	0	0	1	1	1
HYPERTENSIVE HEART	237	0	0	0	0	0	2	1	4	4	13
ISCHEMIC HEART	6,364	0	0	0	1	2	1	6	20	52	96
OTHER HEART DISEASE	2,108	6	1	2	3	10	5	10	18	22	32
HYPERTENSION	84	0	0	0	0	0	0	0	0	0	2
CEREBROVASCULAR DISEASE	1,450	1	1	1	0	1	1	2	8	18	13
ATHEROSCLEROSIS	121	0	0	0	0	0	0	1	0	0	0
OTHER MAJOR CARDIOVASC.	347	0	0	0	1	0	1	0	4	5	3
PNEUMONIA & INFLUENZA	955	5	0	1	0	1	0	1	6	7	8
CHRONIC PULMONARY DISEASE	1,346	0	0	1	3	6	2	1	2	4	1
ULCER OF STOMACH	67	0	0	0	0	0	0	1	0	0	2
LIVER DISEASE & CIRRHOSIS	279	0	0	0	0	0	0	0	4	14	32
NEPHRITIS & NEPHROSIS	281	1	1	0	1	0	0	0	1	1	4
COMPLICATIONS OF PREG., CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES	98	64	5	2	2	1	2	1	3	2	3
DISEASES OF EARLY INFANCY	142	142	0	0	0	0	0	0	0	0	0
SYMPTOMS & ILL-DEF. COND.	137	48	2	0	2	0	1	3	5	3	4
ALL OTHER DISEASES	2,508	19	18	8	17	13	20	20	28	45	67
ACCIDENTAL DEATHS	1,437	9	26	14	35	120	141	121	125	127	101
MOTOR VEHICLE	761	0	11	10	15	98	112	89	75	68	45
OTHER ACC. DEATHS	676	9	15	4	20	22	29	32	50	59	56
SUICIDE	600	0	0	0	6	41	60	51	65	67	58
HOMICIDE & LEGAL INTERV	371	6	4	3	5	70	67	40	48	35	33
ALL OTHER EXTERNAL CAUSES	66	2	1	0	0	4	6	3	7	9	6

TABLE 22B (CONT) MALE RESIDENT DEATHS, AGE GROUPS BY SELECTED CAUSES OF DEATH: MISSOURI 1995

	45-49 YRS.	50-54 YRS.	55-59 YRS.	60-64 YRS.	65-69 YRS.	70-74 YRS.	75-79 YRS.	80-84 YRS.	85+ YRS.	UNK AGE
ALL CAUSES	894	1,013	1,298	1,974	2,793	3,587	3,711	3,762	4,506	3
CAUSES OF DEATH										
TUBERCULOSIS	1	2	0	1	1	1	2	1	2	0
SEPTICEMIA	4	2	9	9	23	34	28	39	56	0
AIDS	49	34	10	8	2	1	0	0	0	0
SYPHILIS	0	0	0	0	0	2	0	0	0	0
RESIDUAL OF INFECT. DIS.	12	9	7	12	5	8	11	9	7	0
MALIGNANT NEOPLASMS	195	263	426	752	977	1,152	978	783	654	0
DIGESTIVE ORGANS	49	54	99	152	221	265	216	154	135	0
RESPIRATORY ORGANS	64	116	189	370	418	488	360	250	135	0
BREAST	1	0	0	0	1	0	0	1	1	0
GENITAL ORGANS	2	8	12	35	80	123	146	164	197	0
URINARY ORGANS	16	7	15	25	42	51	52	52	46	0
LEUKEMIA	6	4	7	22	38	36	41	33	39	0
OTHER MALIG. NEOPL.	57	74	104	148	177	189	163	129	101	0
DIABETES MELLITUS	25	15	25	47	75	95	73	73	62	0
MAJOR CARDIOVASC. DISEASE	275	415	534	746	1,126	1,465	1,663	1,787	2,348	1
DISEASES OF HEART	240	364	469	622	953	1,216	1,324	1,386	1,847	0
RHEUMATIC FEVER & RHEUM. HEART DISEASE	0	1	4	0	5	2	5	3	3	0
HYPERTENSIVE HEART	13	21	8	26	25	25	35	27	33	0
ISCHEMIC HEART	175	267	346	459	713	925	1,005	997	1,299	0
OTHER HEART DISEASE	52	75	111	137	210	264	279	359	512	0
HYPERTENSION	1	4	3	6	9	10	13	11	25	0
CEREBROVASCULAR DISEASE	29	31	53	86	119	171	249	289	376	1
ATHEROSCLEROSIS	1	3	3	5	5	14	19	29	41	0
OTHER MAJOR CARDIOVASC.	4	13	6	27	40	54	58	72	59	0
PNEUMONIA & INFLUENZA	15	15	21	37	59	103	134	202	340	0
CHRONIC PULMONARY DISEASE	12	19	54	87	166	245	280	248	215	0
ULCER OF STOMACH	3	2	4	5	4	6	11	15	14	0
LIVER DISEASE & CIRRHOSIS	28	29	29	36	37	30	20	12	8	0
NEPHRITIS & NEPHROSIS	7	5	7	13	16	28	43	61	92	0
COMPLICATIONS OF PREG., CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES	2	1	1	0	2	3	2	2	0	0
DISEASES OF EARLY INFANCY	0	0	0	0	0	0	0	0	0	0
SYMPTOMS & ILL-DEF. COND.	3	5	9	7	8	9	6	6	15	1
ALL OTHER DISEASES	80	93	86	119	207	291	359	433	585	0
ACCIDENTAL DEATHS	97	66	37	70	57	65	74	61	90	1
MOTOR VEHICLE	42	28	18	39	26	25	24	19	17	0
OTHER ACC. DEATHS	55	38	19	31	31	40	50	42	73	1
SUICIDE	56	27	27	18	19	42	24	25	14	0
HOMICIDE & LEGAL INTERV	19	8	12	6	8	3	2	1	1	0
ALL OTHER EXTERNAL CAUSES	11	3	0	1	1	4	1	4	3	0

TABLE 22C


FEMALE RESIDENT DEATHS, AGE GROUPS BY SELECTED CAUSES OF DEATH: MISSOURI 1995

	ALL AGES	UNDER 1 YR.	1-4 YRS.	5-9 YRS.	10-14 YRS.	15-19 YRS.	20-24 YRS.	25-29 YRS.	30-34 YRS.	35-39 YRS.	40-44 YRS.
ALL CAUSES	27,452	231	46	38	36	107	89	113	170	231	372
CAUSES OF DEATH											
TUBERCULOSIS	11	0	0	0	0	0	0	0	0	0	0
SEPTICEMIA	291	2	0	1	1	1	0	1	3	2	2
AIDS	40	0	1	0	0	2	1	6	9	5	9
SYPHILIS	11	0	0	0	0	0	0	0	0	0	1
RESIDUAL OF INFECT. DIS.	86	1	2	0	1	1	1	1	2	3	2
MALIGNANT NEOPLASMS	5,900	1	0	4	1	6	6	22	29	71	139
DIGESTIVE ORGANS	1,375	0	0	1	0	2	0	5	2	5	13
RESPIRATORY ORGANS	1,415	1	0	0	0	0	0	2	2	6	22
BREAST	1,001	0	0	0	0	0	0	2	9	26	52
GENITAL ORGANS	595	0	0	0	0	0	1	2	3	16	28
URINARY ORGANS	191	0	0	1	0	0	0	0	1	0	1
LEUKEMIA	206	0	0	1	0	0	2	2	3	3	2
OTHER MALIG. NEOPL.	1,117	0	0	1	1	4	3	9	9	15	21
DIABETES MELLITUS	715	0	0	0	0	0	0	0	4	3	15
MAJOR CARDIOVASC. DISEASE	12,731	6	2	1	1	5	6	10	18	44	80
DISEASES OF HEART	9,600	4	0	1	1	5	5	10	12	33	60
RHEUMATIC FEVER & RHEUM. HEART DISEASE	80	0	0	0	0	0	0	2	2	1	1
HYPERTENSIVE HEART	355	0	0	0	0	0	0	0	0	1	2
ISCHEMIC HEART	6,467	0	0	0	0	0	1	4	4	18	33
OTHER HEART DISEASE	2,698	4	0	1	1	5	4	4	6	13	24
HYPERTENSION	150	0	0	0	0	0	0	0	0	0	2
CEREBROVASCULAR DISEASE	2,487	2	2	0	0	0	1	0	6	10	13
ATHEROSCLEROSIS	213	0	0	0	0	0	0	0	0	0	1
OTHER MAJOR CARDIOVASC.	281	0	0	0	0	0	0	0	0	1	4
PNEUMONIA & INFLUENZA	1,283	3	1	1	1	1	0	0	1	9	4
CHRONIC PULMONARY DISEASE	1,101	0	0	1	6	2	1	1	1	2	9
ULCER OF STOMACH	73	0	0	0	0	0	0	0	0	0	0
LIVER DISEASE & CIRRHOSIS	134	0	0	0	0	0	0	1	2	6	8
NEPHRITIS & NEPHROSIS	331	2	0	0	0	0	0	0	0	0	2
COMPLICATIONS OF PREG., CHILDBIRTH & PUERPERIUM	12	0	0	0	0	0	5	4	2	1	0
CONGENITAL ANOMALIES	97	56	3	4	0	6	1	1	1	5	1
DISEASES OF EARLY INFANCY	98	98	0	0	0	0	0	0	0	0	0
SYMPTOMS & ILL-DEF. COND.	145	37	4	0	2	1	0	0	1	1	1
ALL OTHER DISEASES	3,372	14	13	8	5	8	10	14	25	20	45
ACCIDENTAL DEATHS	764	5	9	18	11	57	32	33	44	37	34
MOTOR VEHICLE	341	0	5	9	7	54	25	29	36	16	25
OTHER ACC. DEATHS	423	5	4	9	4	3	7	4	8	21	9
SUICIDE	126	0	0	0	1	9	14	8	12	10	9
HOMICIDE & LEGAL INTERV	111	5	10	0	5	8	12	9	15	11	9
ALL OTHER EXTERNAL CAUSES	20	1	1	0	1	0	0	2	1	1	2

TABLE 22C (CONT) FEMALE RESIDENT DEATHS, AGE GROUPS BY SELECTED CAUSES OF DEATH: MISSOURI 1995

	45-49 YRS.	50-54 YRS.	55-59 YRS.	60-64 YRS.	65-69 YRS.	70-74 YRS.	75-79 YRS.	80-84 YRS.	85+ YRS.	UNK AGE
ALL CAUSES	468	679	863	1,213	1,924	2,751	3,425	4,382	10,314	0
CAUSES OF DEATH										
TUBERCULOSIS	0	0	1	1	4	2	1	2	0	0
SEPTICEMIA	3	4	7	11	20	40	27	42	124	0
AIDS	0	4	3	0	0	0	0	0	0	0
SYPHILIS	0	0	0	0	0	0	2	0	8	0
RESIDUAL OF INFECT. DIS.	2	3	2	8	9	14	13	6	15	0
MALIGNANT NEOPLASMS	223	297	397	500	712	924	801	763	1,004	0
DIGESTIVE ORGANS	38	50	63	96	135	209	200	219	337	0
RESPIRATORY ORGANS	44	64	114	154	235	300	197	147	127	0
BREAST	76	87	90	90	100	107	109	120	133	0
GENITAL ORGANS	20	26	41	48	73	87	93	70	87	0
URINARY ORGANS	3	9	7	10	31	26	26	26	50	0
LEUKEMIA	6	9	16	14	17	29	25	27	50	0
OTHER MALIG. NEOPL.	36	52	66	88	121	166	151	154	220	0
DIABETES MELLITUS	6	24	28	54	78	116	103	118	166	0
MAJOR CARDIOVASC. DISEASE	103	188	254	365	664	1,000	1,578	2,283	6,123	0
DISEASES OF HEART	85	142	199	286	527	741	1,202	1,682	4,605	0
RHEUMATIC FEVER &										
RHEUM. HEART DISEASE	2	3	5	2	6	10	11	15	20	0
HYPERTENSIVE HEART	6	12	8	17	22	31	40	62	154	0
ISCHEMIC HEART	48	88	132	190	377	515	823	1,156	3,078	0
OTHER HEART DISEASE	29	39	54	77	122	185	328	449	1,353	0
HYPERTENSION	1	5	1	2	14	11	16	33	65	0
CEREBROVASCULAR DISEASE	15	39	47	59	92	214	310	484	1,193	0
ATHEROSCLEROSIS	0	0	0	3	3	8	11	33	154	0
OTHER MAJOR CARDIOVASC.	2	2	7	15	28	26	39	51	106	0
PNEUMONIA & INFLUENZA	7	10	9	23	55	75	147	196	740	0
CHRONIC PULMONARY DISEASE	14	29	43	71	130	173	207	193	218	0
ULCER OF STOMACH	0	1	0	3	4	5	10	11	39	0
LIVER DISEASE & CIRRHOSIS	10	6	11	6	14	21	20	18	11	0
NEPHRITIS & NEPHROSIS	1	5	5	19	15	32	49	59	142	0
COMPLICATIONS OF PREG.,										
CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES	1	3	2	3	2	2	0	3	3	0
DISEASES OF EARLY INFANCY	0	0	0	0	0	0	0	0	0	0
SYMPTOMS & ILL-DEF. COND.	2	4	1	2	4	6	10	21	48	0
ALL OTHER DISEASES	54	51	72	105	175	285	383	593	1,492	0
ACCIDENTAL DEATHS	23	30	19	30	27	50	66	66	173	0
MOTOR VEHICLE	11	20	11	14	10	20	19	8	22	0
OTHER ACC. DEATHS	12	10	8	16	17	30	47	58	151	0
SUICIDE	7	13	8	11	7	3	5	5	4	0
HOMICIDE & LEGAL INTERV	10	4	0	1	3	1	3	3	2	0
ALL OTHER EXTERNAL CAUSES	2	3	1	0	1	2	0	0	2	0

Graph E
Resident Infant Death Rates per 1,000 Live Births
Missouri 1960-1995



	<i>Infant Deaths</i>	<i>Rate</i>
1960	2,414	24.7
1965	2,060	25.4
1970	1,580	9.61
1975	1,123	6.4
1980	970	12.3
1981	971	12.7
1982	894	11.7
1983	805	10.7
1984	769	10.3
1985	784	10.2

	<i>Infant Deaths</i>	<i>Rate</i>
1986	799	10.6
1987	767	10.2
1988	770	10.1
1989	767	9.9
1990	746	9.4
1991	798	10.2
1992	647	8.5
1993	630	8.4
1994	597	8.1
1995	539	7.4

TABLE 23A

RESIDENT PERINATAL, INFANT, FETAL, NEONATAL, POSTNEONATAL, AND MATERNAL DEATHS
BY COUNTY AND CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 1995

COUNTIES	PERI- NATAL DEATHS	INFANT DEATHS	FETAL DEATHS	NEO- NATAL DEATHS	POST- NEO- NATAL DEATHS	MATER- NAL DEATHS	COUNTIES CONT.	PERI- NATAL DEATHS	INFANT DEATHS	FETAL DEATHS	NEO- NATAL DEATHS	POST- NEO- NATAL DEATHS	MATER- NAL DEATHS
STATE TOTAL	768	539	434	334	205	12							
ADAIR	2	2	1	1	1	0	FRANKLIN	13	10	6	7	3	0
ANDREW	1	0	1	0	0	0	GASCONADE	2	1	1	1	0	0
ATCHISON	0	0	0	0	0	0	GENTRY	1	0	1	0	0	0
AUDRAIN	3	4	1	2	2	0	GREENE	42	25	26	16	9	1
BARRY	2	5	0	2	3	0	GRUNDY	2	1	1	1	0	0
BARTON	0	0	0	0	0	0	HARRISON	2	1	1	1	0	0
BATES	1	0	1	0	0	1	HENRY	3	1	2	1	0	0
BENTON	1	1	0	1	0	0	HICKORY	0	0	0	0	0	0
BOLLINGER	0	1	0	0	1	0	HOLT	0	0	0	0	0	0
BOONE	14	14	5	9	5	0	HOWARD	1	0	1	0	0	0
BUCHANAN	6	8	3	3	5	0	HOWELL	5	1	4	1	0	0
BUTLER	5	3	3	2	1	0	IRON	1	1	1	0	1	0
CALDWELL	0	0	0	0	0	0	JACKSON	121	76	70	51	25	2
CALLAWAY	3	3	2	1	2	0	JASPER	16	17	6	10	7	0
CAMDEN	5	3	3	2	1	0	JEFFERSON	20	17	11	9	8	0
CAPE GIRARDEAU	5	2	3	2	0	0	JOHNSON	6	2	5	1	1	0
CARROLL	2	1	1	1	0	0	KNOX	0	0	0	0	0	0
CARTER	0	0	0	0	0	0	LACLEDE	2	2	1	1	1	0
CASS	9	10	1	8	2	0	LAFAYETTE	8	6	5	3	3	0
CEDAR	0	0	0	0	0	0	LAWRENCE	7	4	4	3	1	0
CHARITON	0	0	0	0	0	0	LEWIS	1	1	0	1	0	0
CHRISTIAN	8	5	5	3	2	0	LINCOLN	8	5	5	3	2	0
CLARK	4	3	2	2	1	0	LINN	1	0	1	0	0	0
CLAY	16	10	10	6	4	0	LIVINGSTON	2	0	2	0	0	0
CLINTON	2	0	2	0	0	0	MC DONALD	6	2	5	1	1	0
COLE	6	2	4	2	0	0	MACON	1	0	1	0	0	0
COOPER	2	1	1	1	0	0	MADISON	2	1	1	1	0	0
CRAWFORD	4	4	2	2	2	0	MARIES	0	0	0	0	0	0
DADE	2	2	0	2	0	0	MARION	5	4	3	2	2	0
DALLAS	7	5	3	4	1	0	MERCER	1	2	0	1	1	0
DAVIESS	2	1	2	0	1	0	MILLER	2	3	0	2	1	0
DE KALB	1	0	1	0	0	0	MISSISSIPPI	2	1	1	1	0	0
DENT	2	0	2	0	0	0	MONITEAU	4	2	2	2	0	0
DOUGLAS	0	1	0	0	1	0	MONROE	1	1	0	1	0	0
DUNKLIN	3	5	1	2	3	0	MONTGOMERY	0	0	0	0	0	0

TABLE 23A (CONT)

RESIDENT PERINATAL, INFANT, FETAL, NEONATAL, POSTNEONATAL, AND MATERNAL DEATHS
BY COUNTY AND CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 1995

COUNTIES	PERI- NATAL DEATHS	INFANT DEATHS	FETAL DEATHS	NEO- NATAL DEATHS	POST- NEO- NATAL DEATHS	MATER- NAL DEATHS	COUNTIES CONT.	PERI- NATAL DEATHS	INFANT DEATHS	FETAL DEATHS	NEO- NATAL DEATHS	POST- NEO- NATAL DEATHS	MATER- NAL DEATHS
MORGAN	3	4	0	3	1	0	WASHINGTON	1	2	0	1	1	0
NEW MADRID	5	3	3	2	1	0	WAYNE	4	3	2	2	1	0
NEWTON	7	7	3	4	3	0	WEBSTER	3	1	2	1	0	0
NODAWAY	2	1	2	0	1	0	WORTH	0	0	0	0	0	0
OREGON	1	0	1	0	0	0	WRIGHT	5	3	2	3	0	0
OSAGE	0	0	0	0	0	0							
OZARK	0	0	0	0	0	1	CITIES OVER						
PEMISCOT	5	4	2	3	1	0	25,000 POP.						
PERRY	4	1	4	0	1	1	BLUE SPRINGS	8	2	7	1	1	0
PETTIS	2	1	2	0	1	0	CAPE GIRARDEAU	2	2	0	2	0	0
PHELPS	7	2	5	2	0	0	COLUMBIA	9	10	3	6	4	0
PIKE	2	1	1	1	0	0	FLORISSANT	10	7	5	5	2	0
PLATTE	2	2	1	1	1	0	GLADSTONE	2	1	1	1	0	0
POLK	3	3	2	1	2	0							
PULASKI	3	4	1	2	2	0	INDEPENDENCE	15	8	10	5	3	0
PUTNAM	0	0	0	0	0	0	JEFFERSON CITY	5	2	3	2	0	0
RALLS	1	0	1	0	0	0	KIRKWOOD	4	2	2	2	0	0
RANDOLPH	3	3	1	2	1	0	LEES SUMMIT	5	2	4	1	1	0
RAY	3	1	3	0	1	0	MARYLAND HEIGHTS	1	2	0	1	1	0
REYNOLDS	0	0	0	0	0	0							
RIPLEY	3	3	1	2	1	0	RAYTOWN	3	1	2	1	0	0
ST. CHARLES	24	20	14	10	10	0	ST. CHARLES	8	8	3	5	3	0
ST. CLAIR	3	3	1	2	1	0	ST. JOSEPH	4	6	2	2	4	0
ST. FRANCOIS	11	6	8	3	3	0	ST. LOUIS CITY	96	71	52	44	27	4
STE. GENEVIEVE	2	1	1	1	0	0	ST. PETERS	5	2	4	1	1	0
ST. LOUIS CITY	96	71	52	44	27	4	SPRINGFIELD	32	16	22	10	6	0
ST. LOUIS COUNTY	131	86	75	56	30	2	UNIVERSITY CITY	10	10	3	7	3	2
SALINE	1	4	0	1	3	0							
SCHUYLER	1	0	1	0	0	0	MULTI-COUNTY						
SCOTLAND	0	1	0	0	1	0	CITIES						
SCOTT	2	1	1	1	0	0	JOPLIN	9	12	3	6	6	0
SHANNON	1	1	1	0	1	0	JASPER CO. PART	8	11	3	5	6	0
SHELBY	0	0	0	0	0	0	NEWTON CO. PART	1	1	0	1	0	0
STODDARD	4	3	2	2	1	0							
STONE	3	3	2	1	2	0	KANSAS CITY	85	66	41	44	22	2
SULLIVAN	0	0	0	0	0	0	JACKSON CO. PART	80	59	40	40	19	2
TANEY	3	3	1	2	1	0	CLAY CO. PART	4	6	1	3	3	0
TEXAS	4	2	3	1	1	0	PLATTE CO. PART	1	1	0	1	0	0
VERNON	3	2	2	1	1	0	CASS CO. PART	0	0	0	0	0	0
WARREN	4	0	4	0	0	0							

TABLE 23B

 WHITE RESIDENT PERINATAL, INFANT, FETAL, NEONATAL, POSTNEONATAL, AND MATERNAL DEATHS
 BY COUNTY AND CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 1995

COUNTIES	PERI- NATAL DEATHS	INFANT DEATHS	FETAL DEATHS	NEO- NATAL DEATHS	POST- NEO- NATAL DEATHS	MATER- NAL DEATHS	COUNTIES CONT.	PERI- NATAL DEATHS	INFANT DEATHS	FETAL DEATHS	NEO- NATAL DEATHS	POST- NEO- NATAL DEATHS	MATER- NAL DEATHS
STATE TOTAL	551	384	314	237	147	5							
ADAIR	2	2	1	1	1	0	FRANKLIN	13	10	6	7	3	0
ANDREW	1	0	1	0	0	0	GASCONADE	2	1	1	1	0	0
ATCHISON	0	0	0	0	0	0	GENTRY	1	0	1	0	0	0
AUDRAIN	3	4	1	2	2	0	GREENE	39	24	24**	15	9	1
BARRY	2	4	0	2	2	0	GRUNDY	2	1	1	1	0	0
BARTON	0	0	0	0	0	0	HARRISON	2	1	1	1	0	0
BATES	1	0	1	0	0	1	HENRY	3	1	2	1	0	0
BENTON	1	1	0	1	0	0	HICKORY	0	0	0	0	0	0
BOLLINGER	0	1	0	0	1	0	HOLT	0	0	0	0	0	0
BOONE	9	10	3	6	4	0	HOWARD	1	0	1	0	0	0
BUCHANAN	6	8	3	3	5	0	HOWELL	5	1	4	1	0	0
BUTLER	5	3	3	2	1	0	IRON	1	0	1	0	0	0
CALDWELL	0	0	0	0	0	0	JACKSON	60	32	38	22	10	0
CALLAWAY	3	3	2	1	2	0	JASPER	14	14	5	9	5	0
CAMDEN	5	3	3	2	1	0	JEFFERSON	20	17	11	9	8	0
CAPE GIRARDEAU	4	1	3	1	0	0	JOHNSON	4	1	4	0	1	0
CARROLL	2	1	1	1	0	0	KNOX	0	0	0	0	0	0
CARTER	0	0	0	0	0	0	LACLEDE	2	2	1	1	1	0
CASS	8	9	1	7	2	0	LAFAYETTE	8	6	5	3	3	0
CEDAR	0	0	0	0	0	0	LAWRENCE	7	4	4	3	1	0
CHARITON	0	0	0	0	0	0	LEWIS	1	1	0	1	0	0
CHRISTIAN	8	5	5	3	2	0	LINCOLN	8	5	5	3	2	0
CLARK	4	3	2	2	1	0	LINN	1	0	1	0	0	0
CLAY	15	10	9	6	4	0	LIVINGSTON	2	0	2	0	0	0
CLINTON	2	0	2	0	0	0	MC DONALD	6	2	5	1	1	0
COLE	5	2	3	2	0	0	MACON	1	0	1	0	0	0
COOPER	2	1	1	1	0	0	MADISON	2	1	1	1	0	0
CRAWFORD	4	4	2	2	2	0	MARIES	0	0	0	0	0	0
DADE	2	2	0	2	0	0	MARION	5	4	3	2	2	0
DALLAS	7	5	3	4	1	0	MERCER	1	2	0	1	1	0
DAVIESS	2	1	2	0	1	0	MILLER	2	3	0	2	1	0
DE KALB	1	0	1	0	0	0	MISSISSIPPI	0	0	0	0	0	0
DENT	2	0	2	0	0	0	MONITEAU	4	2	2	2	0	0
DOUGLAS	0	1	0	0	1	0	MONROE	1	1	0	1	0	0
DUNKLIN	2	5	0	2	3	0	MONTGOMERY	0	0	0	0	0	0

TABLE 23B (CONT) WHITE RESIDENT PERINATAL, INFANT, FETAL, NEONATAL, POSTNEONATAL, AND MATERNAL DEATHS
BY COUNTY AND CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 1995

COUNTIES	PERI- NATAL DEATHS	INFANT DEATHS	FETAL DEATHS	NEO- NATAL DEATHS	POST- NEO- NATAL DEATHS	MATER- NAL DEATHS	COUNTIES CONT.	PERI- NATAL DEATHS	INFANT DEATHS	FETAL DEATHS	NEO- NATAL DEATHS	POST- NEO- NATAL DEATHS	MATER- NAL DEATHS
MORGAN	3	4	0	3	1	0	WASHINGTON	1	2	0	1	1	0
NEW MADRID	3	2	1	2	0	0	WAYNE	4	3	2	2	1	0
NEWTON	7	7	3	4	3	0	WEBSTER	3	1	2	1	0	0
NODAWAY	2	1	2	0	1	0	WORTH	0	0	0	0	0	0
OREGON	1	0	1	0	0	0	WRIGHT	5	3	2	3	0	0
OSAGE	0	0	0	0	0	0							
OZARK	0	0	0	0	0	1	CITIES OVER 25,000 POP.						
PEMISCOT	1	2	0	1	1	0	BLUE SPRINGS	7	1	7	0	1	0
PERRY	4	1	4	0	1	1	CAPE GIRARDEAU	1	1	0	1	0	0
PETTIS	2	1	2	0	1	0	COLUMBIA	6	7	2	4	3	0
PHELPS	7	2	5	2	0	0	FLORISSANT	8	5	5	3	2	0
PIKE	2	1	1	1	0	0	GLADSTONE	2	1	1	1	0	0
PLATTE	2	2	1	1	1	0							
POLK	3	3	2	1	2	0	INDEPENDENCE	15	8	10	5	3	0
PULASKI	2	3	1	1	2	0	JEFFERSON CITY	4	2	2	2	0	0
PUTNAM	0	0	0	0	0	0	KIRKWOOD	4	2	2	2	0	0
RALLS	1	0	1	0	0	0	LEES SUMMIT	3	1	3	0	1	0
RANDOLPH	3	3	1	2	1	0	MARYLAND HEIGHTS	1	2	0	1	1	0
RAY	3	1	3	0	1	0							
REYNOLDS	0	0	0	0	0	0	RAYTOWN	3	1	2	1	0	0
							ST. CHARLES	8	7	3	5	2	0
RIPLEY	3	3	1	2	1	0	ST. JOSEPH	4	6	2	2	4	0
ST. CHARLES	22	17	13	9	8	0	ST. LOUIS CITY	23	19	9	14	5	0
ST. CLAIR	3	3	1	2	1	0	ST. PETERS	5	2	4	1	1	0
ST. FRANCOIS	11	6	8	3	3	0							
STE. GENEVIEVE	2	1	1	1	0	0	SPRINGFIELD	29	15	20	9	6	0
							UNIVERSITY CITY	4	2	2	2	0	1
ST. LOUIS CITY	23	19	9	14	5	0							
ST. LOUIS COUNTY	78	48	47	31	17	1	MULTI-COUNTY CITIES						
SALINE	1	4	0	1	3	0							
SCHUYLER	1	0	1	0	0	0	JOPLIN	7	9	2	5	4	0
SCOTLAND	0	1	0	0	1	0	JASPER CO. PART	6	8	2	4	4	0
							NEWTON CO. PART	1	1	0	1	0	0
SCOTT	2	1	1	1	0	0							
SHANNON	1	1	1	0	1	0	KANSAS CITY	28	24	11	17	7	0
SHELBY	0	0	0	0	0	0	JACKSON CO. PAR	23	17	10	13	4	0
STODDARD	4	3	2	2	1	0	CLAY CO. PART	4	6	1	3	3	0
STONE	3	3	2	1	2	0	PLATTE CO. PART	1	1	0	1	0	0
							CASS CO. PART	0	0	0	0	0	0
SULLIVAN	0	0	0	0	0	0							
TANEY	3	3	1	2	1	0							
TEXAS	4	2	3	1	1	0							
VERNON	2	2	1	1	1	0							
WARREN	3	0	3	0	0	0							

TABLE 23C

BLACK RESIDENT PERINATAL, INFANT, FETAL, NEONATAL, POSTNEONATAL, AND MATERNAL DEATHS
BY COUNTY AND CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 1995

COUNTIES	PERI- NATAL DEATHS	INFANT DEATHS	FETAL DEATHS	NEO- NATAL DEATHS	POST- NEO- NATAL DEATHS	MATER- NAL DEATHS	COUNTIES CONT.	PERI- NATAL DEATHS	INFANT DEATHS	FETAL DEATHS	NEO- NATAL DEATHS	POST- NEO- NATAL DEATHS	MATER- NAL DEATHS
STATE TOTAL	207	150	113	94	56	7							
ADAIR	0	0	0	0	0	0	FRANKLIN	0	0	0	0	0	0
ANDREW	0	0	0	0	0	0	GASCONADE	0	0	0	0	0	0
ATCHISON	0	0	0	0	0	0	GENTRY	0	0	0	0	0	0
AUDRAIN	0	0	0	0	0	0	GREENE	3	1	2*	1	0	0
BARRY	0	0	0	0	0	0	GRUNDY	0	0	0	0	0	0
BARTON	0	0	0	0	0	0	HARRISON	0	0	0	0	0	0
BATES	0	0	0	0	0	0	HENRY	0	0	0	0	0	0
BENTON	0	0	0	0	0	0	HICKORY	0	0	0	0	0	0
BOLLINGER	0	0	0	0	0	0	HOLT	0	0	0	0	0	0
BOONE	4	4	1	3	1	0	HOWARD	0	0	0	0	0	0
BUCHANAN	0	0	0	0	0	0	HOWELL	0	0	0	0	0	0
BUTLER	0	0	0	0	0	0	IRON	0	1	0	0	1	0
CALDWELL	0	0	0	0	0	0	JACKSON	55	43	27	28	15	2
CALLAWAY	0	0	0	0	0	0	JASPER	2	3	1	1	2	0
CAMDEN	0	0	0	0	0	0	JEFFERSON	0	0	0	0	0	0
CAPE GIRARDEAU	1	1	0	1	0	0	JOHNSON	2	1	1	1	0	0
CARROLL	0	0	0	0	0	0	KNOX	0	0	0	0	0	0
CARTER	0	0	0	0	0	0	LACLEDE	0	0	0	0	0	0
CASS	0	0	0	0	0	0	LAFAYETTE	0	0	0	0	0	0
CEDAR	0	0	0	0	0	0	LAWRENCE	0	0	0	0	0	0
CHARITON	0	0	0	0	0	0	LEWIS	0	0	0	0	0	0
CHRISTIAN	0	0	0	0	0	0	LINCOLN	0	0	0	0	0	0
CLARK	0	0	0	0	0	0	LINN	0	0	0	0	0	0
CLAY	1	0	1	0	0	0	LIVINGSTON	0	0	0	0	0	0
CLINTON	0	0	0	0	0	0	MC DONALD	0	0	0	0	0	0
COLE	1	0	1	0	0	0	MACON	0	0	0	0	0	0
COOPER	0	0	0	0	0	0	MADISON	0	0	0	0	0	0
CRAWFORD	0	0	0	0	0	0	MARIES	0	0	0	0	0	0
DADE	0	0	0	0	0	0	MARION	0	0	0	0	0	0
DALLAS	0	0	0	0	0	0	MERCER	0	0	0	0	0	0
DAVIESS	0	0	0	0	0	0	MILLER	0	0	0	0	0	0
DE KALB	0	0	0	0	0	0	MISSISSIPPI	2	1	1	1	0	0
DENT	0	0	0	0	0	0	MONITEAU	0	0	0	0	0	0
DOUGLAS	0	0	0	0	0	0	MONROE	0	0	0	0	0	0
DUNKLIN	1	0	1	0	0	0	MONTGOMERY	0	0	0	0	0	0

TABLE 23C (CONT)

BLACK RESIDENT PERINATAL, INFANT, FETAL, NEONATAL, POSTNEONATAL, AND MATERNAL DEATHS
BY COUNTY AND CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 1995

COUNTIES	PERI- NATAL DEATHS	INFANT DEATHS	FETAL DEATHS	NEO- NATAL DEATHS	POST- NEO- NATAL DEATHS	MATER- NAL DEATHS	COUNTIES CONT.	PERI- NATAL DEATHS	INFANT DEATHS	FETAL DEATHS	NEO- NATAL DEATHS	POST- NEO- NATAL DEATHS	MATER- NAL DEATHS
MORGAN	0	0	0	0	0	0	WASHINGTON	0	0	0	0	0	0
NEW MADRID	2	1	2	0	1	0	WAYNE	0	0	0	0	0	0
NEWTON	0	0	0	0	0	0	WEBSTER	0	0	0	0	0	0
NODAWAY	0	0	0	0	0	0	WORTH	0	0	0	0	0	0
OREGON	0	0	0	0	0	0	WRIGHT	0	0	0*	0	0	0
OSAGE	0	0	0	0	0	0							
OZARK	0	0	0	0	0	0	CITIES OVER						
PEMISCOT	4	2	2	2	0	0	25,000 POP.						
PERRY	0	0	0	0	0	0	BLUE SPRINGS	1	1	0	1	0	0
PETTIS	0	0	0	0	0	0	CAPE GIRARDEAU	1	1	0	1	0	0
PHELPS	0	0	0	0	0	0	COLUMBIA	2	3	0	2	1	0
PIKE	0	0	0	0	0	0	FLORISSANT	2	2	0	2	0	0
PLATTE	0	0	0	0	0	0	GLADSTONE	0	0	0	0	0	0
POLK	0	0	0	0	0	0							
PULASKI	1	1	0	1	0	0	INDEPENDENCE	0	0	0	0	0	0
PUTNAM	0	0	0	0	0	0	JEFFERSON CITY	1	0	1	0	0	0
RALLS	0	0	0	0	0	0	KIRKWOOD	0	0	0	0	0	0
RANDOLPH	0	0	0	0	0	0	LEES SUMMIT	0	0	0	0	0	0
RAY	0	0	0	0	0	0	MARYLAND HEIGHTS	0	0	0	0	0	0
REYNOLDS	0	0	0	0	0	0							
RIPLEY	0	0	0	0	0	0	RAYTOWN	0	0	0	0	0	0
ST. CHARLES	2	3	1	1	2	0	ST. CHARLES	0	1	0	0	1	0
ST. CLAIR	0	0	0	0	0	0	ST. JOSEPH	0	0	0	0	0	0
ST. FRANCOIS	0	0	0	0	0	0	ST. LOUIS CITY	72	51	43	29	22	4
STE. GENEVIEVE	0	0	0	0	0	0	ST. PETERS	0	0	0	0	0	0
ST. LOUIS CITY	72	51	43	29	22	4	SPRINGFIELD	3	1	2	1	0	0
ST. LOUIS COUNTY	53	37	28	25	12	1	UNIVERSITY CITY	6	8	1	5	3	1
SALINE	0	0	0	0	0	0							
SCHUYLER	0	0	0	0	0	0	MULTI-COUNTY						
SCOTLAND	0	0	0	0	0	0	CITIES						
SCOTT	0	0	0	0	0	0	JOPLIN	2	3	1	1	2	0
SHANNON	0	0	0	0	0	0	JASPER CO. PART	2	3	1	1	2	0
SHELBY	0	0	0	0	0	0	NEWTON CO. PART	0	0	0	0	0	0
STODDARD	0	0	0	0	0	0							
STONE	0	0	0	0	0	0	KANSAS CITY	53	42	26	27	15	2
SULLIVAN	0	0	0	0	0	0	JACKSON CO. PAR	53	42	26	27	15	2
TANEY	0	0	0	0	0	0	CLAY CO. PART	0	0	0	0	0	0
TEXAS	0	0	0	0	0	0	PLATTE CO. PART	0	0	0	0	0	0
VERNON	0	0	0	0	0	0	CASS CO. PART	0	0	0	0	0	0
WARREN	1	0	1	0	0	0							

TABLE 23D

RESIDENT PERINATAL, INFANT, FETAL, NEONATAL, POSTNEONATAL, AND MATERNAL DEATHS
BY REGIONAL PLANNING COMMISSION WITH RATES PER 1,000 LIVE BIRTHS: MISSOURI 1995

REGIONAL PLANNING COMMISSIONS	NUMBER						RATES				
	PERI- NATAL DEATHS	INFANT DEATHS	FETAL DEATHS	NEO- NATAL DEATHS	POST- NEO- NATAL DEATHS	MATER- NAL DEATHS	PERI- NATAL DEATHS	INFANT DEATHS	FETAL DEATHS	NEO- NATAL DEATHS	POST- NEO- NATAL DEATHS
MAJOR METRO REGIONS											
EAST-WEST GATEWAY	284	204	158	126	78	6	10.6	7.6	5.9	4.7	2.9
MID-AMERICA	151	99	85	66	33	2	10.9	7.2	6.2	4.8	2.4
MINOR METRO REGIONS											
SOUTHWEST MISSOURI	80	56	45	35	21	1	12.5	8.7	7.0	5.5	3.3
MID-MISSOURI	30	22	15	15	7	0	8.2	6.0	4.1*	4.1*	1.9*
MO-KAN	10	8	7	3	5	0	6.6*	5.3*	4.6*	2.0*	3.3*
HARRY S TRUMAN	29	26	14	15	11	0	11.1	10.0	5.4*	5.8*	4.2*
NONMETRO REGIONS											
NORTHWEST MISSOURI	3	1	3	0	1	0	6.7*	2.2*	6.7*	0.0*	2.2*
GREEN HILLS	12	6	8	4	2	0	10.9*	5.4*	7.2*	3.6*	1.8*
NORTHEAST MISSOURI	8	7	4	4	3	0	12.4*	10.8*	6.2*	6.2*	4.6*
MARK TWAIN	16	13	8	8	5	0	9.6*	7.8*	4.8*	4.8*	3.0*
BOONSLICK	12	5	9	3	2	0	13.5*	5.6*	10.1*	3.4*	2.2*
KAYSINGER BASIN	11	7	6	5	2	1	9.8*	6.2*	5.3*	4.4*	1.8*
SHOW-ME	17	13	12	5	8	0	9.2*	7.1*	6.5*	2.7*	4.3*
SOUTH CENTRAL OZARK	16	8	11	5	3	1	11.1*	5.5*	7.6*	3.5*	2.1*
MERAMEC	16	9	10	6	3	0	11.2*	6.3*	7.0*	4.2*	2.1*
LAKE OF THE OZARKS	15	16	5	10	6	0	8.2*	8.7*	2.7*	5.4*	3.3*
SOUTHEAST MISSOURI	25	13	18	7	6	1	11.0	5.7*	8.0*	3.1*	2.7*
BOOTHEEL	21	17	10	11	6	0	9.6	7.8*	4.6*	5.0*	2.7*
OZARK FOOTHILLS	12	9	6	6	3	0	11.6*	8.7*	5.8*	5.8*	2.9*
MAJOR METRO TOTAL	435	303	243	192	111	8	10.7	7.4	6.0	4.7	2.7
MINOR METRO TOTAL	149	112	81	68	44	1	10.5	7.9	5.7	4.8	3.1
NONMETRO TOTAL	184	124	110	74	50	3	10.3	6.9	6.1	4.1	2.8
STATE TOTAL	768	539	434	334	205	12	10.5	7.4	6.0	4.6	2.8

*RATE UNSTABLE BECAUSE IT IS BASED ON FEWER THAN 20 DEATHS

TABLE 23E WHITE RESIDENT PERINATAL, INFANT, FETAL, NEONATAL, POSTNEONATAL, AND
MATERNAL DEATHS BY REGIONAL PLANNING COMMISSION: MISSOURI 1995

REGIONAL PLANNING COMMISSIONS	PERINATAL DEATHS	INFANT DEATHS	FETAL DEATHS	NEONATAL DEATHS	POST- NEONATAL DEATHS	MATERNAL DEATHS
MAJOR METRO REGIONS						
EAST-WEST GATEWAY	156	111	86	70	41	1
MID-AMERICA	88	54	52	36	18	0
MINOR METRO REGIONS						
SOUTHWEST MISSOURI	77	54	43	34	20	1
MID-MISSOURI	24	18	12	12	6	0
MO-KAN	10	8	7	3	5	0
HARRY S TRUMAN	27	23	13	14	9	0
NONMETRO REGIONS						
NORTHWEST MISSOURI	3	1	3	0	1	0
GREEN HILLS	12	6	8	4	2	0
NORTHEAST MISSOURI	8	7	4	4	3	0
MARK TWAIN	16	13	8	8	5	0
BOONSLICK	11	5	8	3	2	0
KAYSINGER BASIN	10	7	5	5	2	1
SHOW-ME	15	12	11	4	8	0
SOUTH CENTRAL OZARK	16	8	11	5	3	1
MERAMEC	16	9	10	6	3	0
LAKE OF THE OZARKS	14	15	5	9	6	0
SOUTHEAST MISSOURI	24	11	18	6	5	1
BOOTHEEL	12	13	4	8	5	0
OZARK FOOTHILLS	12	9	6	6	3	0
MAJOR METRO TOTAL	244	165	138	106	59	1
MINOR METRO TOTAL	111	80	62	49	31	1
NONMETRO TOTAL	196	139	114	82	57	3
STATE TOTAL	551	384	314	237	147	5

TABLE 23F

BLACK RESIDENT PERINATAL, INFANT, FETAL, NEONATAL, POSTNEONATAL, AND
MATERNAL DEATHS BY REGIONAL PLANNING COMMISSION: MISSOURI 1995

REGIONAL PLANNING COMMISSIONS	PERINATAL DEATHS	INFANT DEATHS	FETAL DEATHS	NEONATAL DEATHS	POST- NEONATAL DEATHS	MATERNAL DEATHS
MAJOR METRO REGIONS						
EAST-WEST GATEWAY	127	91	72	55	36	5
MID-AMERICA	56	43	28	28	15	2
MINOR METRO REGIONS						
SOUTHWEST MISSOURI	3	1	2	1	0	0
MID-MISSOURI	5	4	2	3	1	0
MO-KAN	0	0	0	0	0	0
HARRY S TRUMAN	2	3	1	1	2	0
NONMETRO REGIONS						
NORTHWEST MISSOURI	0	0	0	0	0	0
GREEN HILLS	0	0	0	0	0	0
NORTHEAST MISSOURI	0	0	0	0	0	0
MARK TWAIN	0	0	0	0	0	0
BOONSLICK	1	0	1	0	0	0
KAYSINGER BASIN	0	0	0	0	0	0
SHOW-ME	2	1	1	1	0	0
SOUTH CENTRAL OZARK	0	0	0	0	0	0
MERAMEC	0	0	0	0	0	0
LAKE OF THE OZARKS	1	1	0	1	0	0
SOUTHEAST MISSOURI	1	2	0	1	1	0
BOOTHEEL	9	4	6	3	1	0
OZARK FOOTHILLS	0	0	0	0	0	0
MAJOR METRO TOTAL	183	134	100	83	51	7
MINOR METRO TOTAL	8	5	4	4	1	0
NONMETRO TOTAL	16	11	9	7	4	0
STATE TOTAL	207	150	113	94	56	7

TABLE 24

RESIDENT INFANT DEATHS BY AGE, CAUSE, AND RACE WITH RATES PER 1,000
LIVE BIRTHS BY CAUSE AND RACE: MISSOURI 1995

CAUSE	RACE	NUMBER	RATE	NEO- NATAL DEATHS	POST- NEO- NATAL DEATHS	UNDER 1 HR	OVER 1 HR 1 DAY	OVER 1 DAY 7 DAS	OVER 7 DAS 28 DAS	OVER 28 DAS 3 MOS	OVER 3 MOS 6 MOS	OVER 6 MOS 1 YEAR	UNDER 1 YEAR UNKNOWN UNITS
ALL CAUSES	WHITE	384	6.4	237	147	63	84	48	41	64	52	31	1
	BLACK	150	13.7	94	56	22	51	15	6	21	20	15	0
	TOTAL	539	7.4	334	205	87	136	63	47	86	73	46	1
GASTROINTESTINAL DISEASES (008-009, 535, 555-558)	WHITE	1	0.0	0	1	0	0	0	0	0	0	1	0
	BLACK	0	0.0	0	0	0	0	0	0	0	0	0	0
	TOTAL	1	0.0	0	1	0	0	0	0	0	0	1	0
PNEUMONIA AND INFLUENZA (480-487)	WHITE	5	0.1	0	5	0	0	0	0	1	3	1	0
	BLACK	3	0.3	0	3	0	0	0	0	2	0	1	0
	TOTAL	8	0.1	0	8	0	0	0	0	3	3	2	0
CONGENITAL ANOMALIES (740-759)	WHITE	100	1.7	74	26	17	27	15	15	12	9	5	0
	BLACK	18	1.6	13	5	4	6	2	1	1	2	2	0
	TOTAL	120	1.6	89	31	23	33	17	16	13	11	7	0
DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED BIRTHWEIGHT (765)	WHITE	42	0.7	42	0	21	19	1	0	0	0	0	1
	BLACK	38	3.5	38	0	10	27	1	0	0	0	0	0
	TOTAL	80	1.1	80	0	31	46	2	0	0	0	0	1
BIRTH TRAUMA (767)	WHITE	4	0.1	4	0	0	1	1	2	0	0	0	0
	BLACK	1	0.1	1	0	0	0	1	0	0	0	0	0
	TOTAL	5	0.1	5	0	0	1	2	2	0	0	0	0
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (768)	WHITE	4	0.1	3	1	0	1	1	1	1	0	0	0
	BLACK	2	0.2	2	0	1	0	1	0	0	0	0	0
	TOTAL	6	0.1	5	1	1	1	2	1	1	0	0	0
RESPIRATORY DISTRESS SYNDROME (769)	WHITE	16	0.3	15	1	0	3	7	5	1	0	0	0
	BLACK	4	0.4	4	0	0	0	3	1	0	0	0	0
	TOTAL	20	0.3	19	1	0	3	10	6	1	0	0	0
OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-764, 766, 770-779)	WHITE	87	1.4	82	5	22	32	16	12	4	1	0	0
	BLACK	40	3.6	36	4	7	18	7	4	2	1	1	0
	TOTAL	129	1.8	119	10	29	51	23	16	7	2	1	0
SUDDEN INFANT DEATH SYNDROME (798.0)	WHITE	59	1.0	2	57	0	0	0	2	31	16	10	0
	BLACK	16	1.5	0	16	0	0	0	0	7	7	2	0
	TOTAL	75	1.0	2	73	0	0	0	2	38	23	12	0
ACCIDENTS (800-949)	WHITE	13	0.2	0	13	0	0	0	0	7	4	2	0
	BLACK	1	0.1	0	1	0	0	0	0	1	0	0	0
	TOTAL	14	0.2	0	14	0	0	0	0	8	4	2	0
ALL OTHER CAUSES RESIDUAL	WHITE	53	0.9	15	38	3	1	7	4	7	19	12	0
	BLACK	27	2.5	0	27	0	0	0	0	8	10	9	0
	TOTAL	81	1.1	15	66	3	1	7	4	15	30	21	0

NUMBER IN PARENTHESIS REFERS TO CODE NUMBERS IN THE 9TH REVISION OF THE INTERNATIONAL CLASSIFICATION OF DISEASES

TABLE 25

RESIDENT INFANT DEATHS AND RATES PER 1,000 LIVE BIRTHS BY AGE OF MOTHER BY BIRTH ORDER:
MISSOURI 1995

AGE OF MOTHER	ALL BIRTHS ORDERS	NUMBER BIRTH ORDER				ALL BIRTH ORDERS	RATES BIRTH ORDER			
		1ST	2ND OR 3RD	4TH OR 5TH	6TH OR MORE		1ST	2ND OR 3RD	4TH OR 5TH	6TH OR MORE
ALL AGES	543	165	238	95	45	7.5	6.6	6.8	9.5	14.2
UNDER 18	45	32	13	0	0	11.5	9.8	21.2*	0.0*	0.0*
18-19	63	31	28	4	0	9.6	7.4	12.5	25.0*	0.0*
20-24	162	54	80	24	4	8.3	7.3	8.2	11.8	12.3*
25-29	122	25	60	22	15	6.2	4.2	5.8	7.8	19.3*
30-34	85	15	34	24	12	5.3	4.8*	3.9	7.7	11.8*
35-39	51	6	19	17	9	8.3	7.2*	6.6*	10.5*	10.8*
40 AND OVER	15	2	4	4	5	15.9*	18.3*	11.2*	15.2*	23.1*

TABLE 26

RESIDENT INFANT DEATHS AND RATES PER 1,000 LIVE BIRTHS BY BIRTH WEIGHT BY RACE OF MOTHER:
MISSOURI 1995

BIRTH WEIGHT (GRAMS)	ALL RACES	NUMBER		ALL RACES	RATES	
		WHITE	BLACK		WHITE	BLACK
ALL WEIGHTS	543	376	144	7.5	6.2	13.1
UNDER 500	103	57	44	895.7	904.8	880.0
500-999	138	89	42	368.0	388.6	311.1
1,000-1,499	33	23	8	71.7	71.0	62.0*
1,500-1,999	37	27	9	34.8	36.6	29.6*
2,000-2,499	47	32	12	13.3	12.6	12.9*
2,500-2,999	58	49	9	4.9	5.5	3.4*
3,000-3,499	65	52	10	2.5	2.4	2.4*
3,500-3,999	37	29	8	1.7	1.5	3.8*
4,000 AND OVER	19	14	2	2.5*	2.0*	3.6*

TOTALS IN TABLES 25 AND 26 DO NOT AGREE WITH THE TOTALS IN TABLES 23 AND 24 BECAUSE TABLES 25 AND 26 INCLUDE ONLY INFANT DEATHS WHICH HAVE BEEN MATCHED WITH THEIR CORRESPONDING BIRTH RECORD.

* RATE UNSTABLE BECAUSE IT IS BASED ON FEWER THAN 20 DEATHS

TABLE 27A

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH; FOR STATE TOTAL BY RACE WITH
RATES PER 100,000 FOR ALL RACES; AND FOR REGIONAL PLANNING COMMISSIONS: MISSOURI 1995

	S T A T E T O T A L					EAST- WEST GATEWAY	MID- AMERICA	SOUTHWEST MISSOURI	MID- MISSOURI
	ALL RACES	CRUDE RATE	AGE-ADJ RATE*	WHITE	BLACK				
ALL CAUSES	54,222	1018.4	520.4	48,483	5,512	17,987	8,913	4,647	2,120
TUBERCULOSIS	23	0.4	0.3	19	4	10	5	4	0
SEPTICEMIA	510	9.6	4.2	417	91	180	102	34	22
AIDS	502	9.4	9.1	338	162	235	127	65	15
SYPHILIS	13	0.2	0.1	11	2	1	1	2	1
RESIDUAL OF INFECT. DIS.	196	3.7	2.6	158	36	64	** 39	16	15
MALIGNANT NEOPLASMS	12,319	231.4	136.4	11,037	1,224	4,225	2,081	1,030	456
DIGESTIVE ORGANS	2,767	52.0	28.7	2,426	323	1,004	454	210	108
RESPIRATORY ORGANS	3,846	72.2	45.6	3,473	357	1,271	694	327	136
BREAST	1,006	18.9	12.3	885	117	383	155	86	32
GENITAL ORGANS	1,364	25.6	12.6	1,186	173	459	234	122	58
URINARY ORGANS	506	9.5	5.0	457	46	158	85	44	20
LEUKEMIA	450	8.5	4.7	416	30	157	69	42	16
OTHER MALIG. NEOPL.	2,380	44.7	27.5	2,194	178	793	390	199	86
DIABETES MELLITUS	1,237	23.2	12.3	1,061	166	411	207	99	74
MAJOR CARDIOVASC. DISEASE	23,468	440.8	185.8	21,362	2,036	7,670	3,476	2,002	869
DISEASES OF HEART	18,335	344.4	148.6	16,696	1,586	6,101	2,690	1,504	673
RHEUMATIC FEVER & RHEUM. HEART DISEASE	106	2.0	1.1	100	6	30	22	11	5
HYPERTENSIVE HEART	592	11.1	5.4	450	139	341	63	44	13
ISCHEMIC HEART	12,831	241.0	104.4	11,772	1,022	4,576	1,807	1,042	452
OTHER HEART DISEASE	4,806	90.3	37.8	4,374	419	1,154	798	407	203
HYPERTENSION	234	4.4	1.8	190	42	70	56	25	9
CEREBROVASCULAR DISEASE	3,937	73.9	28.2	3,561	363	1,225	584	366	148
ATHEROSCLEROSIS	334	6.3	1.8	325	9	65	52	39	17
OTHER MAJOR CARDIOVASC.	628	11.8	5.4	590	36	209	94	68	22
PNEUMONIA & INFLUENZA	2,238	42.0	14.5	2,060	174	785	391	169	59
CHRONIC PULMONARY DISEASE	2,447	46.0	22.7	2,295	145	679	472	228	106
ULCER OF STOMACH	140	2.6	1.1	128	10	50	21	12	5
LIVER DISEASE & CIRRHOSIS	413	7.8	5.7	344	62	142	90	44	14
NEPHRITIS & NEPHROSIS	612	11.5	4.5	532	80	156	123	59	26
COMPLICATIONS OF PREG., CHILDBIRTH & PUERPERIUM	12	0.2	0.3	5	7	6	2	1	0
CONGENITAL ANOMALIES	195	3.7	3.8	166	27	63	37	19	9
DISEASES OF EARLY INFANCY	240	4.5	5.1	153	85	95	52	21	11
SYMPTOMS & ILL-DEF. COND.	282	5.3	3.8	243	37	69	39	28	21
ALL OTHER DISEASES	5,880	110.4	49.2	5,278	581	1,954	1,058	503	290
ACCIDENTAL DEATHS	2,201	41.3	34.9	1,956	222	658	308	229	88
MOTOR VEHICLE	1,102	20.7	20.7	1,005	79	258	152	127	41
OTHER ACC. DEATHS	1,099	20.6	14.2	951	143	400	156	102	47
SUICIDE	726	13.6	12.8	665	53	233	144	57	30
HOMICIDE & LEGAL INTERV	482	9.1	9.9	188	290	274	123	20	4
ALL OTHER EXTERNAL CAUSES	86	1.6	1.5	67	18	27	15	5	5

* 1940 UNITED STATES POPULATION USED AS THE STANDARD BEGINNING IN 1991 INSTEAD OF MISSOURI 1970 POPULATION, WHICH
WAS USED IN 1972 TO 1990 ANNUALS. THEREFORE AGE-ADJUSTED DEATH RATES CANNOT BE COMPARED TO PREVIOUS ANNUAL REPORTS.

TABLE 27A (CONT) RESIDENT DEATHS BY SELECTED CAUSES OF DEATH; FOR STATE TOTAL BY RACE WITH
RATES PER 100,000 FOR ALL RACES; AND FOR REGIONAL PLANNING COMMISSIONS: MISSOURI 1995

	MO-KAN	NORTHWEST MISSOURI	GREEN HILLS	NORTHEAST MISSOURI	MARK TWIN	BOONSLICK	HARRY S TRUMAN	KAYSIN- GER BASIN
ALL CAUSES	1,470	524	1,459	647	1,685	631	1,896	1,414
TUBERCULOSIS	0	0	1	0	0	0	1	1
SEPTICEMIA	12	5	16	3	11	1	17	9
AIDS	5	2	1	0	4	4	10	3
SYPHILIS	0	0	0	0	1	0	1	0
RESIDUAL OF INFECT. DIS.	8	0	3	0	7	8	12	2
MALIGNANT NEOPLASMS	341	98	295	141	337	130	439	316
DIGESTIVE ORGANS	73	22	67	26	74	23	78	81
RESPIRATORY ORGANS	107	24	76	42	85	42	144	95
BREAST	33	5	24	7	19	12	36	26
GENITAL ORGANS	35	17	31	14	42	11	48	41
URINARY ORGANS	15	6	16	8	16	8	25	11
LEUKEMIA	13	5	12	6	10	5	16	4
OTHER MALIG. NEOPL.	65	19	69	38	91	29	92	58
DIABETES MELLITUS	38	11	29	14	46	15	37	33
MAJOR CARDIOVASC. DISEASE	661	269	712	306	770	317	799	676
DISEASES OF HEART	495	188	569	224	596	256	632	521
RHEUMATIC FEVER &								
RHEUM. HEART DISEASE	3	1	3	0	5	3	2	1
HYPERTENSIVE HEART	5	6	7	0	22	5	12	8
ISCHEMIC HEART	331	128	383	122	352	198	489	329
OTHER HEART DISEASE	156	53	176	102	217	50	129	183
HYPERTENSION	11	1	5	1	9	4	4	5
CEREBROVASCULAR DISEASE	126	74	115	51	121	39	133	129
ATHEROSCLEROSIS	15	3	8	13	24	6	8	9
OTHER MAJOR CARDIOVASC.	14	3	15	17	20	12	22	12
PNEUMONIA & INFLUENZA	53	19	62	38	62	15	85	63
CHRONIC PULMONARY DISEASE	88	24	66	23	88	24	97	52
ULCER OF STOMACH	3	2	2	2	5	0	6	3
LIVER DISEASE & CIRRHOSIS	7	2	8	4	8	4	12	4
NEPHRITIS & NEPHROSIS	13	5	22	17	30	7	21	16
COMPLICATIONS OF PREG.,								
CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	0	1
CONGENITAL ANOMALIES	3	0	2	0	11	3	11	5
DISEASES OF EARLY INFANCY	2	0	2	5	4	2	7	3
SYMPTOMS & ILL-DEF. COND.	13	2	4	1	19	1	12	6
ALL OTHER DISEASES	153	53	143	59	198	61	214	147
ACCIDENTAL DEATHS	49	23	59	23	63	39	85	52
MOTOR VEHICLE	22	13	34	11	40	32	41	29
OTHER ACC. DEATHS	27	10	25	12	23	7	44	23
SUICIDE	18	8	27	8	15	8	25	14
HOMICIDE & LEGAL INTERV	3	1	3	1	3	0	5	2
ALL OTHER EXTERNAL CAUSES	0	0	2	2	3	0	0	6

TABLE 27A (CONT) RESIDENT DEATHS BY SELECTED CAUSES OF DEATH; FOR STATE TOTAL BY RACE WITH
RATES PER 100,000 FOR ALL RACES; AND FOR REGIONAL PLANNING COMMISSIONS: MISSOURI 1995

	SHOW-ME	SOUTH CEN. OZARK	MERAMEC	LAKE OF THE OZARKS	SOUTHEAST MISSOURI	BOOTHEEL	OZARK FOOTHILLS
ALL CAUSES	1,415	1,403	1,313	1,445	2,136	2,125	992
TUBERCULOSIS	0	0	0	1	0	0	0
SEPTICEMIA	16	14	10	16	19	18	5
AIDS	8	2	5	5	7	4	0
SYPHILIS	2	1	1	0	1	0	1
RESIDUAL OF INFECT. DIS.	3	2	2	6	5	*	5
MALIGNANT NEOPLASMS	298	332	323	333	472	447	225
DIGESTIVE ORGANS	68	71	78	79	116	90	45
RESPIRATORY ORGANS	93	118	99	117	143	146	87
BREAST	27	30	28	26	36	29	12
GENITAL ORGANS	23	38	27	36	49	57	22
URINARY ORGANS	12	10	16	6	22	18	10
LEUKEMIA	19	9	18	10	14	18	7
OTHER MALIG. NEOPL.	56	56	57	59	92	89	42
DIABETES MELLITUS	22	26	24	29	44	46	32
MAJOR CARDIOVASC. DISEASE	646	646	598	631	971	1,007	442
DISEASES OF HEART	533	501	470	487	748	789	358
RHEUMATIC FEVER &							
RHEUM. HEART DISEASE	2	4	1	2	3	6	2
HYPERTENSIVE HEART	9	8	3	7	18	13	8
ISCHEMIC HEART	320	363	369	300	529	522	219
OTHER HEART DISEASE	202	126	97	178	198	248	129
HYPERTENSION	5	2	7	5	8	4	3
CEREBROVASCULAR DISEASE	90	117	94	105	162	190	68
ATHEROSCLEROSIS	7	7	11	12	28	7	3
OTHER MAJOR CARDIOVASC.	11	19	16	22	25	17	10
PNEUMONIA & INFLUENZA	63	51	41	71	87	71	53
CHRONIC PULMONARY DISEASE	81	67	52	54	105	109	32
ULCER OF STOMACH	5	6	1	4	8	5	0
LIVER DISEASE & CIRRHOSIS	6	4	4	8	15	26	11
NEPHRITIS & NEPHROSIS	14	16	15	17	23	20	12
COMPLICATIONS OF PREG.,							
CHILDBIRTH & PUERPERIUM	0	1	0	0	1	0	0
CONGENITAL ANOMALIES	2	4	5	2	8	8	3
DISEASES OF EARLY INFANCY	4	5	5	6	6	6	4
SYMPTOMS & ILL-DEF. COND.	9	4	20	10	4	16	4
ALL OTHER DISEASES	145	119	111	142	227	214	89
ACCIDENTAL DEATHS	68	77	64	83	94	83	56
MOTOR VEHICLE	33	46	39	53	53	47	31
OTHER ACC. DEATHS	35	31	25	30	41	36	25
SUICIDE	14	20	21	18	33	20	13
HOMICIDE & LEGAL INTERV	7	3	7	8	4	10	4
ALL OTHER EXTERNAL CAUSES	2	3	4	1	2	8	1

TABLE 27B

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 1995

	ADAIR	ANDREW	ATCHISON	AUDRAIN	BARRY	BARTON	BATES	BENTON
ALL CAUSES	214	139	85	288	382	145	202	234
TUBERCULOSIS	0	0	0	0	0	0	0	0
SEPTICEMIA	0	1	0	2	1	1	1	1
AIDS	0	0	0	1	2	0	0	0
SYPHILIS	0	0	0	1	0	0	0	0
RESIDUAL OF INFECT. DIS.	0	0	0	0	2	1	0	1
MALIGNANT NEOPLASMS	44	30	15	54	72	30	56	54
DIGESTIVE ORGANS	9	5	4	11	17	5	14	16
RESPIRATORY ORGANS	14	8	2	15	20	8	17	19
BREAST	2	2	3	0	4	2	7	4
GENITAL ORGANS	5	2	1	8	12	6	8	6
URINARY ORGANS	4	4	2	4	2	1	1	1
LEUKEMIA	3	0	1	2	2	2	1	0
OTHER MALIG. NEOPL.	7	9	2	14	15	6	8	8
DIABETES MELLITUS	5	2	0	8	10	4	8	7
MAJOR CARDIOVASC. DISEASE	103	68	53	125	179	60	95	103
DISEASES OF HEART	79	55	37	89	132	44	69	80
RHEUMATIC FEVER &								
RHEUM. HEART DISEASE	0	0	0	0	1	0	0	0
HYPERTENSIVE HEART	0	0	0	2	4	0	1	2
ISCHEMIC HEART	29	45	34	60	94	39	43	60
OTHER HEART DISEASE	50	10	3	27	33	5	25	18
HYPERTENSION	0	1	1	4	0	0	1	1
CEREBROVASCULAR DISEASE	18	10	15	27	35	14	20	18
ATHEROSCLEROSIS	2	0	0	1	2	0	4	0
OTHER MAJOR CARDIOVASC.	4	2	0	4	10	2	1	4
PNEUMONIA & INFLUENZA	14	5	3	7	10	6	4	10
CHRONIC PULMONARY DISEASE	5	6	0	19	29	7	3	11
ULCER OF STOMACH	1	0	0	0	1	1	0	1
LIVER DISEASE & CIRRHOSIS	1	1	1	2	2	0	0	1
NEPHRITIS & NEPHROSIS	9	0	1	7	9	1	3	1
COMPLICATIONS OF PREG.,								
CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	1	0
CONGENITAL ANOMALIES	0	0	0	3	1	0	0	0
DISEASES OF EARLY INFANCY	2	0	0	2	3	0	0	1
SYMPTOMS & ILL-DEF. COND.	0	0	0	1	4	1	2	0
ALL OTHER DISEASES	18	14	5	41	29	21	23	27
ACCIDENTAL DEATHS	8	7	6	10	22	10	3	13
MOTOR VEHICLE	3	3	2	6	8	3	2	4
OTHER ACC. DEATHS	5	4	4	4	14	7	1	9
SUICIDE	2	5	1	3	4	2	3	1
HOMICIDE & LEGAL INTERV	1	0	0	1	2	0	0	2
ALL OTHER EXTERNAL CAUSES	1	0	0	1	0	0	0	0

TABLE 27B (CONT)

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 1995

	BOLLINGER	BOONE	BUCHANAN	BUTLER	CALDWELL	CALLAWAY	CAMDEN	CAPE GIRARDEAU
ALL CAUSES	143	749	984	518	87	303	332	660
TUBERCULOSIS	0	0	0	0	0	0	0	0
SEPTICEMIA	2	10	8	3	2	7	5	5
AIDS	0	11	4	0	0	1	0	3
SYPHILIS	0	0	0	1	0	0	0	1
RESIDUAL OF INFECT. DIS.	0	7	6	3	0	3	2	2
MALIGNANT NEOPLASMS	41	168	234	120	17	61	72	139
DIGESTIVE ORGANS	12	44	52	18	4	13	20	37
RESPIRATORY ORGANS	16	50	79	52	4	20	22	37
BREAST	3	11	19	9	1	8	6	14
GENITAL ORGANS	2	19	24	10	4	4	6	15
URINARY ORGANS	2	7	8	5	1	1	1	7
LEUKEMIA	1	1	11	2	1	4	1	1
OTHER MALIG. NEOPL.	5	36	41	24	2	11	16	28
DIABETES MELLITUS	3	20	30	20	1	13	6	7
MAJOR CARDIOVASC. DISEASE	64	289	429	233	46	117	154	314
DISEASES OF HEART	46	234	330	183	41	88	119	233
RHEUMATIC FEVER & RHEUM. HEART DISEASE	0	3	3	1	1	0	0	2
HYPERTENSIVE HEART	0	10	5	2	0	2	4	0
ISCHEMIC HEART	40	156	223	115	30	64	55	160
OTHER HEART DISEASE	6	65	99	65	10	22	60	71
HYPERTENSION	0	2	6	3	0	0	1	2
CEREBROVASCULAR DISEASE	17	44	80	40	4	26	27	58
ATHEROSCLEROSIS	1	5	7	3	0	1	1	15
OTHER MAJOR CARDIOVASC.	0	4	6	4	1	2	6	6
PNEUMONIA & INFLUENZA	3	19	31	31	6	8	13	31
CHRONIC PULMONARY DISEASE	10	37	64	11	3	14	9	31
ULCER OF STOMACH	0	2	3	0	0	1	0	4
LIVER DISEASE & CIRRHOSIS	2	5	4	6	0	2	3	5
NEPHRITIS & NEPHROSIS	1	12	8	6	2	5	5	10
COMPLICATIONS OF PREG., CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES	1	1	1	2	0	2	0	1
DISEASES OF EARLY INFANCY	0	9	2	1	0	0	2	2
SYMPTOMS & ILL-DEF. COND.	0	7	12	0	0	3	0	3
ALL OTHER DISEASES	11	113	108	48	3	39	34	62
ACCIDENTAL DEATHS	4	25	30	24	6	19	22	25
MOTOR VEHICLE	1	11	13	12	4	11	14	13
OTHER ACC. DEATHS	3	14	17	12	2	8	8	12
SUICIDE	1	11	8	8	0	7	3	12
HOMICIDE & LEGAL INTERV	0	1	2	0	0	0	2	3
ALL OTHER EXTERNAL CAUSES	0	2	0	1	1	1	0	0

TABLE 27B (CONT)

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 1995

	CARROLL	CARTER	CASS	CEDAR	CHARITON	CHRISTIAN	CLARK	CLAY
ALL CAUSES	173	69	597	196	131	288	90	1,261
TUBERCULOSIS	0	0	0	1	0	0	0	2
SEPTICEMIA	0	0	6	4	1	5	2	9
AIDS	0	0	1	0	0	3	0	9
SYPHILIS	0	0	0	0	0	0	0	0
RESIDUAL OF INFECT. DIS.	1	1	2	0	1	0	0	5
MALIGNANT NEOPLASMS	38	13	147	35	30	59	23	308
DIGESTIVE ORGANS	5	2	27	9	6	9	2	63
RESPIRATORY ORGANS	13	6	58	8	6	20	8	96
BREAST	2	0	11	4	1	5	2	30
GENITAL ORGANS	1	4	16	3	3	8	2	31
URINARY ORGANS	4	0	5	2	2	2	1	9
LEUKEMIA	1	1	7	1	3	1	1	11
OTHER MALIG. NEOPL.	12	0	23	8	9	14	7	68
DIABETES MELLITUS	1	2	10	5	5	11	2	38
MAJOR CARDIOVASC. DISEASE	82	38	237	98	67	120	35	471
DISEASES OF HEART	72	31	174	82	54	101	23	362
RHEUMATIC FEVER &								
RHEUM. HEART DISEASE	0	0	2	0	1	1	0	4
HYPERTENSIVE HEART	2	0	1	2	0	8	0	15
ISCHEMIC HEART	24	20	128	34	32	60	15	247
OTHER HEART DISEASE	46	11	43	46	21	32	8	96
HYPERTENSION	0	0	6	0	0	2	1	7
CEREBROVASCULAR DISEASE	10	5	50	14	9	11	10	77
ATHEROSCLEROSIS	0	0	3	1	1	0	0	7
OTHER MAJOR CARDIOVASC.	0	2	4	1	3	6	1	18
PNEUMONIA & INFLUENZA	10	3	28	18	1	14	5	56
CHRONIC PULMONARY DISEASE	4	1	40	11	8	12	4	68
ULCER OF STOMACH	0	0	1	1	0	1	0	5
LIVER DISEASE & CIRRHOSIS	0	1	4	0	0	3	0	19
NEPHRITIS & NEPHROSIS	5	2	9	0	2	6	2	13
COMPLICATIONS OF PREG.,								
CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES	0	0	3	0	0	3	0	5
DISEASES OF EARLY INFANCY	1	0	6	0	0	1	2	4
SYMPTOMS & ILL-DEF. COND.	0	1	0	0	1	1	0	4
ALL OTHER DISEASES	16	3	65	16	12	24	7	165
ACCIDENTAL DEATHS	7	3	26	6	1	17	6	49
MOTOR VEHICLE	2	3	19	3	0	13	3	25
OTHER ACC. DEATHS	5	0	7	3	1	4	3	24
SUICIDE	7	1	10	1	2	5	2	24
HOMICIDE & LEGAL INTERV	0	0	2	0	0	2	0	3
ALL OTHER EXTERNAL CAUSES	1	0	0	0	0	1	0	4

TABLE 27B (CONT)

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 1995

	CLINTON	COLE	COOPER	CRAWFORD	DADE	DALLAS	DAVIESS	DE KALB
ALL CAUSES	206	539	164	226	122	179	128	141
TUBERCULOSIS	0	0	0	0	0	0	0	0
SEPTICEMIA	1	3	0	0	0	1	1	2
AIDS	1	2	1	1	0	0	0	0
SYPHILIS	0	1	0	0	0	0	0	0
RESIDUAL OF INFECT. DIS.	1	2	1	0	0	0	0	1
MALIGNANT NEOPLASMS	42	122	39	56	24	42	24	35
DIGESTIVE ORGANS	6	30	8	19	4	6	5	10
RESPIRATORY ORGANS	11	36	11	17	6	12	8	9
BREAST	7	7	3	6	3	5	0	5
GENITAL ORGANS	5	19	7	2	3	5	1	4
URINARY ORGANS	1	4	2	2	0	3	0	2
LEUKEMIA	1	3	3	0	1	1	1	1
OTHER MALIG. NEOPL.	11	23	5	10	7	10	9	4
DIABETES MELLITUS	5	21	2	1	6	6	2	1
MAJOR CARDIOVASC. DISEASE	97	224	77	113	53	61	69	67
DISEASES OF HEART	62	167	60	94	40	41	58	48
RHEUMATIC FEVER & RHEUM. HEART DISEASE	0	1	0	0	0	1	0	0
HYPERTENSIVE HEART	0	0	0	1	5	1	0	0
ISCHEMIC HEART	36	114	44	84	24	27	36	27
OTHER HEART DISEASE	26	52	16	9	11	12	22	21
HYPERTENSION	4	5	0	0	4	2	0	0
CEREBROVASCULAR DISEASE	22	37	14	12	8	9	11	14
ATHEROSCLEROSIS	7	6	1	1	1	6	0	1
OTHER MAJOR CARDIOVASC.	2	9	2	6	0	3	0	4
PNEUMONIA & INFLUENZA	11	19	4	9	7	7	7	6
CHRONIC PULMONARY DISEASE	11	31	1	6	5	13	5	7
ULCER OF STOMACH	0	0	2	0	0	0	0	0
LIVER DISEASE & CIRRHOSIS	2	5	1	0	0	2	0	0
NEPHRITIS & NEPHROSIS	2	2	3	4	1	6	2	3
COMPLICATIONS OF PREG., CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES	0	5	0	1	2	2	0	2
DISEASES OF EARLY INFANCY	0	0	1	1	0	2	0	0
SYMPTOMS & ILL-DEF. COND.	0	8	0	0	0	1	1	1
ALL OTHER DISEASES	20	70	22	18	14	23	11	11
ACCIDENTAL DEATHS	9	18	8	10	7	10	4	3
MOTOR VEHICLE	4	10	4	8	4	8	2	2
OTHER ACC. DEATHS	5	8	4	2	3	2	2	1
SUICIDE	4	6	1	6	2	3	2	1
HOMICIDE & LEGAL INTERV	0	0	1	0	1	0	0	1
ALL OTHER EXTERNAL CAUSES	0	0	0	0	0	0	0	0

TABLE 27B (CONT)

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 1995

	DENT	DOUGLAS	DUNKLIN	FRANKLIN	GASCONADE	GENTRY	GREENE	GRUNDY
ALL CAUSES	190	131	490	825	221	119	2,155	163
TUBERCULOSIS	0	0	0	1	0	0	4	1
SEPTICEMIA	0	0	6	2	3	1	16	2
AIDS	0	0	1	4	0	1	58	1
SYPHILIS	0	1	0	0	0	0	1	0
RESIDUAL OF INFECT. DIS.	1	1	2	2	0	0	8	1
MALIGNANT NEOPLASMS	40	37	118	181	57	15	468	26
DIGESTIVE ORGANS	17	7	14	45	10	5	91	6
RESPIRATORY ORGANS	13	13	35	53	12	3	155	5
BREAST	2	2	13	20	7	0	39	4
GENITAL ORGANS	1	4	16	20	9	6	49	4
URINARY ORGANS	0	1	7	7	4	0	20	0
LEUKEMIA	1	1	7	7	2	0	23	1
OTHER MALIG. NEOPL.	6	9	26	29	13	1	91	6
DIABETES MELLITUS	4	3	12	20	7	7	37	3
MAJOR CARDIOVASC. DISEASE	103	42	226	366	101	62	925	88
DISEASES OF HEART	84	32	180	299	76	44	688	62
RHEUMATIC FEVER & RHEUM. HEART DISEASE	0	0	3	0	0	0	5	0
HYPERTENSIVE HEART	0	1	2	9	2	1	13	0
ISCHEMIC HEART	56	14	114	207	61	26	500	48
OTHER HEART DISEASE	28	17	61	83	13	17	170	14
HYPERTENSION	2	0	0	2	0	0	8	4
CEREBROVASCULAR DISEASE	12	10	42	55	21	17	188	19
ATHEROSCLEROSIS	4	0	1	1	3	1	9	1
OTHER MAJOR CARDIOVASC.	1	0	3	9	1	0	32	2
PNEUMONIA & INFLUENZA	4	4	12	48	9	3	68	9
CHRONIC PULMONARY DISEASE	13	6	20	22	3	13	105	8
ULCER OF STOMACH	0	0	0	2	1	0	4	0
LIVER DISEASE & CIRRHOSIS	0	1	2	5	0	0	24	1
NEPHRITIS & NEPHROSIS	1	4	5	11	2	3	19	1
COMPLICATIONS OF PREG., CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	1	0
CONGENITAL ANOMALIES	0	1	2	2	1	0	7	0
DISEASES OF EARLY INFANCY	0	0	1	6	1	0	9	1
SYMPTOMS & ILL-DEF. COND.	0	0	6	0	1	0	7	0
ALL OTHER DISEASES	12	18	56	92	23	9	255	13
ACCIDENTAL DEATHS	8	9	15	40	7	5	96	5
MOTOR VEHICLE	5	4	6	23	4	3	55	0
OTHER ACC. DEATHS	3	5	9	17	3	2	41	5
SUICIDE	3	3	3	15	4	0	27	1
HOMICIDE & LEGAL INTERV	0	1	3	6	1	0	13	2
ALL OTHER EXTERNAL CAUSES	1	0	0	0	0	0	3	0

TABLE 27B (CONT)

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 1995

	HARRISON	HENRY	HICKORY	HOLT	HOWARD	HOWELL	IRON	JACKSON
ALL CAUSES	136	288	137	82	121	449	185	6,446
TUBERCULOSIS	0	0	0	0	0	0	0	3
SEPTICEMIA	1	0	2	1	1	4	2	80
AIDS	0	1	0	0	0	2	1	114
SYPHILIS	0	0	0	0	0	0	0	1
RESIDUAL OF INFECT. DIS.	0	0	0	0	1	0	0	27
MALIGNANT NEOPLASMS	33	49	38	18	25	110	38	1,467
DIGESTIVE ORGANS	13	17	6	4	5	27	10	338
RESPIRATORY ORGANS	7	12	17	6	10	37	15	480
BREAST	2	4	2	0	0	13	3	103
GENITAL ORGANS	3	8	2	3	3	10	3	167
URINARY ORGANS	0	3	3	1	1	2	0	65
LEUKEMIA	1	0	1	2	1	4	1	45
OTHER MALIG. NEOPL.	7	5	7	2	5	17	6	269
DIABETES MELLITUS	1	7	5	0	5	6	4	141
MAJOR CARDIOVASC. DISEASE	67	162	55	37	46	219	91	2,562
DISEASES OF HEART	60	115	42	28	33	163	72	1,988
RHEUMATIC FEVER &								
RHEUM. HEART DISEASE	0	0	1	0	0	2	0	14
HYPERTENSIVE HEART	0	2	0	3	0	1	3	44
ISCHEMIC HEART	49	82	29	15	23	133	53	1,328
OTHER HEART DISEASE	11	31	12	10	10	27	16	602
HYPERTENSION	0	1	1	0	0	0	1	43
CEREBROVASCULAR DISEASE	4	41	11	9	10	48	13	424
ATHEROSCLEROSIS	0	2	1	0	2	4	3	38
OTHER MAJOR CARDIOVASC.	3	3	0	0	1	4	2	69
PNEUMONIA & INFLUENZA	2	10	5	3	1	18	13	279
CHRONIC PULMONARY DISEASE	9	8	4	4	11	17	9	333
ULCER OF STOMACH	0	0	0	0	0	1	0	15
LIVER DISEASE & CIRRHOSIS	3	1	1	0	0	1	2	63
NEPHRITIS & NEPHROSIS	2	5	0	0	1	6	3	93
COMPLICATIONS OF PREG.,								
CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	0	2
CONGENITAL ANOMALIES	1	1	0	0	0	1	0	28
DISEASES OF EARLY INFANCY	0	0	0	0	0	1	0	42
SYMPTOMS & ILL-DEF. COND.	0	1	0	2	2	0	0	33
ALL OTHER DISEASES	8	33	16	11	19	38	15	736
ACCIDENTAL DEATHS	7	6	7	5	5	19	7	213
MOTOR VEHICLE	6	4	6	5	1	13	4	92
OTHER ACC. DEATHS	1	2	1	0	4	6	3	121
SUICIDE	1	3	2	1	2	5	0	91
HOMICIDE & LEGAL INTERV	1	0	0	0	2	0	0	114
ALL OTHER EXTERNAL CAUSES	0	1	2	0	0	1	0	9

TABLE 27B (CONT)

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 1995

	JASPER	JEFFERSON	JOHNSON	KNOX	LACLEDE	LAFAYETTE	LAWRENCE	LEWIS
ALL CAUSES	1,097	1,456	273	66	317	409	390	121
TUBERCULOSIS	1	1	0	0	0	0	0	0
SEPTICEMIA	8	8	2	0	6	6	2	0
AIDS	8	6	3	0	1	4	0	0
SYPHILIS	1	0	0	0	0	0	0	0
RESIDUAL OF INFECT. DIS.	8	3	0	0	1	2	1	0
MALIGNANT NEOPLASMS	248	353	53	14	75	80	91	34
DIGESTIVE ORGANS	42	77	6	2	16	12	18	5
RESPIRATORY ORGANS	83	120	16	4	28	31	29	10
BREAST	26	32	6	1	7	10	7	2
GENITAL ORGANS	20	32	5	0	7	9	12	4
URINARY ORGANS	13	14	2	0	3	2	4	2
LEUKEMIA	10	13	3	0	5	6	2	2
OTHER MALIG. NEOPL.	54	65	15	7	9	10	19	9
DIABETES MELLITUS	24	31	8	1	9	10	10	4
MAJOR CARDIOVASC. DISEASE	487	589	143	29	140	187	158	60
DISEASES OF HEART	378	489	130	23	117	165	118	50
RHEUMATIC FEVER & RHEUM. HEART DISEASE	1	3	0	0	0	0	0	0
HYPERTENSIVE HEART	10	14	2	0	1	2	4	0
ISCHEMIC HEART	301	374	98	10	68	85	76	26
OTHER HEART DISEASE	66	98	30	13	48	78	38	24
HYPERTENSION	4	4	0	0	0	0	1	0
CEREBROVASCULAR DISEASE	84	77	11	4	19	18	35	6
ATHEROSCLEROSIS	6	4	1	0	1	2	2	1
OTHER MAJOR CARDIOVASC.	15	15	1	2	3	2	2	3
PNEUMONIA & INFLUENZA	44	70	5	5	15	17	19	4
CHRONIC PULMONARY DISEASE	53	69	11	3	10	28	21	3
ULCER OF STOMACH	4	4	2	1	0	1	2	0
LIVER DISEASE & CIRRHOSIS	5	14	2	0	1	2	5	0
NEPHRITIS & NEPHROSIS	13	7	3	3	3	2	4	3
COMPLICATIONS OF PREG., CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES	6	7	0	0	0	1	1	0
DISEASES OF EARLY INFANCY	5	3	1	0	0	2	3	1
SYMPTOMS & ILL-DEF. COND.	5	8	1	0	3	4	8	0
ALL OTHER DISEASES	122	161	22	7	28	39	40	8
ACCIDENTAL DEATHS	39	89	12	3	17	17	22	2
MOTOR VEHICLE	13	52	7	2	8	9	14	1
OTHER ACC. DEATHS	26	37	5	1	9	8	8	1
SUICIDE	14	28	3	0	7	4	3	2
HOMICIDE & LEGAL INTERV	2	4	1	0	1	3	0	0
ALL OTHER EXTERNAL CAUSES	0	1	1	0	0	0	0	0

TABLE 27B (CONT)

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 1995

	LINCOLN	LINN	LIVINGSTON	MC DONALD	MACON	MADISON	MARIES	MARION
ALL CAUSES	294	192	210	187	225	174	87	353
TUBERCULOSIS	0	0	0	0	0	0	0	0
SEPTICEMIA	0	3	4	1	0	1	2	2
AIDS	2	0	0	1	1	0	1	0
SYPHILIS	0	0	0	0	0	0	0	0
RESIDUAL OF INFECT. DIS.	0	0	0	2	0	0	0	2
MALIGNANT NEOPLASMS	60	40	34	43	38	39	24	72
DIGESTIVE ORGANS	13	9	8	8	10	12	4	17
RESPIRATORY ORGANS	20	11	8	12	8	12	9	21
BREAST	6	6	6	1	3	3	4	4
GENITAL ORGANS	4	3	4	8	6	6	2	8
URINARY ORGANS	4	2	2	2	2	1	0	4
LEUKEMIA	2	1	0	1	1	1	1	3
OTHER MALIG. NEOPL.	11	8	6	11	8	4	4	15
DIABETES MELLITUS	5	6	5	2	4	8	3	10
MAJOR CARDIOVASC. DISEASE	158	93	100	73	112	72	33	159
DISEASES OF HEART	133	67	77	59	87	63	21	130
RHEUMATIC FEVER &								
RHEUM. HEART DISEASE	2	1	0	1	2	1	1	2
HYPERTENSIVE HEART	1	3	0	1	1	4	0	6
ISCHEMIC HEART	110	47	67	47	66	48	13	65
OTHER HEART DISEASE	20	16	10	10	18	10	7	57
HYPERTENSION	1	0	0	0	2	0	0	0
CEREBROVASCULAR DISEASE	14	23	21	12	18	8	10	22
ATHEROSCLEROSIS	3	2	0	1	2	0	0	3
OTHER MAJOR CARDIOVASC.	7	1	2	1	3	1	2	4
PNEUMONIA & INFLUENZA	5	5	10	11	10	4	3	16
CHRONIC PULMONARY DISEASE	13	4	10	11	12	9	2	13
ULCER OF STOMACH	0	1	1	0	2	1	0	1
LIVER DISEASE & CIRRHOSIS	3	1	3	4	1	0	0	2
NEPHRITIS & NEPHROSIS	1	3	3	2	5	1	1	10
COMPLICATIONS OF PREG.,								
CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES	3	0	0	1	2	1	1	2
DISEASES OF EARLY INFANCY	2	0	0	0	0	0	0	1
SYMPTOMS & ILL-DEF. COND.	0	0	0	3	0	0	3	4
ALL OTHER DISEASES	21	22	32	16	26	26	6	46
ACCIDENTAL DEATHS	18	8	8	11	10	11	4	10
MOTOR VEHICLE	15	6	3	7	6	2	2	3
OTHER ACC. DEATHS	3	2	5	4	4	9	2	7
SUICIDE	3	6	0	4	2	1	4	2
HOMICIDE & LEGAL INTERV	0	0	0	2	0	0	0	0
ALL OTHER EXTERNAL CAUSES	0	0	0	0	0	0	0	1

TABLE 27B (CONT)

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 1995

	MERCER	MILLER	MISSISS- SIPPI	MONITEAU	MONROE	MONTGOMERY	MORGAN	NEW MADRID
ALL CAUSES	51	287	208	133	114	145	238	266
TUBERCULOSIS	0	0	0	0	0	0	0	0
SEPTICEMIA	0	2	1	0	1	1	1	1
AIDS	0	2	0	0	0	0	1	0
SYPHILIS	0	0	0	0	0	0	0	0
RESIDUAL OF INFECT. DIS.	0	1	1	0	0	0	2	0
MALIGNANT NEOPLASMS	10	67	43	21	28	22	48	56
DIGESTIVE ORGANS	3	19	10	6	9	4	12	14
RESPIRATORY ORGANS	1	16	12	5	5	8	21	16
BREAST	0	5	4	2	1	3	2	2
GENITAL ORGANS	1	11	9	2	3	1	4	7
URINARY ORGANS	0	0	1	4	2	2	0	2
LEUKEMIA	1	2	2	2	1	1	1	2
OTHER MALIG. NEOPL.	4	14	5	0	7	3	8	13
DIABETES MELLITUS	0	2	5	7	3	5	6	1
MAJOR CARDIOVASC. DISEASE	18	141	106	67	49	72	108	126
DISEASES OF HEART	16	101	85	52	39	51	83	96
RHEUMATIC FEVER & RHEUM. HEART DISEASE	0	1	0	1	0	1	1	0
HYPERTENSIVE HEART	1	1	1	0	1	2	0	0
ISCHEMIC HEART	11	67	56	25	28	32	60	73
OTHER HEART DISEASE	4	32	28	26	10	16	22	23
HYPERTENSION	0	1	0	0	0	1	2	0
CEREBROVASCULAR DISEASE	1	28	19	11	8	13	18	23
ATHEROSCLEROSIS	0	5	0	1	0	3	2	3
OTHER MAJOR CARDIOVASC.	1	6	2	3	2	4	3	4
PNEUMONIA & INFLUENZA	4	11	5	3	9	4	18	11
CHRONIC PULMONARY DISEASE	4	8	6	8	8	4	12	18
ULCER OF STOMACH	0	1	0	0	0	0	3	0
LIVER DISEASE & CIRRHOSIS	0	0	4	1	0	1	3	2
NEPHRITIS & NEPHROSIS	0	3	2	2	3	1	2	3
COMPLICATIONS OF PREG., CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES	1	0	1	1	1	0	2	3
DISEASES OF EARLY INFANCY	0	2	0	1	0	0	1	1
SYMPTOMS & ILL-DEF. COND.	1	1	0	1	0	1	3	1
ALL OTHER DISEASES	6	22	18	15	8	21	16	20
ACCIDENTAL DEATHS	2	21	9	5	4	10	8	18
MOTOR VEHICLE	2	14	8	2	3	8	4	10
OTHER ACC. DEATHS	0	7	1	3	1	2	4	8
SUICIDE	5	2	1	1	0	3	1	4
HOMICIDE & LEGAL INTERV	0	1	2	0	0	0	3	1
ALL OTHER EXTERNAL CAUSES	0	0	4	0	0	0	0	0

TABLE 27B (CONT)

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 1995

	NEWTON	NODAWAY	OREGON	OSAGE	OZARK	PEMISCOT	PERRY	PETTIS
ALL CAUSES	467	198	150	111	123	314	196	436
TUBERCULOSIS	0	0	0	0	0	0	0	0
SEPTICEMIA	7	2	3	1	3	2	2	7
AIDS	1	1	0	0	0	0	0	1
SYPHILIS	0	0	0	0	0	0	0	0
RESIDUAL OF INFECT. DIS.	1	0	0	1	0	1	0	0
MALIGNANT NEOPLASMS	118	42	28	20	30	60	45	96
DIGESTIVE ORGANS	23	8	4	2	7	13	7	27
RESPIRATORY ORGANS	41	9	11	4	14	20	12	30
BREAST	7	2	2	1	2	4	2	5
GENITAL ORGANS	14	6	2	4	2	6	9	4
URINARY ORGANS	9	3	0	1	1	2	4	6
LEUKEMIA	3	1	1	2	1	3	2	5
OTHER MALIG. NEOPL.	21	13	8	6	3	12	9	19
DIABETES MELLITUS	7	3	3	6	2	7	5	1
MAJOR CARDIOVASC. DISEASE	179	98	77	49	48	164	94	194
DISEASES OF HEART	151	70	55	39	37	126	72	142
RHEUMATIC FEVER &								
RHEUM. HEART DISEASE	0	1	0	0	0	0	0	2
HYPERTENSIVE HEART	1	2	0	1	0	1	1	3
ISCHEMIC HEART	102	47	33	26	30	88	45	85
OTHER HEART DISEASE	48	20	22	12	7	37	26	52
HYPERTENSION	0	0	0	2	1	1	4	3
CEREBROVASCULAR DISEASE	23	25	17	6	7	33	15	39
ATHEROSCLEROSIS	1	0	1	1	0	3	1	4
OTHER MAJOR CARDIOVASC.	4	3	4	1	3	1	2	6
PNEUMONIA & INFLUENZA	24	9	7	5	12	11	4	24
CHRONIC PULMONARY DISEASE	26	6	4	4	4	8	7	24
ULCER OF STOMACH	1	2	3	0	0	1	1	2
LIVER DISEASE & CIRRHOSIS	3	1	1	0	1	7	2	2
NEPHRITIS & NEPHROSIS	5	1	0	1	2	2	2	7
COMPLICATIONS OF PREG.,								
CHILDBIRTH & PUERPERIUM	0	0	0	0	1	0	1	0
CONGENITAL ANOMALIES	4	0	1	0	0	0	1	1
DISEASES OF EARLY INFANCY	2	0	0	0	0	3	0	0
SYMPTOMS & ILL-DEF. COND.	3	0	1	0	2	6	0	3
ALL OTHER DISEASES	55	20	13	12	11	26	22	45
ACCIDENTAL DEATHS	25	6	5	8	7	9	9	21
MOTOR VEHICLE	18	2	4	2	4	5	6	12
OTHER ACC. DEATHS	7	4	1	6	3	4	3	9
SUICIDE	5	6	4	2	0	3	1	4
HOMICIDE & LEGAL INTERV	1	1	0	0	0	3	0	3
ALL OTHER EXTERNAL CAUSES	0	0	0	2	0	1	0	1

TABLE 27B (CONT)

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 1995

	PHELPS	PIKE	PLATTE	POLK	PULASKI	PUTNAM	RALLS	RANDOLPH
ALL CAUSES	386	215	371	263	271	86	95	301
TUBERCULOSIS	0	0	0	0	1	0	0	0
SEPTICEMIA	3	1	4	1	2	2	0	4
AIDS	2	1	3	0	1	0	0	1
SYPHILIS	1	0	0	0	0	0	0	0
RESIDUAL OF INFECT. DIS.	0	2	2	2	0	0	1	2
MALIGNANT NEOPLASMS	111	44	97	60	71	19	20	62
DIGESTIVE ORGANS	20	9	16	13	12	2	6	9
RESPIRATORY ORGANS	38	12	35	24	30	7	7	13
BREAST	7	4	10	5	6	1	3	4
GENITAL ORGANS	10	7	11	6	8	4	0	8
URINARY ORGANS	7	1	4	4	2	2	0	2
LEUKEMIA	10	0	4	1	1	2	0	3
OTHER MALIG. NEOPL.	19	11	17	7	12	1	4	23
DIABETES MELLITUS	4	9	11	5	6	2	1	8
MAJOR CARDIOVASC. DISEASE	150	94	109	123	88	37	45	139
DISEASES OF HEART	115	62	86	82	67	30	39	112
RHEUMATIC FEVER &								
RHEUM. HEART DISEASE	0	0	1	2	0	0	0	1
HYPERTENSIVE HEART	0	2	3	3	1	0	0	2
ISCHEMIC HEART	84	38	60	46	50	21	13	58
OTHER HEART DISEASE	31	22	22	31	16	9	26	51
HYPERTENSION	2	1	0	4	1	0	0	2
CEREBROVASCULAR DISEASE	28	19	16	17	13	3	4	16
ATHEROSCLEROSIS	1	11	4	16	3	4	0	7
OTHER MAJOR CARDIOVASC.	4	1	3	4	4	0	2	2
PNEUMONIA & INFLUENZA	9	8	18	7	14	5	4	7
CHRONIC PULMONARY DISEASE	22	13	20	8	15	9	5	14
ULCER OF STOMACH	0	0	0	4	0	0	0	2
LIVER DISEASE & CIRRHOSIS	4	1	3	0	1	0	0	2
NEPHRITIS & NEPHROSIS	6	2	8	2	4	1	1	1
COMPLICATIONS OF PREG.,								
CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES	1	1	1	0	0	0	0	2
DISEASES OF EARLY INFANCY	2	1	0	1	1	0	0	0
SYMPTOMS & ILL-DEF. COND.	16	5	1	3	3	1	1	8
ALL OTHER DISEASES	33	23	60	29	42	5	11	32
ACCIDENTAL DEATHS	19	6	17	14	15	4	6	10
MOTOR VEHICLE	9	4	14	5	13	3	5	9
OTHER ACC. DEATHS	10	2	3	9	2	1	1	1
SUICIDE	1	3	11	3	5	1	0	5
HOMICIDE & LEGAL INTERV	0	1	4	1	1	0	0	1
ALL OTHER EXTERNAL CAUSES	2	0	2	0	1	0	0	1

TABLE 27B (CONT)

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 1995

	RAY	REYNOLDS	RIPLEY	ST CHARLES	ST CLAIR	ST FRANCOIS	STE GENEVIEVE	ST LOUIS CITY
ALL CAUSES	238	73	170	1,367	126	632	146	5,033
TUBERCULOSIS	0	0	0	2	0	0	0	2
SEPTICEMIA	3	0	1	6	1	4	3	65
AIDS	0	0	0	16	1	2	1	129
SYPHILIS	0	0	0	0	0	0	0	0
RESIDUAL OF INFECT. DIS.	3	0	0	7	1	3	0	23
MALIGNANT NEOPLASMS	62	12	39	338	26	135	35	1,060
DIGESTIVE ORGANS	10	5	11	87	7	31	7	250
RESPIRATORY ORGANS	25	3	17	93	4	42	9	319
BREAST	1	1	0	28	3	9	2	98
GENITAL ORGANS	9	1	2	41	4	10	4	131
URINARY ORGANS	2	0	1	15	1	4	4	35
LEUKEMIA	2	0	0	18	1	7	1	35
OTHER MALIG. NEOPL.	13	2	8	56	6	32	8	192
DIABETES MELLITUS	7	2	5	25	0	14	3	127
MAJOR CARDIOVASC. DISEASE	97	29	69	563	59	271	65	2,085
DISEASES OF HEART	80	25	59	451	49	211	51	1,664
RHEUMATIC FEVER & RHEUM. HEART DISEASE	1	0	0	2	0	0	0	3
HYPERTENSIVE HEART	0	0	2	19	1	10	0	151
ISCHEMIC HEART	44	19	34	370	31	151	32	1,132
OTHER HEART DISEASE	35	6	23	60	17	50	19	378
HYPERTENSION	0	0	0	9	0	1	0	17
CEREBROVASCULAR DISEASE	17	3	9	76	8	39	12	329
ATHEROSCLEROSIS	0	0	0	7	1	8	0	13
OTHER MAJOR CARDIOVASC.	0	1	1	20	1	12	2	62
PNEUMONIA & INFLUENZA	10	4	10	64	7	25	7	193
CHRONIC PULMONARY DISEASE	11	3	9	52	2	34	5	191
ULCER OF STOMACH	0	0	0	4	0	2	0	10
LIVER DISEASE & CIRRHOSIS	1	1	1	11	1	2	2	53
NEPHRITIS & NEPHROSIS	0	2	1	7	3	4	2	45
COMPLICATIONS OF PREG., CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	0	4
CONGENITAL ANOMALIES	0	0	1	8	1	4	0	20
DISEASES OF EARLY INFANCY	0	0	1	5	2	3	1	34
SYMPTOMS & ILL-DEF. COND.	1	0	3	10	0	1	0	21
ALL OTHER DISEASES	32	10	15	141	11	77	14	534
ACCIDENTAL DEATHS	3	10	10	68	8	30	8	184
MOTOR VEHICLE	2	7	4	38	6	21	6	46
OTHER ACC. DEATHS	1	3	6	30	2	9	2	138
SUICIDE	8	0	2	29	1	18	0	55
HOMICIDE & LEGAL INTERV	0	0	3	9	0	1	0	187
ALL OTHER EXTERNAL CAUSES	0	0	0	2	2	2	0	11

TABLE 27B (CONT)

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 1995

	ST LOUIS COUNTY	SALINE	SCHUYLER	SCOTLAND	SCOTT	SHANNON	SHELBY	STODDARD
ALL CAUSES	9,306	297	72	84	401	91	94	446
TUBERCULOSIS	4	0	0	0	0	0	0	0
SEPTICEMIA	99	1	0	1	3	0	1	5
AIDS	80	0	0	0	1	0	0	2
SYPHILIS	1	2	0	0	0	0	0	0
RESIDUAL OF INFECT. DIS.	29	1	0	0	1	0	0	2
MALIGNANT NEOPLASMS	2,293	69	11	15	77	23	19	93
DIGESTIVE ORGANS	545	23	5	3	23	2	3	16
RESPIRATORY ORGANS	686	16	2	4	31	8	4	32
BREAST	205	6	0	0	2	3	0	4
GENITAL ORGANS	235	5	1	2	10	5	2	9
URINARY ORGANS	87	2	0	1	1	0	1	5
LEUKEMIA	84	5	0	0	3	0	0	1
OTHER MALIG. NEOPL.	451	12	3	5	7	5	9	26
DIABETES MELLITUS	208	3	1	1	13	1	3	8
MAJOR CARDIOVASC. DISEASE	4,067	122	38	41	175	40	47	210
DISEASES OF HEART	3,198	96	22	27	143	33	38	159
RHEUMATIC FEVER & RHEUM. HEART DISEASE	22	0	0	0	1	0	0	2
HYPERTENSIVE HEART	148	2	0	0	5	0	8	4
ISCHEMIC HEART	2,493	52	18	24	96	23	24	95
OTHER HEART DISEASE	535	42	4	3	41	10	6	58
HYPERTENSION	38	2	0	0	1	0	0	2
CEREBROVASCULAR DISEASE	688	22	3	10	29	6	7	44
ATHEROSCLEROSIS	40	0	9	1	0	0	0	0
OTHER MAJOR CARDIOVASC.	103	2	4	3	2	1	2	5
PNEUMONIA & INFLUENZA	410	17	8	2	23	2	1	9
CHRONIC PULMONARY DISEASE	345	18	2	6	17	6	4	40
ULCER OF STOMACH	30	0	0	0	3	0	0	1
LIVER DISEASE & CIRRHOSIS	59	0	2	1	6	0	0	5
NEPHRITIS & NEPHROSIS	86	2	0	0	6	3	1	2
COMPLICATIONS OF PREG., CHILDBIRTH & PUERPERIUM	2	0	0	0	0	0	0	0
CONGENITAL ANOMALIES	26	0	0	0	0	1	0	2
DISEASES OF EARLY INFANCY	47	1	0	0	1	0	0	0
SYMPTOMS & ILL-DEF. COND.	30	1	0	1	0	0	0	3
ALL OTHER DISEASES	1,026	39	10	9	48	6	11	46
ACCIDENTAL DEATHS	277	18	0	4	21	6	7	11
MOTOR VEHICLE	99	5	0	2	12	5	4	6
OTHER ACC. DEATHS	178	13	0	2	9	1	3	5
SUICIDE	106	3	0	2	5	1	0	4
HOMICIDE & LEGAL INTERV	68	0	0	0	0	1	0	1
ALL OTHER EXTERNAL CAUSES	13	0	0	1	1	1	0	2

TABLE 27B (CONT)

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 1995

	STONE	SULLIVAN	TANEY	TEXAS	VERNON	WARREN	WASHINGTON	WAYNE
ALL CAUSES	243	102	383	245	231	192	203	162
TUBERCULOSIS	0	0	0	0	0	0	0	0
SEPTICEMIA	3	0	4	3	0	0	2	1
AIDS	0	0	2	0	1	2	1	0
SYPHILIS	0	0	0	0	0	0	0	0
RESIDUAL OF INFECT. DIS.	1	0	1	1	0	0	1	1
MALIGNANT NEOPLASMS	70	24	85	53	58	48	35	41
DIGESTIVE ORGANS	17	6	18	13	12	6	8	9
RESPIRATORY ORGANS	16	6	28	16	18	14	10	9
BREAST	8	1	6	3	2	3	2	2
GENITAL ORGANS	8	3	14	9	10	6	3	5
URINARY ORGANS	4	3	3	2	0	2	3	4
LEUKEMIA	4	0	3	0	0	2	4	4
OTHER MALIG. NEOPL.	13	5	13	10	16	15	5	8
DIABETES MELLITUS	4	3	6	6	1	5	5	3
MAJOR CARDIOVASC. DISEASE	100	45	178	127	104	87	98	73
DISEASES OF HEART	78	32	147	105	84	72	80	60
RHEUMATIC FEVER &								
RHEUM. HEART DISEASE	1	0	0	1	0	0	0	1
HYPERTENSIVE HEART	1	1	3	3	0	2	0	4
ISCHEMIC HEART	53	18	111	81	50	56	71	31
OTHER HEART DISEASE	23	13	33	20	34	14	9	24
HYPERTENSION	1	1	1	1	1	2	3	0
CEREBROVASCULAR DISEASE	17	10	25	14	17	12	11	11
ATHEROSCLEROSIS	1	0	2	2	0	0	2	0
OTHER MAJOR CARDIOVASC.	3	2	3	5	2	1	2	2
PNEUMONIA & INFLUENZA	8	3	20	1	9	6	7	5
CHRONIC PULMONARY DISEASE	10	2	14	5	13	7	6	8
ULCER OF STOMACH	0	0	0	1	1	0	0	0
LIVER DISEASE & CIRRHOSIS	1	0	4	0	0	0	0	2
NEPHRITIS & NEPHROSIS	4	1	2	0	4	5	1	1
COMPLICATIONS OF PREG.,								
CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES	0	0	2	0	3	0	1	0
DISEASES OF EARLY INFANCY	1	0	1	1	0	0	1	2
SYMPTOMS & ILL-DEF. COND.	3	0	1	1	3	0	0	0
ALL OTHER DISEASES	23	15	39	23	21	19	19	13
ACCIDENTAL DEATHS	11	7	19	20	9	11	16	9
MOTOR VEHICLE	4	6	10	12	4	9	11	5
OTHER ACC. DEATHS	7	1	9	8	5	2	5	4
SUICIDE	3	2	4	2	3	2	3	2
HOMICIDE & LEGAL INTERV	1	0	0	0	0	0	6	1
ALL OTHER EXTERNAL CAUSES	0	0	1	1	1	0	1	0

TABLE 27B (CONT)

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH BY COUNTY: MISSOURI 1995

	WEBSTER	WORTH	WRIGHT
ALL CAUSES	242	40	214
TUBERCULOSIS	0	0	0
SEPTICEMIA	1	1	1
AIDS	0	0	0
SYPHILIS	1	0	0
RESIDUAL OF INFECT. DIS.	1	0	0
MALIGNANT NEOPLASMS	59	8	51
DIGESTIVE ORGANS	17	1	11
RESPIRATORY ORGANS	17	4	19
BREAST	4	0	5
GENITAL ORGANS	5	1	6
URINARY ORGANS	2	0	4
LEUKEMIA	4	1	2
OTHER MALIG. NEOPL.	10	1	4
DIABETES MELLITUS	4	1	5
MAJOR CARDIOVASC. DISEASE	105	19	93
DISEASES OF HEART	77	9	76
RHEUMATIC FEVER &			
RHEUM. HEART DISEASE	0	0	1
HYPERTENSIVE HEART	2	0	3
ISCHEMIC HEART	51	6	49
OTHER HEART DISEASE	24	3	23
HYPERTENSION	2	0	0
CEREBROVASCULAR DISEASE	21	8	15
ATHEROSCLEROSIS	0	2	0
OTHER MAJOR CARDIOVASC.	5	0	2
PNEUMONIA & INFLUENZA	9	1	7
CHRONIC PULMONARY DISEASE	11	1	25
ULCER OF STOMACH	0	0	1
LIVER DISEASE & CIRRHOSIS	3	0	0
NEPHRITIS & NEPHROSIS	6	0	1
COMPLICATIONS OF PREG.,			
CHILDBIRTH & PUERPERIUM	0	0	0
CONGENITAL ANOMALIES	1	0	0
DISEASES OF EARLY INFANCY	0	0	3
SYMPTOMS & ILL-DEF. COND.	0	0	0
ALL OTHER DISEASES	27	8	10
ACCIDENTAL DEATHS	11	1	11
MOTOR VEHICLE	6	1	4
OTHER ACC. DEATHS	5	0	7
SUICIDE	3	0	5
HOMICIDE & LEGAL INTERV	0	0	1
ALL OTHER EXTERNAL CAUSES	0	0	0

TABLE 27C

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH
BY CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 1995

	BLUE SPRINGS	CAPE GIRARDEAU	COLUMBIA	FLORISSANT	GLADSTONE	INDE- PENDENCE	JEFFERSON CITY	JOPLIN
ALL CAUSES	274	412	496	462	207	1,075	426	548
TUBERCULOSIS	0	0	0	0	1	0	0	0
SEPTICEMIA	3	2	7	7	1	10	2	3
AIDS	1	3	7	3	0	3	1	1
SYPHILIS	0	1	0	0	0	0	1	1
RESIDUAL OF INFECT. DIS.	0	2	7	2	0	3	1	3
MALIGNANT NEOPLASMS	65	82	102	113	54	251	94	113
DIGESTIVE ORGANS	14	22	28	18	11	52	22	26
RESPIRATORY ORGANS	19	26	29	38	19	85	26	44
BREAST	6	8	5	13	7	18	5	9
GENITAL ORGANS	10	5	11	8	6	31	16	11
URINARY ORGANS	2	3	4	4	0	11	3	3
LEUKEMIA	1	1	1	5	0	12	3	5
OTHER MALIG. NEOPL.	13	17	24	27	11	42	19	15
DIABETES MELLITUS	5	0	10	13	7	26	14	9
MAJOR CARDIOVASC. DISEASE	109	201	187	206	80	444	180	233
DISEASES OF HEART	93	144	153	155	64	343	132	182
RHEUMATIC FEVER & RHEUM. HEART DISEASE	0	0	1	2	0	3	1	0
HYPERTENSIVE HEART	1	0	5	6	3	7	0	2
ISCHEMIC HEART	59	94	101	129	44	226	89	145
OTHER HEART DISEASE	33	50	46	18	17	107	42	35
HYPERTENSION	1	2	1	1	1	7	4	2
CEREBROVASCULAR DISEASE	12	40	26	45	12	76	33	39
ATHEROSCLEROSIS	0	11	4	2	1	4	5	1
OTHER MAJOR CARDIOVASC.	3	4	3	3	2	14	6	9
PNEUMONIA & INFLUENZA	14	18	13	20	6	52	16	31
CHRONIC PULMONARY DISEASE	16	16	27	24	20	66	21	32
ULCER OF STOMACH	1	3	2	2	1	2	0	1
LIVER DISEASE & CIRRHOSIS	1	3	4	0	3	9	5	2
NEPHRITIS & NEPHROSIS	8	8	10	1	0	12	2	6
COMPLICATIONS OF PREG., CHILDBIRTH & PUERPERIUM	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES	1	1	0	1	0	6	4	4
DISEASES OF EARLY INFANCY	1	2	7	5	1	2	0	4
SYMPTOMS & ILL-DEF. COND.	1	2	4	2	0	2	7	3
ALL OTHER DISEASES	27	44	86	48	24	121	63	70
ACCIDENTAL DEATHS	12	15	15	9	4	41	10	21
MOTOR VEHICLE	6	7	6	1	2	15	4	8
OTHER ACC. DEATHS	6	8	9	8	2	26	6	13
SUICIDE	5	7	6	3	4	18	5	9
HOMICIDE & LEGAL INTERV	4	2	1	3	0	7	0	2
ALL OTHER EXTERNAL CAUSES	0	0	1	0	1	0	0	0

TABLE 27C (CONT)

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH
BY CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 1995

	KANSAS CITY (TOT)	K.C. (JACKSON)	K.C. (CLAY)	K.C. (PLATTE)	K.C. (CASS)	KIRKWOOD	LEES SUMMIT	MARYLAND HEIGHTS
ALL CAUSES	4,445	3,776	501	168	0	297	476	164
TUBERCULOSIS	3	3	0	0	0	0	0	0
SEPTICEMIA	58	53	3	2	0	3	3	6
AIDS	110	103	4	3	0	2	2	2
SYPHILIS	1	1	0	0	0	0	0	0
RESIDUAL OF INFECT. DIS.	25	19	4	2	0	1	1	1
MALIGNANT NEOPLASMS	1,016	852	125	39	0	73	96	41
DIGESTIVE ORGANS	242	213	23	6	0	17	23	9
RESPIRATORY ORGANS	328	277	37	14	0	25	30	15
BREAST	81	63	14	4	0	2	9	8
GENITAL ORGANS	112	94	14	4	0	11	11	2
URINARY ORGANS	51	43	5	3	0	2	1	0
LEUKEMIA	33	23	9	1	0	4	1	1
OTHER MALIG. NEOPL.	169	139	23	7	0	12	21	6
DIABETES MELLITUS	116	94	17	5	0	2	6	1
MAJOR CARDIOVASC. DISEASE	1,614	1,403	161	50	0	130	241	57
DISEASES OF HEART	1,251	1,083	125	43	0	94	187	47
RHEUMATIC FEVER & RHEUM. HEART DISEASE	13	9	3	1	0	1	0	1
HYPERTENSIVE HEART	32	29	3	0	0	4	2	2
ISCHEMIC HEART	831	714	89	28	0	68	117	35
OTHER HEART DISEASE	375	331	30	14	0	21	68	9
HYPERTENSION	30	28	2	0	0	1	2	1
CEREBROVASCULAR DISEASE	256	228	25	3	0	32	42	7
ATHEROSCLEROSIS	33	31	0	2	0	0	0	1
OTHER MAJOR CARDIOVASC.	44	33	9	2	0	3	10	1
PNEUMONIA & INFLUENZA	190	151	26	13	0	26	27	13
CHRONIC PULMONARY DISEASE	226	192	26	8	0	11	19	12
ULCER OF STOMACH	12	11	1	0	0	3	0	0
LIVER DISEASE & CIRRHOSIS	54	43	9	2	0	2	2	0
NEPHRITIS & NEPHROSIS	66	58	4	4	0	1	6	3
COMPLICATIONS OF PREG., CHILDBIRTH & PUERPERIUM	2	2	0	0	0	0	0	0
CONGENITAL ANOMALIES	19	16	2	1	0	1	1	1
DISEASES OF EARLY INFANCY	40	38	2	0	0	0	0	1
SYMPTOMS & ILL-DEF. COND.	28	24	4	0	0	1	2	0
ALL OTHER DISEASES	535	443	68	24	0	36	51	15
ACCIDENTAL DEATHS	159	123	28	8	0	3	7	6
MOTOR VEHICLE	71	51	12	8	0	1	6	2
OTHER ACC. DEATHS	88	72	16	0	0	2	1	4
SUICIDE	61	44	13	4	0	1	11	3
HOMICIDE & LEGAL INTERV	97	94	2	1	0	1	1	2
ALL OTHER EXTERNAL CAUSES	13	9	2	2	0	0	0	0

TABLE 27C (CONT)

RESIDENT DEATHS BY SELECTED CAUSES OF DEATH
BY CITIES WITH 25,000 OR MORE POPULATION: MISSOURI 1995

	RAYTOWN	ST CHARLES	ST JOSEPH	ST LOUIS CITY	ST PETERS	SPRING- FIELD	UNIVERSITY CITY
ALL CAUSES	392	528	901	5,033	174	1,691	389
TUBERCULOSIS	0	0	0	2	1	3	0
SEPTICEMIA	9	3	8	65	0	12	9
AIDS	1	4	4	129	3	54	10
SYPHILIS	0	0	0	0	0	1	0
RESIDUAL OF INFECT. DIS.	1	0	6	23	1	2	2
MALIGNANT NEOPLASMS	87	112	206	1,060	49	336	96
DIGESTIVE ORGANS	13	32	47	250	13	65	23
RESPIRATORY ORGANS	29	30	65	319	16	109	26
BREAST	3	11	19	98	1	28	16
GENITAL ORGANS	10	16	20	131	7	37	8
URINARY ORGANS	6	5	6	35	4	18	6
LEUKEMIA	1	4	10	35	1	18	3
OTHER MALIG. NEOPL.	25	14	39	192	7	61	14
DIABETES MELLITUS	6	11	28	127	4	28	11
MAJOR CARDIOVASC. DISEASE	164	243	394	2,085	67	746	165
DISEASES OF HEART	121	193	300	1,664	56	552	125
RHEUMATIC FEVER &							
RHEUM. HEART DISEASE	1	0	3	3	1	4	3
HYPERTENSIVE HEART	2	6	5	151	2	13	9
ISCHEMIC HEART	86	165	205	1,132	45	401	100
OTHER HEART DISEASE	32	22	87	378	8	134	13
HYPERTENSION	3	3	6	17	1	7	4
CEREBROVASCULAR DISEASE	35	34	75	329	8	153	32
ATHEROSCLEROSIS	2	0	7	13	0	8	2
OTHER MAJOR CARDIOVASC.	3	13	6	62	2	26	2
PNEUMONIA & INFLUENZA	21	33	31	193	7	54	14
CHRONIC PULMONARY DISEASE	20	20	57	191	9	83	7
ULCER OF STOMACH	1	1	3	10	0	2	0
LIVER DISEASE & CIRRHOSIS	3	3	4	53	1	20	2
NEPHRITIS & NEPHROSIS	5	4	8	45	0	18	2
COMPLICATIONS OF PREG.,							
CHILDBIRTH & PUERPERIUM	0	0	0	4	0	0	2
CONGENITAL ANOMALIES	1	1	1	20	3	4	3
DISEASES OF EARLY INFANCY	0	3	1	34	1	7	7
SYMPTOMS & ILL-DEF. COND.	1	2	11	21	0	5	0
ALL OTHER DISEASES	52	55	104	534	14	218	39
ACCIDENTAL DEATHS	14	19	27	184	9	64	11
MOTOR VEHICLE	8	8	11	46	5	34	2
OTHER ACC. DEATHS	6	11	16	138	4	30	9
SUICIDE	4	12	7	55	4	19	3
HOMICIDE & LEGAL INTERV	2	2	1	187	1	6	6
ALL OTHER EXTERNAL CAUSES	0	0	0	11	0	3	0

TABLE 28

RECORDED DEATHS BY TYPE OF ACCIDENT, AGE AND SEX: MISSOURI 1995

	ALL AGES		0-4		5-14		15-24		25-44		45-64		65-74		OVER 74	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
GRAND TOTAL	1,544	813	41	18	58	27	289	92	501	167	284	111	132	87	238	311
WORK TOTAL	91	2	1	0	0	0	12	0	40	0	29	0	5	2	4	0
AGRICULTURE	19	1	1	0	0	0	2	0	4	0	5	0	3	1	4	0
MINING, QUARRYING, OIL & GAS WELLS	2	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0
CONSTRUCTION	23	0	0	0	0	0	3	0	10	0	10	0	0	0	0	0
MANUFACTURING	5	0	0	0	0	0	3	0	1	0	1	0	0	0	0	0
TRANSPORTATION & PUBLIC UTILITIES	13	0	0	0	0	0	0	0	6	0	7	0	0	0	0	0
TRADE	6	0	0	0	0	0	0	0	4	0	2	0	0	0	0	0
SERVICE	5	0	0	0	0	0	1	0	4	0	0	0	0	0	0	0
GOVERNMENT	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER & UNSPECIFIED	18	1	0	0	0	0	3	0	9	0	4	0	2	1	0	0
HOME TOTAL	325	233	23	8	12	10	19	7	93	36	66	25	38	29	74	118
POISONINGS (GAS EXCEPTED)	59	29	0	0	0	0	3	4	43	20	12	5	1	0	0	0
POISONINGS BY GASES & VAPORS	15	2	0	0	0	1	2	0	9	1	2	0	2	0	0	0
FALLS	88	103	0	0	0	0	0	0	5	3	17	8	16	15	50	77
FIRES	48	38	4	0	4	6	1	1	11	7	12	5	4	7	12	12
DROWNING	16	11	5	2	1	2	2	1	4	2	1	1	1	1	2	2
SUFFOCATION, INGESTED FOOD/OBJECT	6	9	0	1	0	1	0	0	2	0	2	3	1	1	1	3
SUFFOCATION, MECHANICAL	19	4	10	4	2	0	0	0	4	0	3	0	0	0	0	0
FIREARMS	12	1	0	0	4	0	5	1	2	0	1	0	0	0	0	0
OTHER & UNSPECIFIED	62	36	4	1	1	0	6	0	13	3	16	3	13	5	9	24
MOTOR VEHICLE TOTAL	832	371	14	6	34	16	228	82	303	120	135	61	55	33	63	53
INJURY TO PEDESTRIAN	78	27	5	1	4	4	11	1	28	4	14	7	8	3	8	7
INJURY TO PEDAL CYCLIST	10	1	1	0	6	1	2	0	1	0	0	0	0	0	0	0
INJURY TO RIDER OF ANIMAL OR OCCUPANT OF ANIMAL-DRAWN VEHICLE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
COLLISION WITH RAILROAD TRAIN	11	9	0	0	2	2	1	2	2	1	5	3	0	1	1	0
COLLISION WITH OTHER MOTOR VEHICLE	288	163	4	2	9	4	74	29	97	52	50	32	21	21	33	23
COLLISION WITH FIXED OBJECT	272	84	1	1	7	1	80	31	117	32	40	4	14	5	13	10
NONCOLLISION	99	42	2	2	3	3	37	12	35	15	14	6	6	1	2	3
OTHER & UNSPECIFIED	74	45	1	0	3	1	23	7	23	16	12	9	6	2	6	10
PUBLIC NON-MOTOR VEHICLE TOTAL	285	203	3	4	12	1	29	3	63	11	49	24	33	22	95	138
RAILROAD NOT WITH MOTOR VEHICLE	7	2	0	0	2	0	3	1	2	0	0	1	0	0	0	0
OTHER ROAD VEH. NOT WITH MOTOR VEH.	2	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0
WATER TRANSPORT	8	1	0	0	0	0	1	0	5	0	2	1	0	0	0	0
AIR TRANSPORT	8	1	0	0	0	0	0	0	4	0	3	0	1	1	0	0
FALLS	68	81	0	0	1	1	2	0	4	1	7	6	6	5	48	68
FIRES	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
DROWNING	52	7	2	2	5	0	13	1	16	3	7	1	5	0	4	0
FIREARMS	5	0	0	0	1	0	1	0	3	0	0	0	0	0	0	0
OTHER & UNSPECIFIED	134	111	1	2	2	0	9	1	29	7	28	15	21	16	43	70
ACCIDENT TYPE UNKNOWN & LATE EFFECTS	11	4	0	0	0	0	1	0	2	0	5	1	1	1	2	2

TABLE 29

ABRIDGED LIFE TABLE FOR TOTAL POPULATION, AND BY SEX: MISSOURI 1995

TOTAL POPULATION

AGE INTERVAL	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
PERIOD OF LIFE BETWEEN TWO EXACT AGES STATED IN YEARS	PROPORTION OF PERSONS ALIVE AT BEGINNING OF AGE INTERVAL DYING DURING INTERVAL	NUMBER LIVING AT BEGINNING OF AGE INTERVAL	NUMBER DYING DURING AGE INTERVAL	IN THE AGE INTERVAL	IN THIS AND ALL SUBSEQUENT AGE INTERVALS	AVERAGE NUMBER OF YEARS OF LIFE REMAINING AT BEGINNING OF AGE INTERVAL
X TO X + N	Q N X	l X	D N X	L N X	T X	E X
00 TO 01	.0074	100,000	740	99,339	7,525,355	75.3
01 TO 05	.0015	99,260	152	396,676	7,426,016	74.8
05 TO 10	.0010	99,108	101	495,267	7,029,340	70.9
10 TO 15	.0015	99,007	150	494,696	6,534,073	66.0
15 TO 20	.0051	98,857	501	493,135	6,039,377	61.1
20 TO 25	.0060	98,356	588	490,337	5,546,242	56.4
25 TO 30	.0061	97,768	592	487,381	5,055,905	51.7
30 TO 35	.0078	97,176	760	484,068	4,568,524	47.0
35 TO 40	.0094	96,416	905	479,968	4,084,456	42.4
40 TO 45	.0132	95,511	1,264	474,621	3,604,488	37.7
45 TO 50	.0196	94,247	1,845	466,958	3,129,867	33.2
50 TO 55	.0298	92,402	2,751	455,539	2,662,909	28.8
55 TO 60	.0452	89,651	4,052	438,684	2,207,370	24.6
60 TO 65	.0705	85,599	6,034	413,636	1,768,686	20.7
65 TO 70	.1057	79,565	8,414	377,588	1,355,050	17.0
70 TO 75	.1560	71,151	11,103	328,799	977,462	13.7
75 TO 80	.2186	60,048	13,126	267,983	648,663	10.8
80 TO 85	.3269	46,922	15,338	195,487	380,680	8.1
85 AND UP	1.0000	31,584	31,584	185,193	185,193	5.9

TABLE 29 (CONT.) ABRIDGED LIFE TABLE FOR TOTAL POPULATION, AND BY SEX: MISSOURI 1995


MALE POPULATION

AGE INTERVAL	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
PERIOD OF LIFE BETWEEN TWO EXACT AGES STATED IN YEARS	PROPORTION OF PERSONS ALIVE AT BEGINNING OF AGE INTERVAL DYING DURING INTERVAL	NUMBER LIVING AT BEGINNING OF AGE INTERVAL	NUMBER DYING DURING AGE INTERVAL	IN THE AGE INTERVAL	IN THIS AND ALL SUBSEQUENT AGE INTERVALS	AVERAGE NUMBER OF YEARS OF LIFE REMAINING AT BEGINNING OF AGE INTERVAL
X TO X + N	$\frac{Q}{N \times}$	$\frac{1}{X}$	$\frac{D}{N \times}$	$\frac{L}{N \times}$	$\frac{T}{X}$	$\frac{E}{X}$
00 TO 01	.0083	100,000	827	99,257	7,182,133	71.8
01 TO 05	.0018	99,173	177	396,270	7,082,876	71.4
05 TO 10	.0010	98,996	101	494,710	6,686,606	67.5
10 TO 15	.0021	98,895	205	494,026	6,191,896	62.6
15 TO 20	.0072	98,690	706	491,848	5,697,870	57.7
20 TO 25	.0095	97,984	927	487,632	5,206,022	53.1
25 TO 30	.0090	97,057	874	483,095	4,718,390	48.6
30 TO 35	.0118	96,183	1,136	478,190	4,235,295	44.0
35 TO 40	.0138	95,047	1,309	472,182	3,757,105	39.5
40 TO 45	.0175	93,738	1,643	464,887	3,284,923	35.0
45 TO 50	.0264	92,095	2,429	454,866	2,820,036	30.6
50 TO 55	.0367	89,666	3,292	440,594	2,365,170	26.4
55 TO 60	.0564	86,374	4,868	420,331	1,924,576	22.3
60 TO 65	.0915	81,506	7,454	389,669	1,504,245	18.5
65 TO 70	.1353	74,052	10,021	345,830	1,114,576	15.1
70 TO 75	.1983	64,031	12,695	288,769	768,746	12.0
75 TO 80	.2757	51,336	14,155	221,206	479,977	9.3
80 TO 85	.4092	37,181	15,215	146,396	258,771	7.0
85 AND UP	1.0000	21,966	21,966	112,375	112,375	5.1

TABLE 29 (CONT.) ABRIDGED LIFE TABLE FOR TOTAL POPULATION, AND BY SEX: MISSOURI 1995
FEMALE POPULATION

AGE INTERVAL	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
PERIOD OF LIFE BETWEEN TWO EXACT AGES STATED IN YEARS	PROPORTION OF PERSONS ALIVE AT BEGINNING OF AGE INTERVAL DYING DURING INTERVAL	NUMBER LIVING AT BEGINNING OF AGE INTERVAL	NUMBER DYING DURING AGE INTERVAL	IN THE AGE INTERVAL	IN THIS AND ALL SUBSEQUENT AGE INTERVALS	AVERAGE NUMBER OF YEARS OF LIFE REMAINING AT BEGINNING OF AGE INTERVAL
X TO X + N	$\frac{Q}{N} X$	$\frac{1}{X}$	$\frac{D}{N} X$	$\frac{L}{N} X$	$\frac{T}{X}$	$\frac{E}{X}$
00 TO 01	.0065	100,000	650	99,424	7,859,890	78.6
01 TO 05	.0013	99,350	126	397,095	7,760,466	78.1
05 TO 10	.0010	99,224	101	495,843	7,363,371	74.2
10 TO 15	.0009	99,123	92	495,397	6,867,528	69.3
15 TO 20	.0029	99,031	286	494,485	6,372,131	64.3
20 TO 25	.0025	98,745	248	493,126	5,877,646	59.5
25 TO 30	.0031	98,497	310	491,744	5,384,520	54.7
30 TO 35	.0039	98,187	383	490,031	4,892,776	49.8
35 TO 40	.0051	97,804	501	487,849	4,402,745	45.0
40 TO 45	.0091	97,303	887	484,444	3,914,896	40.2
45 TO 50	.0131	96,416	1,265	479,124	3,430,452	35.6
50 TO 55	.0232	95,151	2,210	470,536	2,951,328	31.0
55 TO 60	.0348	92,941	3,236	457,105	2,480,792	26.7
60 TO 65	.0513	89,705	4,605	437,678	2,023,687	22.6
65 TO 70	.0803	85,100	6,831	409,365	1,586,009	18.6
70 TO 75	.1221	78,269	9,559	368,649	1,176,644	15.0
75 TO 80	.1785	68,710	12,265	314,047	807,995	11.8
80 TO 85	.2788	56,445	15,735	242,735	493,948	8.8
85 AND UP	1.0000	40,710	40,710	251,213	251,213	6.2

Graph F
Marriage Rates per 1,000 Population
Missouri 1949 - 1995



	Marriages	Rate		Marriages	Rate		Marriages	Rate		Marriages	Rate
1949	34,689	8.8	1961	34,640	8.0	1973	51,990	10.9	1985	49,484	9.9
1950	34,300	8.7	1962	35,192	8.1	1974	51,434	10.7	1986	49,579	9.9
1951	30,880	7.7	1963	37,667	8.6	1975	50,147	10.5	1987	48,397	9.6
1952	28,373	7.1	1964	38,802	8.7	1976	51,070	10.6	1988	50,330	9.9
1953	33,012	8.2	1965	39,882	8.9	1977	52,100	10.8	1989	50,331	9.9
1954	33,520	8.2	1966	42,597	9.4	1978	52,878	10.9	1990	49,063	9.6
1955	34,162	8.3	1967	44,055	9.7	1979	52,952	10.8	1991	46,115	8.9
1956	34,382	8.3	1968	48,155	10.5	1980	54,625	11.1	1992	45,546	8.8
1957	31,395	7.5	1969	50,411	10.9	1981	54,124	11.0	1993	44,380	8.5
1958	31,965	7.6	1970	50,224	10.7	1982	53,836	10.9	1994	45,070	8.5
1959	34,352	8.1	1971	51,048	10.8	1983	53,258	10.8	1995	45,057	8.5
1960	35,368	8.2	1972	53,372	11.2	1984	52,464	10.5			

TABLE 30

REPORTED MARRIAGES BY AGE OF GROOM, BY AGE OF BRIDE; MISSOURI 1995

AGE OF GROOM	AGE OF BRIDE															
	TOTAL	15 AND UNDER	16	17	18	19	20	21	22	23	24	25	26	27	28	29
TOTAL	45,057	222	298	764	2,003	2,066	2,338	2,467	2,651	2,805	2,828	2,606	2,091	1,782	1,544	1,423
15 AND UNDER	10	0	3	0	2	1	1	1	0	1	0	0	0	0	0	0
16 YEARS	41	5	9	9	13	3	0	1	0	1	0	0	0	0	0	0
17 YEARS	168	25	24	28	52	13	9	7	5	1	1	1	0	0	0	1
18 YEARS	741	47	56	117	240	123	65	27	22	12	6	6	3	4	4	3
19 YEARS	1,227	32	57	161	324	280	160	79	46	33	13	9	2	5	5	0
20 YEARS	1,670	25	37	143	364	356	292	176	95	47	40	25	20	11	9	5
21 YEARS	2,112	28	35	92	294	366	381	353	218	114	70	50	30	22	16	16
22 YEARS	2,295	12	21	61	205	262	344	367	386	223	132	87	46	36	32	16
23 YEARS	2,676	6	13	43	154	203	308	336	411	450	288	142	103	51	36	23
24 YEARS	2,843	11	12	40	106	129	236	278	404	477	423	272	131	87	54	39
25 YEARS	2,624	5	5	16	68	90	145	208	262	346	427	375	212	103	81	61
26 YEARS	2,400	4	6	12	49	66	94	169	204	253	316	338	277	157	119	77
27 YEARS	2,042	4	6	7	31	32	78	114	128	197	241	262	225	186	128	87
28 YEARS	1,861	4	3	9	27	29	38	79	117	134	177	203	200	192	164	95
29 YEARS	1,798	3	2	6	9	30	30	51	95	117	139	186	177	169	156	120
30 YEARS	1,655	2	0	2	18	23	33	50	61	96	122	147	145	156	116	124
31 YEARS	1,479	3	0	4	8	15	23	44	43	66	89	116	103	110	99	133
32 YEARS	1,396	3	1	5	9	6	20	36	38	52	87	70	91	95	93	107
33 YEARS	1,261	0	2	1	5	10	13	23	26	38	47	68	68	80	80	91
34 YEARS	1,184	0	1	2	2	3	11	17	16	33	49	49	54	68	76	80
35-39 YEARS	4,662	1	2	4	8	16	44	38	51	80	111	139	140	161	169	212
40-44 YEARS	3,152	1	1	0	1	5	10	8	15	17	38	42	38	57	63	90
45-49 YEARS	2,158	0	1	2	3	3	3	4	7	9	11	10	13	24	29	27
50-54 YEARS	1,262	1	0	0	0	1	0	1	1	3	0	6	8	5	7	12
55-59 YEARS	833	0	0	0	0	1	0	0	0	4	1	1	2	3	4	2
60-64 YEARS	532	0	1	0	0	0	0	0	0	1	0	0	1	0	2	1
65-69 YEARS	400	0	0	0	0	0	0	0	0	0	0	1	2	0	1	1
70-74 YEARS	292	0	0	0	1	0	0	0	0	0	0	1	0	0	1	0
75 YEARS AND OVER	281	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NOT STATED	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE 30 (CONT)

REPORTED MARRIAGES BY AGE OF GROOM, BY AGE OF BRIDE; MISSOURI 1995

AGE OF GROOM	AGE OF BRIDE														NOT STATED
	30	31	32	33	34	35 TO 39	40 TO 44	45 TO 49	50 TO 54	55 TO 59	60 TO 64	65 TO 69	70 TO 74	75+	
TOTAL	1,376	1,290	1,144	1,125	1,068	4,274	2,783	1,795	930	464	357	242	189	126	6
15 AND UNDER	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
16 YEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
17 YEARS	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
18 YEARS	1	3	1	0	0	1	0	0	0	0	0	0	0	0	0
19 YEARS	4	2	1	2	0	2	0	0	0	0	0	0	0	0	0
20 YEARS	9	2	3	5	0	4	1	0	0	1	0	0	0	0	0
21 YEARS	7	6	3	1	2	5	1	1	0	0	0	0	0	0	1
22 YEARS	15	12	11	8	6	10	1	2	0	0	0	0	0	0	0
23 YEARS	28	22	12	11	5	19	11	1	0	0	0	0	0	0	0
24 YEARS	31	23	12	18	17	34	7	1	0	1	0	0	0	0	0
25 YEARS	54	32	31	31	13	45	9	3	1	1	0	0	0	0	0
26 YEARS	54	53	22	25	19	66	13	6	0	1	0	0	0	0	0
27 YEARS	83	51	30	30	20	69	26	3	3	0	0	0	0	0	1
28 YEARS	68	65	46	42	47	92	24	5	1	0	0	0	0	0	0
29 YEARS	94	90	66	57	39	107	40	13	2	0	0	0	0	0	0
30 YEARS	117	97	73	64	47	108	35	15	4	0	0	0	0	0	0
31 YEARS	117	93	86	64	60	155	33	13	2	0	0	0	0	0	0
32 YEARS	106	98	107	72	53	179	52	13	2	1	0	0	0	0	0
33 YEARS	94	89	90	77	73	194	68	20	3	1	0	0	0	0	0
34 YEARS	73	74	74	90	89	223	77	18	4	1	0	0	0	0	0
35-39 YEARS	246	282	289	304	303	1,322	542	154	35	7	1	0	0	0	1
40-44 YEARS	122	127	126	140	176	880	802	313	63	13	3	1	0	0	0
45-49 YEARS	43	32	41	58	67	477	587	514	147	36	7	2	0	1	0
50-54 YEARS	9	27	11	15	18	171	272	346	250	71	17	8	0	1	1
55-59 YEARS	0	4	5	6	11	73	107	217	218	111	51	5	5	1	1
60-64 YEARS	0	4	1	1	2	24	50	77	114	116	91	34	10	2	0
65-69 YEARS	1	0	2	4	0	10	18	34	53	61	107	74	24	7	0
70-74 YEARS	0	0	0	0	1	2	2	20	21	27	47	72	73	23	1
75 YEARS AND OVER	0	0	1	0	0	2	4	6	7	14	33	46	77	91	0
NOT STATED	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0

TABLE 31 REPORTED MARRIAGES BY AGE AND PREVIOUS MARITAL STATUS OF BRIDE AND GROOM: MISSOURI 1995

AGE	BRIDE				GROOM			
	TOTAL	SINGLE	WIDOWED	DIVORCED	TOTAL	SINGLE	WIDOWED	DIVORCED
TOTAL	45,057	26,750	1,425	16,851	45,057	27,211	1,333	16,502
UNDER 15 YEARS	6	6	0	0	1	0	0	1
15 YEARS	216	216	0	0	9	9	0	0
16 YEARS	298	298	0	0	41	41	0	0
17 YEARS	764	759	0	5	168	168	0	0
18 YEARS	2,003	1,979	0	23	741	738	0	3
19 YEARS	2,066	2,022	0	44	1,227	1,215	0	12
20 YEARS	2,338	2,216	0	121	1,670	1,640	1	29
21 YEARS	2,467	2,289	1	176	2,112	2,061	0	51
22 YEARS	2,651	2,373	2	276	2,295	2,159	3	133
23 YEARS	2,805	2,405	4	396	2,676	2,483	0	193
24 YEARS	2,828	2,302	6	518	2,843	2,568	2	272
25 YEARS	2,606	2,010	11	583	2,624	2,283	2	339
26 YEARS	2,091	1,538	8	543	2,400	2,028	1	371
27 YEARS	1,782	1,170	15	596	2,042	1,592	9	441
28 YEARS	1,544	884	6	654	1,861	1,368	9	484
29 YEARS	1,423	751	7	665	1,798	1,203	9	585
30 YEARS	1,376	622	12	741	1,655	1,031	8	616
31 YEARS	1,290	547	14	727	1,479	826	5	648
32 YEARS	1,144	423	20	700	1,396	669	17	710
33 YEARS	1,125	339	19	767	1,261	571	13	677
34 YEARS	1,068	295	21	752	1,184	456	12	715
35-39 YEARS	4,274	847	131	3,289	4,662	1,385	72	3,204
40-44 YEARS	2,783	296	159	2,324	3,152	449	89	2,613
45-49 YEARS	1,795	97	148	1,548	2,158	148	95	1,914
50-54 YEARS	930	34	151	745	1,262	54	97	1,109
55-59 YEARS	464	16	110	337	833	33	139	660
60-64 YEARS	357	3	182	170	532	11	154	367
65-69 YEARS	242	4	153	85	400	8	187	204
70-74 YEARS	189	2	146	40	292	8	199	85
75 YEARS AND OVER	126	6	98	22	281	5	210	65
UNKNOWN	6	1	1	4	2	1	0	1
MEDIAN AGE AT MARRIAGE	26.7	23.5	54.2	35.2	28.9	25.2	62.7	38.1

TABLE 32

REPORTED MARRIAGES BY PREVIOUS MARITAL STATUS OF BRIDE AND GROOM: MISSOURI 1995

BRIDE	GROOM				
	TOTAL	SINGLE	WIDOWED	DIVORCED	UNKNOWN
TOTAL	45,057	27,211	1,333	16,502	11
SINGLE	26,750	21,962	144	4,640	4
WIDOWED	1,425	173	596	655	1
DIVORCED	16,851	5,059	592	11,196	4
UNKNOWN	31	17	1	11	2

TABLE 33

REPORTED MARRIAGES BY RACE OF BRIDE BY RACE OF GROOM: MISSOURI 1995

RACE OF BRIDE	RACE OF GROOM				
	TOTAL	WHITE	BLACK	OTHER	UNKNOWN
TOTAL	45,057	39,336	4,264	456	1,001
WHITE	39,604	38,823	516	212	53
BLACK	3,929	200	3,713	13	3
OTHER	520	262	27	230	1
UNKNOWN	1,004	51	8	1	944

TABLE 34

REPORTED MARRIAGES BY MONTH: MISSOURI 1995

TOTAL	45,057				
JANUARY	1,915	MAY	4,701	SEPTEMBER	4,879
FEBRUARY	2,555	JUNE	5,355	OCTOBER	4,132
MARCH	2,844	JULY	4,705	NOVEMBER	2,989
APRIL	3,459	AUGUST	4,231	DECEMBER	3,292

TABLE 35A REPORTED MARRIAGES BY COUNTY OF RECORDING WITH RATES PER 1,000 POPULATION: MISSOURI 1995

COUNTIES	POPULATION (ALL AGES)	MARRIAGES NUMBER	RATE	COUNTIES	POPULATION (ALL AGES)	MARRIAGES NUMBER	RATE
STATE TOTAL	5,324,000	45,057	8.5	GRUNDY	10,400	99	9.5
ADAIR	24,800	213	8.6	HARRISON	8,300	71	8.6
ANDREW	15,200	84	5.5	HENRY	21,000	217	10.3
ATCHISON	7,100	87	12.3	HICKORY	8,300	50	6.0
AUDRAIN	23,600	198	8.4	HOLT	5,700	49	8.6
BARRY	31,400	229	7.3	HOWARD	9,700	66	6.8
BARTON	11,700	97	8.3	HOWELL	34,500	389	11.3
BATES	15,400	108	7.0	IRON	10,900	90	8.3
BENTON	15,500	99	6.4	JACKSON	635,800	5,862	9.2
BOLLINGER	11,300	95	8.4	JASPER	96,300	912	9.5
BOONE	123,700	916	7.4	JEFFERSON	186,400	1,311	7.0
BUCHANAN	82,500	783	9.5	JOHNSON	46,600	388	8.3
BUTLER	40,300	451	11.2	KNOX	4,300	40	9.3
CALDWELL	8,600	55	6.4	LACLEDE	29,100	299	10.3
CALLAWAY	34,900	223	6.4	LAFAYETTE	32,200	219	6.8
CAMDEN	31,600	329	10.4	LAWRENCE	31,700	293	9.2
CAPE GIRARDEAU	65,300	627	9.6	LEWIS	10,200	75	7.4
CARROLL	10,400	92	8.8	LINCOLN	33,000	226	6.8
CARTER	6,000	44	7.3	LINN	14,000	99	7.1
CASS	73,500	582	7.9	LIVINGSTON	14,300	146	10.2
CEDAR	12,900	76	5.9	MC DONALD	18,600	154	8.3
CHARITON	8,800	67	7.6	MACON	15,200	123	8.1
CHRISTIAN	42,700	386	9.0	MADISON	11,200	123	11.0
CLARK	7,400	90	12.2	MARIES	8,300	72	8.7
CLAY	166,000	1,481	8.9	MARION	27,900	345	12.4
CLINTON	17,800	114	6.4	MERCER	4,100	36	8.8
COLE	67,600	751	11.1	MILLER	22,000	147	6.7
COOPER	16,000	131	8.2	MISSISSIPPI	13,800	104	7.5
CRAWFORD	21,300	192	9.0	MONITEAU	13,000	84	6.5
DADE	8,000	56	7.0	MONROE	8,800	50	5.7
DALLAS	14,600	116	7.9	MONTGOMERY	11,600	97	8.4
DAVIESS	7,900	74	9.4	MORGAN	17,200	148	8.6
DE KALB	10,600	90	8.5	NEW MADRID	20,700	165	8.0
DENT	14,200	138	9.7	NEWTON	47,500	348	7.3
DOUGLAS	12,100	126	10.4	NODAWAY	21,100	155	7.3
DUNKLIN	33,000	346	10.5	OREGON	10,000	85	8.5
FRANKLIN	87,800	847	9.6	OSAGE	12,400	81	6.5
GASCONADE	14,500	125	8.6	OZARK	9,500	85	8.9
GENTRY	6,800	34	5.0	PEHISCOT	21,700	194	8.9
GREENE	225,000	2,152	9.6	PERRY	17,300	142	8.2


TABLE 35A (CONT) REPORTED MARRIAGES BY COUNTY OF RECORDING WITH RATES PER 1,000 POPULATION: MISSOURI 1995

COUNTIES	POPULATION (ALL AGES)	MARRIAGES NUMBER	RATE	COUNTIES	POPULATION (ALL AGES)	MARRIAGES NUMBER	RATE
PETTIS	36,600	411	11.2	SALINE	23,000	184	8.0
PHELPS	37,500	339	9.0	SCHUYLER	4,300	39	9.1
PIKE	16,200	128	7.9	SCOTLAND	4,800	59	12.3
PLATTE	66,500	485	7.3	SCOTT	40,300	396	9.8
POLK	24,500	211	8.6	SHANNON	8,100**	60	7.4
PULASKI	38,500	412	10.7	SHELBY	6,900	50	7.2
PUTNAM	5,100	47	9.2	STODDARD	29,600	311	10.5
RALLS	8,800	96	10.9	STONE	25,100	143	5.7
RANDOLPH	23,900	219	9.2	SULLIVAN	6,600	63	9.5
RAY	22,400	137	6.1	TANEY	32,300	536	16.6
REYNOLDS	6,700	60	9.0	TEXAS	22,200	171	7.7
RIPLEY	13,500	139	10.3	VERNON	19,300	177	9.2
ST. CHARLES	248,300	1,964	7.9	WARREN	22,600	157	6.9
ST. CLAIR	8,900	69	7.8	WASHINGTON	21,900	203	9.3
ST. FRANCOIS	53,300	517	9.7	WAYNE	12,600	105	8.3
STE. GENEVIEVE	16,600	110	6.6	WEBSTER	26,800	217	8.1
ST. LOUIS CITY	358,800	3,298	9.2	WORTH	2,300	28	12.2
ST. LOUIS COUNTY	1,008,100	7,014	7.0	WRIGHT	18,700	159	8.5

TABLE 35B REPORTED MARRIAGES WITH RATES BY REGIONAL PLANNING COMMISSION OF RECORDING: MISSOURI 1995

RPC'S	POPULATION	MARRIAGES	RATE	RPC'S	POPULATION	MARRIAGES	RATE
MAJOR METRO REGIONS				BOONSLICK	67,200	480	7.1
EAST-WEST GATEWAY	1,889,400	14,434	7.6	KAYSINGER BASIN	101,300	796	7.9
MID-AMERICA	964,200	8,547	8.9	SHOW-ME	138,400	1,202	8.7
MINOR METRO REGIONS				SOUTH CENTRAL OZARK	115,100	1,075	9.3
SOUTHWEST MISSOURI	462,100	4,339	9.4	MERAHEC	117,700	1,069	9.1
MID-MISSOURI	277,300	2,252	8.1	LAKE OF THE OZARKS	138,400	1,335	9.6
MO-KAN	126,100	1,071	8.5	SOUTHEAST MISSOURI	185,900	1,704	9.2
HARRY S TRUMAN	174,100	1,511	8.7	BOOTHEEL	159,100	1,516	9.5
NONMETRO REGIONS				OZARK FOOTHILLS	79,100	799	10.1
NORTHWEST MISSOURI	43,000	353	8.2	MAJOR METRO TOTAL	2,853,600	22,981	8.1
GREEN HILLS	98,500	849	8.6	MINOR METRO TOTAL	1,039,600	9,173	8.8
NORTHEAST MISSOURI	55,800	516	9.2	NONMETRO TOTAL	1,430,800	12,903	9.0
MARK TWAIN	131,300	1,209	9.2	STATE TOTAL	5,324,000	45,057	8.5

Graph G
Dissolution Rates per 1,000 Population
Missouri 1949 - 1995



	<i>Dissolutions</i>	<i>Rate</i>		<i>Dissolutions</i>	<i>Rate</i>		<i>Dissolutions</i>	<i>Rate</i>		<i>Dissolutions</i>	<i>Rate</i>
1949	12,912	3.3	1961	11,574	2.7	1973	21,777	4.6	1985	24,990	5.0
1950	12,177	3.1	1962	11,882	2.7	1974	22,050	4.6	1986	25,466	5.1
1951	12,131	3.0	1963	12,652	2.9	1975	24,527	5.1	1987	24,984	4.9
1952	12,943	3.3	1964	12,785	2.9	1976	25,414	5.3	1988	24,948	4.9
1953	12,342	3.1	1965	13,261	3.0	1977	25,281	5.2	1989	25,140	4.9
1954	11,705	2.9	1966	13,758	3.0	1978	26,308	5.4	1990	25,701	5.0
1955	11,351	2.7	1967	14,520	3.2	1979	27,719	5.7	1991	25,751	5.0
1956	10,993	2.6	1968	16,473	3.6	1980	27,595	5.6	1992	25,926	5.0
1957	10,861	2.6	1969	17,578	3.8	1981	27,975	5.7	1993	26,438	5.1
1958	10,747	2.6	1970	17,852	3.8	1982	26,292	5.3	1994	26,441	5.0
1959	11,695	2.7	1971	19,643	4.2	1983	25,904	5.2	1995	25,733	4.8
1960	11,320	2.6	1972	20,699	4.4	1984	24,860	5.0			

TABLE 36

REPORTED DISSOLUTIONS OF MARRIAGE BY MONTH BY TYPE OF DECREE: MISSOURI 1995

	TYPE OF DECREE			
	TOTAL	DISSOLUTION	ANNULMENT	LEGAL SEPARATION
TOTAL	25,838	25,667	59	105
JANUARY	1,939	1,932	4	3
FEBRUARY	1,814	1,804	2	8
MARCH	2,209	2,194	10	5
APRIL	2,201	2,186	7	8
MAY	2,367	2,351	7	9
JUNE	2,392	2,370	7	14
JULY	2,109	2,101	1	7
AUGUST	2,247	2,234	2	11
SEPTEMBER	2,008	1,989	7	12
OCTOBER	2,383	2,370	5	8
NOVEMBER	2,091	2,077	3	8
DECEMBER	2,078	2,059	4	12

TABLE 37

REPORTED DISSOLUTIONS AND ANNULMENTS BY NUMBER OF PREVIOUS MARRIAGES,
HUSBAND BY WIFE: MISSOURI 1995

HUSBAND	WIFE							
	TOTAL	NONE	ONE	TWO	THREE	FOUR	FIVE OR MORE	UNKNOWN
TOTAL	25,733	15,579	6,087	1,977	605	183	105	1,197
NONE	15,740	12,837	2,264	451	94	27	10	57
ONE	5,965	2,154	2,624	810	232	62	29	54
TWO	1,942	408	817	461	149	54	36	17
THREE	579	89	228	151	68	19	12	12
FOUR	190	28	62	51	29	11	6	3
FIVE OR MORE	101	10	33	23	16	7	10	2
UNKNOWN	1,216	53	59	30	17	3	2	1,052

TABLE 38

REPORTED DISSOLUTIONS AND ANNULMENTS BY DURATION OF MARRIAGE: MISSOURI 1995

DURATION	DISSOLUTIONS	DURATION	DISSOLUTIONS	DURATION	DISSOLUTIONS
TOTAL	25,733	8 YEARS	1,196	17 YEARS	452
UNDER 1 YEAR	1,032	9 YEARS	995	18 YEARS	395
1 YEAR	2,051	10 YEARS	1,000	19 YEARS	389
2 YEARS	2,099	11 YEARS	803	20-24 YEARS	1,393
3 YEARS	2,214	12 YEARS	746	25-29 YEARS	850
4 YEARS	1,969	13 YEARS	717	30-34 YEARS	375
5 YEARS	1,833	14 YEARS	669	35-39 YEARS	185
6 YEARS	1,521	15 YEARS	619	40 YEARS AND OVER	145
7 YEARS	1,278	16 YEARS	512	UNKNOWN	295

TABLE 39

REPORTED DISSOLUTIONS AND ANNULMENTS BY NUMBER OF CHILDREN AFFECTED: MISSOURI 1995

CHILDREN	DISSOLUTIONS	CHILDREN	DISSOLUTIONS	CHILDREN	DISSOLUTIONS
TOTAL	25,733	TWO CHILDREN	5,229	FIVE CHILDREN	88
NO CHILDREN	12,065	THREE CHILDREN	1,665	SIX CHILDREN	14
ONE CHILD	6,223	FOUR CHILDREN	373	SEVEN OR MORE	5

TABLE 40

REPORTED DISSOLUTIONS AND ANNULMENTS BY PETITIONER BY DISPOSITION OF CHILDREN
AND BY WHETHER CHILD SUPPORT AWARDED: MISSOURI 1995

CUSTODY GIVEN TO

PETITIONER	TOTAL	HUSBAND	WIFE	JOINT	OTHER	NO CHILDREN	UNKNOWN
TOTAL	25,733	1,510	9,965	2,045	160	12,337	18
HUSBAND	9,157	1,050	2,455	859	69	4,854	8
WIFE	15,835	431	7,286	1,116	87	7,060	10
JOINT	403	17	125	51	2	216	0
OTHER	10	1	2	0	0	8	0
UNKNOWN	328	11	97	19	2	199	0

CHILD SUPPORT AWARDED TO:

PETITIONER	TOTAL	HUSBAND	WIFE	NO SUPPORT	OTHER	NO CHILDREN	UNKNOWN
TOTAL	25,733	763	10,275	2,260	38	12,337	60
HUSBAND	9,157	508	2,662	1,086	24	4,854	23
WIFE	15,835	238	7,376	1,110	14	7,060	37
JOINT	403	11	132	44	0	216	0
OTHER	10	0	2	0	0	8	0
UNKNOWN	328	6	103	20	0	199	0

TABLE 41 REPORTED DISSOLUTIONS AND ANNULMENTS BY AGE OF WIFE BY AGE OF HUSBAND:MISSOURI 1995

AGE OF WIFE	AGE OF HUSBAND										
	TOTAL	UNDER 20	20-24	25-29	30-34	35-39	40-44	45-54	55-64	65 AND OVER	UNKNOWN
TOTAL	25,733	90	2,051	3,935	4,953	4,534	3,571	3,960	1,277	545	817
UNDER 20	331	50	222	44	6	3	1	0	0	0	5
20-24	3,189	34	1,439	1,210	319	79	32	14	2	1	59
25-29	4,533	2	280	1,964	1,589	402	136	64	7	2	87
30-34	4,925	1	42	441	2,081	1,544	504	194	27	7	84
35-39	4,406	0	14	118	589	1,823	1,158	560	57	8	79
40-44	3,208	2	6	44	169	429	1,316	1,040	122	14	66
45-54	3,056	0	2	11	44	122	299	1,853	565	83	77
55-64	727	0	0	1	1	5	15	109	409	175	12
65 AND OVER	290	0	3	0	2	1	2	11	39	226	6
UNKNOWN	1,068	1	43	102	153	126	108	115	49	29	342

TABLE 42 REPORTED DISSOLUTIONS AND ANNULMENTS BY RACE, WIFE BY HUSBAND: MISSOURI 1995

WIFE	HUSBAND				
	TOTAL	WHITE	BLACK	OTHER	UNKNOWN
TOTAL	25,733	21,922	2,108	130	1,573
WHITE	21,978	21,663	152	74	89
BLACK	1,979	45	1,907	7	20
OTHER	175	111	17	46	1
UNKNOWN	1,601	103	32	3	1,463

TABLE 43A

REPORTED DISSOLUTIONS AND ANNULMENTS BY COUNTY OF RECORDING WITH RATES PER 1,000 POPULATION: MISSOURI 1995

COUNTIES	POPULATION (ALL AGES)	DISSOLUTIONS NUMBER	RATE	COUNTIES	POPULATION (ALL AGES)	DISSOLUTIONS NUMBER	RATE
STATE TOTAL	5,324,000	25,733	4.8	GRUNDY	10,400	61	5.9
ADAIR	24,800	101	4.1	HARRISON	8,300	44	5.3
ANDREW	15,200	104	6.8	HENRY	21,000	101	4.8
ATCHISON	7,100	27	3.8	HICKORY	8,300	40	4.8
AUDRAIN	23,600	95	4.0	HOLT	5,700	34	6.0
BARRY	31,400	69	2.2	HOWARD	9,700	33	3.4
BARTON	11,700	98	8.4	HOWELL	34,500	272	7.9
BATES	15,400	63	4.1	IRON	10,900	70	6.4
BENTON	15,500	0	0.0	JACKSON	635,800	2,705	4.3
BOLLINGER	11,300	45	4.0	JASPER	96,300	571	5.9
BOONE	123,700	650	5.3	JEFFERSON	186,400	739	4.0
BUCHANAN	82,500	404	4.9	JOHNSON	46,600	253	5.4
BUTLER	40,300	346	8.6	KNOX	4,300	13	3.0
CALDWELL	8,600	46	5.3	LACLEDE	29,100	189	6.5
CALLAWAY	34,900	181	5.2	LAFAYETTE	32,200	133	4.1
CAMDEN	31,600	126	4.0	LAWRENCE	31,700	105	3.3
CAPE GIRARDEAU	65,300	343	5.3	LEWIS	10,200	43	4.2
CARROLL	10,400	42	4.0	LINCOLN	33,000	143	4.3
CARTER	6,000	30	5.0	LINN	14,000	54	3.9
CASS	73,500	415	5.6	LIVINGSTON	14,300	80	5.6
CEDAR	12,900	49	3.8	MC DONALD	18,600	43	2.3
CHARITON	8,800	37	4.2	MACON	15,200	72	4.7
CHRISTIAN	42,700	256	6.0	MADISON	11,200	107	9.6
CLARK	7,400	28	3.8	MARIES	8,300	29	3.5
CLAY	166,000	881	5.3	MARION	27,900	204	7.3
CLINTON	17,800	105	5.9	MERCER	4,100	19	4.6
COLE	67,600	374	5.5	MILLER	22,000	128	5.8
COOPER	16,000	61	3.8	MISSISSIPPI	13,800	111	8.0
CRAWFORD	21,300	158	7.4	MONITEAU	13,000	42	3.2
DADE	8,000	40	5.0	MONROE	8,800	39	4.4
DALLAS	14,600	80	5.5	MONTGOMERY	11,600	42	3.6
DAVIESS	7,900	31	3.9	MORGAN	17,200	78	4.5
DE KALB	10,600	37	3.5	NEW MADRID	20,700	111	5.4
DENT	14,200	69	4.9	NEWTON	47,500	252	5.3
DOUGLAS	12,100	95	7.9	NODAWAY	21,100	52	2.5
DUNKLIN	33,000	264	8.0	OREGON	10,000	31	3.1
FRANKLIN	87,800	432	4.9	OSAGE	12,400	59	4.8
GASCONADE	14,500	80	5.5	OZARK	9,500	47	4.9
GENTRY	6,800	30	4.4	PEMISCOT	21,700	138	6.4
GREENE	225,000	1,388	6.2	PERRY	17,300	64	3.7

TABLE 43A (CONT) REPORTED DISSOLUTIONS AND ANNULMENTS BY COUNTY OF RECORDING WITH RATES PER 1,000 POPULATION: MISSOURI 1995

COUNTIES	POPULATION (ALL AGES)	DISSOLUTIONS NUMBER	RATE	COUNTIES	POPULATION (ALL AGES)	DISSOLUTIONS NUMBER	RATE
PETTIS	36,600	282	7.7	SALINE	23,000	120	5.2
PHELPS	37,500	120	3.2	SCHUYLER	4,300	21	4.9
PIKE	16,200	61	3.8	SCOTLAND	4,800	28	5.8
PLATTE	66,500	384	5.8	SCOTT	40,300	226	5.6
POLK	24,500	122	5.0	SHANNON	8,100	37	4.6
PULASKI	38,500	248	6.4	SHELBY	6,900	37	5.4
PUTNAM	5,100	28	5.5	STODDARD	29,600	212	7.2
RALLS	8,800	43	4.9	STONE	25,100	143	5.7
RANDOLPH	23,900	144	6.0	SULLIVAN	6,600	33	5.0
RAY	22,400	115	5.1	TANEY	32,300	195	6.0
REYNOLDS	6,700	61	9.1	TEXAS	22,200	82	3.7
RIPLEY	13,500	100	7.4	VERNON	19,300	139	7.2
ST. CHARLES	248,300	1,053	4.2	WARREN	22,600	109	4.8
ST. CLAIR	8,900	53	6.0	WASHINGTON	21,900	115	5.3
ST. FRANCOIS	53,300	326	6.1	WAYNE	12,600	85	6.7
STE. GENEVIEVE	16,600	81	4.9	WEBSTER	26,800	138	5.1
ST. LOUIS CITY	358,800	1,136	3.2	WORTH	2,300	11	4.8
ST. LOUIS COUNTY	1,008,100	4,524	4.5	WRIGHT	18,700	90	4.8

TABLE 43B REPORTED DISSOLUTIONS AND ANNULMENTS WITH RATES BY REGIONAL PLANNING COMMISSION OF RECORDING: MISSOURI 1995

RPC'S	POPULATION	DISSOLUTIONS	RATE	RPC'S	POPULATION	DISSOLUTIONS	RATE
MAJOR METRO REGIONS				BOONSLICK	67,200	294	4.4
EAST-WEST GATEWAY	1,889,400	7,884	4.2	KAYSINGER BASIN	101,300	445	4.4
MID-AMERICA	964,200	4,500	4.7	SHOW-ME	138,400	788	5.7
MINOR METRO REGIONS				SOUTH CENTRAL OZARK	115,100	654	5.7
SOUTHWEST MISSOURI	462,100	2,536	5.5	MERAMEC	117,700	571	4.9
MID-MISSOURI	277,300	1,400	5.0	LAKE OF THE OZARKS	138,400	769	5.6
MO-KAN	126,100	650	5.2	SOUTHEAST MISSOURI	185,900	1,036	5.6
HARRY S TRUMAN	174,100	964	5.5	BOOTHEEL	159,100	1,062	6.7
NONMETRO REGIONS				OZARK FOOTHILLS	79,100	622	7.9
NORTHWEST MISSOURI	43,000	154	3.6	MAJOR METRO TOTAL	2,853,600	12,384	4.3
GREEN HILLS	98,500	475	4.8	MINOR METRO TOTAL	1,039,600	5,550	5.3
NORTHEAST MISSOURI	55,800	234	4.2	NONMETRO TOTAL	1,430,800	7,799	5.5
MARK TWAIN	131,300	695	5.3	STATE TOTAL	5,324,000	25,733	4.8

consistent with the National Center for Health Statistics (NCHS), which also implemented this change in 1989. Race of child had been computed by an algorithm based on race of mother and race of father. Persons of mixed parentage were classified according to the race of the nonwhite parent. Because of this rather arbitrary formula and the increasing proportion of out-of-wedlock births in which father's race is missing, it was decided by NCHS to implement this change to race of mother.

Appendix Table A below shows how this change affects infant death rates by race. Three sets of rates and ratios are presented. The first set shows the current method by race of mother and the second set shows the old method by race of child. Both of these use the 1989 death cohort, in which infant deaths occurring in 1989 are divided by births occurring in 1989. In fact, some of these births to 1989 infant deaths occurred in 1988. The third method using the birth cohort takes the births occurring in a given year (e.g., 1989) and matches any deaths that occur to them in the first year of life, even if they occurred in the following year, 1990. This is the preferred method, but takes longer to collect.

The infant death rates for blacks are consistently higher using race of mother than using race of child. The resulting black/white ratios are also consistently higher using race of mother. While the numerator (the number of black infant deaths) stays the same in both calculations, the denominator (the number of black live births) is lower by race of mother than by race of child. Comparing death cohort to birth cohort infant death rates and ratios by race of mother, differences are shown in both directions, ranging from 0.1 to 1.1 per 1000 live births.

In examining trends in infant death rates by race over time, it is important to use the same method throughout the time period compared. Therefore, it is not appropriate to compare black infant death rates by race of mother in 1989 to black infant death rates by race of child in 1988. The caveats relating to infant death rates by race over time also apply to other birth indicators such as low birth weight rates, out-of-wedlock teen birth rates, etc.

Appendix Table A
Resident Infant Death Rates per 1000 Live Births by
Race of Child, Race of Mother, Death Cohort vs. Birth Cohort:
Missouri 1985-1995

	<i>DEATH COHORT</i>						<i>BIRTH COHORT</i>		
	<i>(1989 Annual Method)</i>			<i>(Pre-1989 Annual Method)</i>			<i>(Matched Birth/Deaths)</i>		
	<i>Race of Mother</i>			<i>Race of Child</i>			<i>Race of Mother</i>		
	<i>White</i>	<i>Black</i>	<i>Black/White</i> <i>Ratio</i>	<i>White</i>	<i>Black</i>	<i>Black/White</i> <i>Ratio</i>	<i>White</i>	<i>Black</i>	<i>Black/White</i> <i>Ratio</i>
1985 ...	9.0	17.2	1.91	9.0	16.7	1.86	8.9	17.8	2.00
1986 ...	9.1	19.1	2.10	9.2	18.5	2.01	9.2	18.6	2.02
1987 ...	8.8	18.2	2.07	8.9	17.5	1.97	8.7	18.3	2.10
1988 ...	8.9	16.8	1.89	9.0	16.1	1.79	8.8	16.3	1.85
1989 ...	8.4	17.2	2.05	8.6	16.6	1.93	8.5	17.5	2.06
1990 ...	7.7	18.2	2.36	7.9	17.5	2.22	7.6	18.0	2.37
1991 ...	7.8	21.3	2.73	7.9	20.5	2.59	7.9	19.5	2.47
1992 ...	6.9	16.0	2.32	7.0	15.3	2.19	6.9	16.9	2.45
1993 ...	7.1	14.7	2.07	7.2	14.0	1.94	7.2	13.6	1.89
1994 ...	6.6	16.4	2.47	6.7	15.5	2.31	6.4	15.6	2.43
1995 ...	6.4	13.7	2.15	6.5	12.8	1.98	5.9	13.3	2.26

TERMS "RESIDENT" AND "RECORDED"

It is important to understand the significance of the terms "Resident" and "Recorded" when analyzing vital statistics.

"Resident" data are compiled for vital events that relate to persons residing in an area independent of where the events occurred. (A person is considered to be a resident of an area if he has resided there six months or more. An exception to this involves people dying in hospitals, nursing homes, or other institutions. In such cases, the usual place of residence before admission is reported. In the case of live births, fetal deaths, and infant deaths, the residence of the mother is considered to be the residence of the child.)

"Recorded" data are based on the number of vital events that occur in an area. These data are used to analyze events that might be affected by the place in which they occur.

Resident and recorded figures can neither be added nor subtracted from the other. Thus the number of events occurring or not occurring in the same geographic area where the people reside cannot be calculated from resident and recorded data.

UNKNOWNNS

Records classified as Missouri residents with unknown county of residence are included in the state totals of this publication. In annual vital statistics reports before 1979, these records were excluded from totals. The number of 1995 records with unknown county of residence by system is as follows:

Live Births.....	0
Fetal Deaths	0
Deaths.....	0
Abortions.	99

The following imputations of unknowns were made in this report:

Unknown sex is considered male.
Unknown marital status is considered married.
Unknown live birth order is considered 1st.

RATES

Rates are calculated by dividing the event of concern by the population at risk or a related population and multiplying by a constant. Live birth, death, natural increase, marriage, and dissolution rates are expressed in terms of 1,000 estimated midyear population. Infant, perinatal, fetal, neonatal, and post-neonatal death rates are stated per 1,000 live births.

Rates per 100 live births or percentages are used in Tables 7-10C for such rates as out-of-wedlock or low birth weight. In Table 10, unknowns are excluded in the calculation of percents when the percents are greater than 2 percent. These include: (1) crown heel less than 47 cm; (2) mother greater than 15 percent underweight; (3) mother greater than 20 percent overweight; (4) mother gained less than 15 pounds during pregnancy; (5) mother gained 45+ pounds during pregnancy; (6) inadequate prenatal care; (7) mother Medicaid participant; (8) mother WIC participant; (9) mother Medicaid and WIC; and (10) mother Food Stamp recipient. For less than 18 months since last birth, the denominator excludes first births. For weight gain during pregnancy the denominator is singleton births of 37 or more weeks of gestation.

Total Fertility Rate (Graph B) refers to the average number of births a woman would have if a given set of age-specific birth rates applied throughout her reproductive years.

General Fertility Rate (Table 3) refers to the total number of live births per 1,000 women aged 15-44 for a given year.

Age-Specific Fertility Rate (Table 3) is the number of live births born to mothers of a given age per 1,000 females of that age group for a given year.

The **Abortion Ratio** is a ratio of abortions per 1,000 live births for a given year.

Crude Death Rate is defined as the total number of deaths of area residents for the year divided by the midyear population of the area multiplied by some constant. The constants used in this report are 100,000 for cause specific rates and deaths for all causes in Tables 19 and 27A and 1,000 for death rates in all other tables and graphs.

$$\text{Crude Death Rate} = \frac{\text{number of deaths during year}}{\text{midyear population}} \times 1,000 \text{ or } 100,000$$

Age Specific Death Rate (Tables 4 and 21) is calculated in the same manner as the crude death rate except that both the number of deaths and the midyear population are restricted to a given age group.

$$\begin{aligned} \text{Age-Specific Death Rate} = \\ \text{For given age group:} \\ \frac{\text{number of deaths during year}}{\text{midyear population}} \times 1,000 \end{aligned}$$

The **Age-Adjusted Death Rate** (Age-Adj Rate) is a weighted average of age-specific death rates. Comparison of areas or time periods using crude death rates can often be misleading, since these rates are affected by the age composition of the population. For example, a county may display a high crude death rate simply because it has an older population.

To control for these differences in age compositions, age-specific rates can be weighted according to a standard population. Such a calculation produces an age-adjusted rate. The age-adjusted rates shown in this report are calculated by the direct method with the following formula:

$$\text{Age-Adjusted Death Rate} = \sum \frac{M_a \times P_a}{P}$$

where M_a = age-specific rate for given age group
 P_a = standard population in given age group
 P = total standard population

This report uses five-year age groupings with the 1940 United States population as the standard. Each figure thus represents the rate that would have existed if the age-specific rates in question prevailed in a population whose age distribution is like that of United States in 1940. This serves to control for differences in age compositions and makes comparisons between areas or time periods more legitimate. It is important, however, not to compare age-adjusted death rates with other rates adjusted to different standard populations.

From 1972 to 1990, the Missouri 1970 population had been used as the standard in the Missouri annual vital statistics reports. This makes comparisons of age-adjusted death rates with annuals before 1991 impossible. The standard population was changed to United States 1940 to allow comparability with national age-adjusted death rates published by the National Center for Health Statistics. The 1940 population is also used as the standard for age-adjusted death rates in the Year 2000 Goals and Objectives for both Missouri and the nation.

The **Abridged Life Tables** in this report (Table 29) are generated from a computer software package originally developed by the National Center for Health Statistics, and modified by the Missouri Center for Health Statistics. It uses the technique of "reference to a standard table." These tables are technically defined as "current life tables" since they are cross-sectional in nature. In other words, these tables do not represent the life expectancy of an actual cohort of all Missourians born in a particular year and followed throughout their lifetime. Rather, the current life table considers a hypothetical cohort and assumes it is

subject to the age-specific mortality rates existing for a given year. This means that the current life tables contained herein assume hypothetical cohorts subject throughout their lifetimes to the age-specific mortality rates prevailing for the year of this report.

The term "abridged" indicates that the age interval used in the tables are five-year age groupings rather than single years of age.

CAUSE OF DEATH CLASSIFICATION

Cause of death data are displayed by the underlying cause. The underlying cause of death is defined as the disease or injury which initiated the train of morbid events leading directly to death or the circumstances of the accident or violence which produced the fatal injury.

The causes of death presented here are classified in accordance with the Ninth Revision of the International Classification of Diseases (ICD-9), 1975; World Health Organization. This revision has been used to classify deaths occurring on or after January 1, 1979. Comparisons with data from earlier years must be done with caution, since these were classified under different coding schemes. Consequently, certain diseases may show changes in their trends as a result of changes in definitions. For a general measure of the extent of these changes between the eighth and ninth revisions, consult "Estimates of Selected Comparability Ratios Based on a Dual Coding of 1976 Death Certificates by the Eighth and Ninth Revisions of the International Classification of Diseases," *Monthly Vital Statistics Report*, National Center for Health Statistics, Volume 28, Number 11, Supplement (February 29, 1980).

The specific causes of death in this report are shown in groupings of 34 causes. In those tables presenting leading causes of death, the rankings are based on a further consolidation of these 34 causes. These causes are listed below with their ICD-9 codes. Those used for ranking purposes are noted with an asterisk.

Causes of Death	ICD-9 Codes
*Tuberculosis.....	010-018
*Septicemia	038
*AIDS	042-044
*Syphilis.....	090-097
Residual of Infectious & Parasitic Diseases.....	001-009, 020-037, 039-041, 045-088, 098-139
*Malignant Neoplasms	140-208
Digestive Organs	150-159
Respiratory Organs.....	160-165
Breast.....	174-175
Genital Organs.....	179-187
Urinary Organs	188-189
Leukemia	204-208
Other Malignant Neoplasms.....	140-149, 170-173, 190-203
*Diabetes Mellitus	250
Major Cardiovascular Disease	390-448
*Diseases of the Heart	390-398, 402, 404-429
Rheumatic Fever & Rheumatic Heart Disease.....	390-398
Hypertensive Heart	402, 404
Ischemic Heart.....	410-414
Other Heart Disease	415-429
*Hypertension	401, 403
*Cerebrovascular Disease.....	430-438
*Atherosclerosis.....	440
Other Major Cardiovascular.....	441-448

*Pneumonia & Influenza.....	480-487
*Chronic Pulmonary Disease.....	490-496
*Ulcer of Stomach.....	531-533
*Liver Disease & Cirrhosis.....	571
 *Nephritis & Nephrosis.....	 580-589
*Complications of Pregnancy, Childbirth & Puerperium	630-676
*Congenital Anomalies.....	740-759
*Diseases of Early Infancy	760-779
Symptoms & Ill-Def. Cond.....	780-799
All Other Diseases	Residual
 *Accidental Deaths.....	 800-949**
Motor Vehicle.....	810-825**
Other Accidental Deaths	800-807, 826-949**
*Suicide	950-959**
*Homicide & Legal Intervention	960-978**
All Other External Causes	980-999**
** Only external cause of death codes (E-codes) are used on the death file for injuries.	

MEDICAL CONDITIONS ON BIRTH RECORDS

Table 5B presents selected medical conditions reported on the birth certificate by means of a check-off box system. Before 1989, medical conditions on the birth certificate were reported by open-ended questions. It is believed that the check-off box generally increases reporting. A study done by the Missouri Center for Health Statistics found that medical risk factors increased by 50 percent, labor or delivery complications by 30 percent, and congenital anomaly reporting nearly doubled in the first half of 1989 compared with 1988. See *Missouri Monthly Vital Statistics Report*, Nov. 1989, Vol. 23, No. 9 for more details.

ADDITIONAL DEFINITIONS

Apgar Score — An international code ranging from 0 to 10 used to measure the health of an infant at one minute and five minutes after birth. Items used to derive the score are heart rate, respiratory effort, muscle tone, reflex irritability and color. A score below eight implies a moderately or severely depressed condition. The score used in Table 10 is taken at five minutes after birth. Caution should be used in interpreting patterns of low Apgar scores by area because of a possible subjective bias in assigning scores. Different medical personnel may assign different scores to the same child.

Birth Order — Number of previous pregnancies plus one.

Crown Heel — Length of the baby at birth in centimeters.

Fetal Death — Death taking place at 20 weeks gestation or later and before birth.

GT 15 Percent Underweight/GT 20 Percent Overweight — If the mother's prepregnancy weight is greater than 15 percent below or 20 percent above the desired weight for her height according to the 1959 Metropolitan Life Insurance tables.

Inadequate Prenatal Care — Fewer than five prenatal visits for pregnancies less than 37 weeks, fewer than eight visits for pregnancies 37 weeks or longer or care beginning after the first four months of pregnancy. Before 1994, records with unknown month prenatal care began or unknown prenatal visits were excluded. Beginning in 1994, if adequacy of prenatal care could be determined even if month care began or visits were unknown, then these records were included.

Infant Death — Baby dying during the first year of life.

Infant Transfer — Infant transferred to another facility after delivery.

Less than 37 Weeks Gestation — Length of pregnancy less than 37 weeks based on date of last normal menses unless this calculation is less than 17 weeks, more than 44 weeks, unknown or if the birth weight and length of pregnancy were obviously inconsistent. This last criteria was added in 1994. In these cases of unknown or illogical length of pregnancy, the clinical estimate of gestation is used.

Live Birth Order — Number of previous babies born alive now living plus one.

Low Birth Weight — Less than 2500 grams or five and one-half pounds.

Maternal Death — Mother dying as a result of complications of pregnancy, childbirth and puerperium (ICD-9 codes 630-676).

Maternal Transfer — Mother transferred from another facility prior to delivery.

Natural Increase — Resident live births minus resident deaths.

Neonatal Death — Baby dying during first 27 days of life.

Out-of-Wedlock Birth — Birth involving mother who was unmarried at time of conception, at time of birth, and throughout time between conception and birth.

Perinatal Death — Fetal or neonatal death.

Postneonatal Death — Death occurring after 27th day of life and before one year.

Teen-age Pregnancy — Live birth, fetal death or abortion occurring to a woman under 20 years of age.